



**agriculture
& rural development**

Department:
agriculture
& rural development
PROVINCE OF KWAZULU-NATAL

INVITATION OF QUOTATION ABOVE R30,000.00

THIS FORM SHOULD BE COMPLETED IN DETAIL AND SHOULD BE ACCOMPANIED BY A **VALID TAX COMPLIANCE STATUS PIN AND VALID BBBEE VERIFICATION CERTIFICATE/AFFIDAVIT**

QUOTATION NUMBER: R/S/1819/1193	VALIDITY PERIOD OF QUOTATION..... Days (To be completed by the Supplier)
CLOSING DATE: 25 OCTOBER 2018	CLOSING TIME:11H00
DESCRIPTION(SPECIFICATION/S) OF ITEMS/ SERVICE REQUIRED: SUPPLY , DELIVER AND ERECT FENCING TO PROJECT NGCOLOZI & MBOLOMBE UNDER ILEMBE DISTRICT	COMPANY NAME: TEL NO: FAX NO: CONTACT PERSON: CSD REG NUMBER MAAA.....
DOES OFFER COMPLY WITH SPECIFICATION?	YES/NO (DELETE WHICH EVER IS NOT APPLICABLE)
DOES ARTICLE COMPLY WITH SABS SPECIFICATION? HAS IT BEEN INSPECTED BY SABS?	YES/NO YES/NO (DELETE WHICH EVER IS NOT APPLICABLE)
DELIVERY PERIOD AFTER INITIAL ORDER?	
IS THE PRICE FIRM	
WHERE ARE THE STOCK HELD? (PHYSICAL ADDRESS , PLEASE)	
QUOTATION PRICE INCLUDING VAT (VAT TO BE ADDED BY REGISTERED VAT VENDORS ONLY)	TOTAL: R
COMPANY OFFICIAL STAMP (COMPULSORY) SIGNATURE OF BIDDER DATE
NUMBER OF PAGES SUBMITTED BACK TO THE DEPARTMENT BY THE SUPPLIER(Supplier to complete)

NB: QUOTATION FOR THE ATTENTION OF: Bonnie Nzimande

TELEPHONE NUMBER: 033 355 9568

NB:

THE ATTACHED SBD4 & SBD9 FORMS MUST BE COMPLETED IN FULL.

THIS REQUEST FOR QUOTATION (RFQ) MUST BE COMPLETED AND RETURNED WITH ALL YOUR QUOTATION DOCUMENTS.

QUOTATIONS MUST BE DEPOSITED IN THE BID BOX SITUATED AT: THE DEPARTMENT OF AGRICULTURE & RURAL DEVELOPMENT: SUPPLY CHAIN MANAGEMENT , 1 CEDARA ROAD , CEDARA, 3201

ANNEXURE A

COMPANY NAME -----

ADDRESS -----

CONTACT PERSON. -----

CONTACT NUMBER -----

FAX NUMBER -----

LINE NO.	DESCRIPTION OR SPECIFICATION OF ITEM (Please be very specific and clear)	REQUIRED QUANTITY	UNIT PRICE EXCL. VAT		TOTAL PRICE	
			R	C	R	C
1.	Supply, deliver and Fully Erect Fencing to the project as per attached specification Fisokuhle Garden-Maphumulo Qedumona Garden - Maphumulo Silindokohle Garden – Maphumulo Qedusizi Garden- Maphumulo Sukumani Garden- Maphumulo Nsuze Garden -Maphumulo Uthandolwesizwe Garden- Maphumulo	07 Gardens				
*LABOUR (IF APPLICABLE)						
*DELIVERY (IF APPLICABLE)						
TOTAL						
*ONLY APPLICABLE TO VAT REGISTERED SUPPLIERS 15% VAT						
TOTAL PRICE						

*VAT Registration No. (Supplier) -----

When Required (Requester) – August 2018

Where Required (Requester) – ILEMBE DISTRICT- Ngcolosi and Mbolombe Fisokuhle Gardens


Fisokuhle Garden-Maphumulo
Qedumona Garden - Maphumulo
Silindokohle Garden – Maphumulo
Qedusizi Garden- Maphumulo
Sukumani Garden- Maphumulo
Nsuze Garden -Maphumulo
Uthandolwesizwe Garden- Maphumulo

Contact details of requester: P.K HADEBE

TEL: 0324812008 /0795062070

(COMPULSORY)

COMPANY STAMP



PRICES ARE VALID FOR..... DAYS

SIGNATURE

DATE



MESH FENCING/ PREMANUFACTURED HINGED JOINT
>>> SUPPLY AND ERECTION <<<

BID DOCUMENT

>>> Project: **Maphumulo Gardens (07sites)**

TABLE OF CONTENTS:

No.	Section	Pages	Read / Complete
1.	Project Particulars and Specification	1-2	Read
2.	Bill of Quantities	4	Complete
3.	Drawing A1	5	Read
4.	Map of fence layout	6	Read

No.	Section	Pages	Read / Complete
5.41	Appointment of a Service Provider to SUPPLY AND ERECT Kms of hinged joint fence at		Fisokuhle Garden Qedumona Garden Sifindokuhle Garden Qedusizi Garden Sukumani Garden Nsuze Garden Uthandoleziwe Garden

1. Background:

The fence is to be erected approximately _____ km from _____ Kranskop

2. Specific Objective:

Supply, deliver and fully erect a hinged joint fence of _____ 5.407 km.
The fence must be erected in accordance with the specifications in the attached drawing, Drawing A1.

3. Scope of Objectives:

Supply and erect a 1.2m hinged joint fence with 3 strands of double twist barbed wire above. Total height: 1.7m
The following services are required:

- 3.1 Supply: - of the specified materials listed in the Bill Of Quantities, Appendix 1.
- 3.2 Delivery: - of all materials to _____
- 3.3 Erection:
 - according to the attached map, showing the fence layout.
 - according to the Departmental Specifications in the attached drawing, Drawing A1.
 - providing all equipment required for erection
 - sourcing of at least 50% unskilled labour from the local community.
- 3.4 Inspection and reporting:
 - Weekly inspection reports of progress must be submitted on Monday morning to the contact person.
 - On site inspections will be conducted by Departmental staff to check all completed work before any payments can be made
 - The contractor is responsible to check that the tendered distance is correct. Failure to check the distance before starting the installation will result in the contractor not being paid for any excess/extra material that the contractor has purchased. The contractor will only be paid for materials that have been used. Where the tendered distance is lower than the required distance the contractor must not exceed the tender amount prior to receiving authorization in the form of a variation order.
 - Accurate distances of all erected fences are to be kept by the service provider as only work that has been done will be paid for. Any fencing installed over the order amount will not be paid for unless prior permission has been obtained to exceed the order amount.
 - Site meetings and project steering committee meetings to be held when necessary and minutes to be kept by the SP.

4. Deliverables:

- 4.1 Fencing materials according to the Bill of Quantities in Appendix 1.
- 4.2 Construction of the fence according to the specifications provided in Drawing A1. If Drawing A1 was not attached to the tender documents it is the contractors responsibility to obtain the drawing before submitting the tender. Failure to erect the fence according to the Departmental specifications will result in the contractor having to re-install the fence at the contractors own expense.
- 4.3 Weekly written progress reports to the Local Agricultural Manager, outlining progress, daily activities and quantities of materials used.
- 4.4 Submission of full closeout report including materials used, job opportunities created in EPWP format for the duration of the project.
- 4.5 Attendance of steering committee meetings and the provision of minutes if called for.
- 4.6 The contract requires a minimum delivery RATE of 3 km of completed fencing per week.
- 4.7 Any excess material STRICTLY to be left with the project beneficiaries.

5. Competence and Expertise:

It is essential that the work be carried out by fully competent personnel with proven experience in fencing and Project Management.

- 5.1 Competency:** - only bidders with proven ability to complete 3 km of fencing per week shall be considered.
- bidders are required to provide an implementation plan including time frames from start to finish.
- failure to provide a program will invalidate the bid.
- 5.2 Labour:** * skilled and semi-skilled labour only to be provided by the contractor. At least 50% unskilled labour is to be sourced from the local community.
- 5.3 Site supervision** * Project Manager/Technician on site to supervise work done, quality control and certify work for payment.
Invoices will be paid within 30 days, provided that the progress has been inspected prior to the submission of the invoice.
- 5.4 Bid Format:** All documents in the bid document are to be completed. All quotations and claims must include VAT.

6. Validity Period for Bid:

Bids shall remain valid for a period of 120 days from the date that the bid closes.

7. Compulsory Pre-Bid Tender Meeting:

A compulsory pre-bid site meeting will be held with prospective bidders. Failure to attend this meeting will invalidate the bid.

8. Site Hand Over to the Contractor:

The contractor will be introduced to the project participants following the awarding of the tender. The site will be handed over to the contractor who will control the site for the duration of the project. The contractor will be responsible for the administration, control and security for the site. It is up to the contractor to arrange insurance as the contractor is responsible for any theft or damage that occurs on site.

9. Water and Electricity:

The contractor shall make the necessary arrangements for the provision of any water and electricity. Any cost to acquire water and electricity must be added to the bid amount as no extra funding will be received.

10. Housing of Contractor's Employees:

No housing is available for the contractors employees and the contractor shall make arrangements to and from site. It is up to the contractor to arrange any short term accommodation with the project participants. The contractor is responsible for any financial expenses for housing employees on site.

11. Underground Cables and Pipes:

If such services are discovered, immediate notification must be made to the Employer and all work in the vicinity will cease until it is safe to continue. If the contractor damages any underground pipes or cables such damage will be repaired as soon as it is safe and possible by the contractor.

12. Insurance

All accepted approved contractors shall be required to provide the following insurance's for the project (s) awarded to them:

- i) Registration with the Compensation Commissioner and compliance with the Compensation for Occupational Injuries and Diseases Act with regards to insurance.
- ii) Unemployment fund insurance for all workers.
- iii) Insurance against damage, destruction or loss caused by fire.
- iv) Public Liability Insurance.
- v) All Risks (works) Policy Political for the value of the respective project plus 10%.

13. Specifications:

Refer to Bill of Quantities and Drawings .

- Spacing of wooden poles: 5.0m:
10% maximum deviation (0.5m) from the specified spacings will be allowed.
- Boxes: Box length to be 1.05m (half a pole length).
- Compaction : Normal manual force against the poles must be absorbed.
- Straining: The hinged joint section & barbed wire to be strained. If the fence is pulled down, it must recover to it's original position. Fence is to be strained using appropriate straining equipment.
- Exposed Surfaces : All exposed surfaces where poles have been sawed off are to be painted with creosote.

14. Timetable/Timing:

The contractor must be on site and commence construction no later than 1 week after an order has been issued. Where more than 1 payment is required, the contractor must indicate the number of part payments that will be required in the tender documents. Claims for work that has been completed and verified can be submitted on a monthly basis. Generally no more than 1 claim per month will be accepted.

15. Management Arrangements and Reporting Requirements:

Dlamini GM is the District Manager. Any matters regarding the district staff or any complaints should be directed to him/her.

16. Evaluation Criteria:

Proven previous experience is a requirement to qualify.
 The following minimum CIDB designations are required:

Farm fencing (barbed/razor wire/hinged joint) 2.5 - 6km:	ZSQ
--	-----

<< TABLE 1A: Minimum CIDB designation requirements per length offending bracket

Award of work to the successful bidder will be based on Price, Departmental Goals (i.e. preference points attached) and functionality.

16.1 Compliance:

- i) All information and documentation required in the Specification, eg. Certificates.
- ii) All information required in the bid document must be accurate and duly completed, including all the appropriate signatures. This includes the submission of required / requested documentation eg. valid tax certificate, etc.
- iii) Failure to comply with any of the requirements will invalidate the bid.

16.2 Functionality

Functionality will be assessed separately from the 90/10 or 80/20 formula. The first stage will be the assessment of functionality upon which the Bidders who score less than 65% for functionality will not be considered further. The second stage will be the assessment and evaluation of Bidders in terms of 90/10 or 80/20, where 90 (80) points shall be used for pricing scores only and the 10 (20) points for BBBEE status. See Tables 2 and 3 for Evaluation Guidelines and Criteria respectively. Submissions will be scored using the below scoring table. This bid will be evaluated on functionality which will determine the capability, ability and capacity of the prospective bidders to provide the required goods or services for the department. A minimum score of 65% must be obtained by the bidder in order to qualify to be evaluated further for price.

TABLE 2: GUIDELINES FOR EVALUATION

CRITERIA	GUIDELINES FOR EVALUATION
ABILITY ↓ Capacity	Bidders to provide proof of current capacity and ability to: Implement the design and specifications to the standard as directed in the technical specifications.
CAPABILITY ↓ Competency ↓ Experience	Demonstration of competency to render the required service & providing proof of registration with the CIDB (For min. CIDB designation requirements see Table 1A) Bidders to provide evidence of similar projects completed recently i.e. not less than 2 projects and not more than 5 projects in the past 5 years.
METHODOLOGY	Provide a short description of your intended implementation methodology indicating time frames to complete the work.

NOTE: In order to ensure meaningful evaluation, bidders must submit detailed information in substantiation of the evaluation criteria mentioned.

TABLE 3: ASSESSMENT CRITERIA FOR THE EVALUATION OF THE FUNCTIONALITY

EVALUATION MATRIX		Points %	Score
1	Financial viability of the bidder: Submission of a letter of good standing from a recognized financial institution	10	
2	Submission of short CV's of key personnel.	20	
3	<ul style="list-style-type: none"> • Demonstration of competency to render the required service (e.g. CIDB registration certificates), • Providing proof of insurances, • Proof of compliance with Labour legislation (enrolment of staff for Workman's compensation/UIF, Occupational Health & Safety Act. 	10	
4	Demonstrable experience of the prospective service provider's engagement in similar work: <ul style="list-style-type: none"> • Submission of list of 2-5 projects in the last 5 years with values and extent of involvement and contact details of referees. • Documentary proof such as reference letters/CIDB assessments indicating value and period of the contract. 	25	
5	Submission of a short description of the intended implementation methodology indicating time frames to complete work.	10	
TOTAL		100%	

**MESH FENCING/ PREMANUFACTURED HINGED JOINT
>>> SUPPLY AND ERECTION <<<
BID DOCUMENT - PAGE 4**

16.3 General:

The Department of Agriculture, Environmental Affairs and Rural Development is an equal opportunity, affirmative action employer. It shows the same commitment to those who wish to provide services to the Department via the procurement process. This does not preclude the formation of consortiums or the inclusion of proposals on how this project can be used to further the aims of transformation. The actual price quoted, including VAT, will be used for issuing of an order to the successful bidder. You must provide for all items in Appendix 1 as the unit rates quoted will be applied for calculation of the amount claimable.

17. Payment Schedule:

Claims for work that has been completed can be made according to the following payment schedule:

1 Site Establishment:	5%
2 Material delivered to site (with invoice)	Invoiced Amount
3 Completed sections of fence (per m)	Pro rata tender amount (less 1+2+4)
4 Retention	5%

A 5% retention will be kept for 1 month after works have been completed to make sure that the standard of work that has been done is satisfactory.

18. Enquiries:

Dlamini GM District Manager	Contact Number	032 4377500
F.E Ncanana Project manager	Contact Number	072 246 7644

19) CONTRACTOR'S EXPERIENCE

Please Note: It is compulsory to fill this form in and return it with your bid. Failure to do so will result in your bid being disqualified!

A) Previous work experience:

Have you completed projects of a similar nature in the past 5 years?

Preference will be given to contractors with previous fencing experience. It is therefore in the Bidder's interest to provide relevant information.

YES NO

B) List no more than 5 previous fencing projects erected:

	Name of Project	Project Value	Reference/Contact	Contact No.	Length of Fence
1					
2					
3					
4					
5					

C) Indicate the [number of] and appropriate type of fences erected in the past 5 years:

> Barbed wire [] > Hinged joint [] > Security [] > Electrical [] > Diamond mesh [] > Game fence [] > Other: [] Specify:

D) In what capacity were you involved in the fencing projects?

Contractor	Sub-contractor	Employee	Material supply only	Other:

E) What was your role in the fencing projects?

Owner of business	Site Foreman	Skilled labourer	General labourer	Other:

F) Capacity to erect fencing

Which option mostly applies to you?

1) I currently have one or more teams employed by my company that can erect fences	Yes / No
2) I have access to temporary labourers with fencing experience which I will employ	
3) I will have to source labourers to erect the fence and labourers will require training	
4) I plan to source an experienced fencing sub-contractor to erect the fence	

G) Declaration

I hereby verify that all of the information given above is true.

Signed by:

Date

Company stamp

APPENDIX 1: BILL OF QUANTITIES

FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

1.2m Hinged joint fence with 3 strands of barbed wire above | Poles 6.0m apart | Total Height 1.7m

Version 6.0-September 2016

Project:	Fisokuhle Garden		
Fence Perimeter =	415	m	
District	Hembe		
Contact Person	F.E Ncanana		
BoQ Compiler	Paul Klappers		
	Contact Number	092 481 2008	
	Contact Number	072246 7644	
	Date BoQ	11/06/2017	

No.	Item Description	Quantity Required	Unit Price	Total Cost
General:				
1	Site establishment.	Sum	1	
2	Site Clearing: Removal of any existing fences. Bush clearing required.	Sum	1	
Materials:				
3	Galvanized barbed wire 1.6mm diameter High Tensile double strand 845m per roll Fully Galvanised	2	Roll(s) of 845m length	
4	2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mmØ	129	Poles	
5	Hinged Joint Fence, 1.2m high (eg. Veldspan/Bomox/or equivalent) Fully galvanised Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls	5	Roll(s) of 100m length	
6	Galvanized Wire Staples 25mm x 2.5mm 500g packs	15	Pack(s)	
7	Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)	
8	Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)	
9	Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam. pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain	0	Gate frames	
10	8 ga straining wire, 4mm diam, 5kg(50m) rolls Fully Galvanized	3	Roll(s)of 5kg	
11	12 ga binding wire, 2.5mm diam, 5kg (130m) roll Fully galvanized	1	Roll of 5kg	
12	Erection Cost	Sum	1	
13	Transport Cost, incl on/off loading & delivery off loading	Sum	1	
14	Cement. Packets of 50 kg			
15	Sand	No.		
16	Stone	m3		
		m3		
SUB-TOTAL				
VAT				
TOTAL				

NOTE: This Bill of Quantities must be read in conjunction with DRAWING REF. RDN/2013/21/FEN

APPENDIX 1: BILL OF QUANTITIES

FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

1.2m Hinged joint fence with 3 strands of barbed wire above | Poles 5.0m apart | Total Height 1.7m

Version 3.5-September 2016

Project: Qedumona Garden

Fence Perimeter = 529 m

District Ilembe

Contact Person F.E Ncanana

Contact Number 092 481 2008

BoQ Compiler Paul Kloppers

Contact Number 072246 7644

Date BoQ

11/08/2017

No.	Item Description	Quantity Required	Unit Price	Total Cost
1	General: Site establishment.	Sum	1	
2	Site Clearing: Removal of any existing fences. Bush clearing required.	Sum	1	
Materials:				
3	Galvanized barbed wire 1.6mm diameter High Tensile double strand 845m per roll Fully Galvanized	3	Roll(s) of 845m length	
4	2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mmØ	157	Poles	
5	Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Fully galvanized Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls	6	Roll(s) of 100m length	
6	Galvanized Wire Staples 25mm x 2.5mm 500g packs	18	Pack(s)	
7	Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)	
8	Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)	
9	Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain	0	Gate frames	
10	8 ga straining wire, 4mm diam, 5kg(50m) rolls Fully Galvanized	3	Roll(s)of 5kg	
11	12 ga binding wire, 2.5mm diam, 5kg (130m) roll Fully galvanized	1	Roll of 5kg	
12	Erection Cost	Sum	1	
13	Transport Cost, inc on/off loading & delivery off-loading	Sum	1	
14	Cement. Packets of 50 kg	No.		
15	Sand	m3		
16	Stone	m3		
SUB-TOTAL				
VAT				
TOTAL				

NOTE: This Bill of Quantities must be read in conjunction with DRAWING REF. RDN/2013/21/FEN

APPENDIX 1: BILL OF QUANTITIES

FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

1.2m Hinged joint fence with 3 strands of barbed wire above | Poles 5.0m apart | Total Height 1.7m

Version 1.0 September 2016

Project: Silindokuhle Garden

Fence Perimeter = 714 m

District Ilembe

Contact Person M Ncwane

Contact Number 032 481 2008

BoQ Compiler Paul Kloppers

Contact Number 072246 7644

Date BoQ

11/08/2017

No.	Item Description	Quantity Required		Unit Price	Total Cost
General:					
1	Site establishment.	Sum	1		
2	Site Clearing: Removal of any existing fences. Bush clearing required.	Sum	1		
Materials:					
3	Galvanized barbed wire 1.6mm diameter High Tensile double strand 845m per roll Fully Galvanised	3	Roll(s) of 845m length		
4	2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mmØ	207	Poles		
5	Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Fully galvanised Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls	9	Roll(s) of 100m length		
6	Galvanized Wire Staples 25mm x 2.5mm 500g packs	24	Pack(s)		
7	Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
8	Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
9	Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain	0	Gate frames		
10	8 ga straining wire, 4mm diam, 5kg(50m) rolls Fully Galvanized	4	Roll(s)of 5kg		
11	12 ga binding wire, 2.5mm diam, 5kg (130m) roll Fully galvanized	1	Roll of 5kg		
12	Erection Cost	Sum	1		
13	Transport Cost, Incl on/off loading & delivery off-loading	Sum	1		
14	Cement. Packets of 50 kg	No.			
15	Sand	m3			
16	Stone	m3			
SUB-TOTAL					
VAT					
TOTAL					

NOTE: This Bill of Quantities must be read in conjunction with DRAWING REF. RDN/2013/21/FEN

APPENDIX 1: BILL OF QUANTITIES

FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

1.2m Hinged joint fence with 3 strands of barbed wire above | Poles 5.0m apart | Total Height 1.7m

Version 2.0 - September 2017

Project:	Oedusizi Garden		
Fence Perimeter =	558	m	
District	Ilembe		
Contact Person	F.E Ncanana	Contact Number	032 481 2008
BoQ Compiler	Paul Kloppers	Contact Number	072246 7644
		Date BoQ	11/08/2017

No.	Item Description	Quantity Required		Unit Price	Total Cost
	General:				
1	Site establishment.	Sum	1		
2	Site Clearing: Removal of any existing fences. Bush clearing required.	Sum	1		
	Materials:				
3	Galvanized barbed wire 1.6mm diameter High Tensile double strand 845m per roll Fully Galvanised	3	Roll(s) of 845m length		
4	2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mmØ	153	Poles		
5	Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Fully galvanised Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls	6	Roll(s) of 100m length		
6	Galvanized Wire Staples 25mm x 2.5mm 500g packs	19	Pack(s)		
7	Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
8	Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
9	Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain	0	Gate frames		
10	8 ga straining wire, 4mm diam, 5kg(50m) rolls Fully Galvanized	3	Roll(s)of 5kg		
11	12 ga binding wire, 2.5mm diam, 5kg (130m) roll Fully galvanized	1	Roll of 5kg		
12	Erection Cost	Sum	1		
13	Transport Cost, Incl on/off loading & delivery off-loading	Sum	1		
14	Cement. Packets of 50 kg	No.			
15	Sand	m3			
16	Stone	m3			
SUB-TOTAL					
VAT					
TOTAL					

NOTE: This Bill of Quantities must be read in conjunction with DRAWING REF. RDN/2013/21/FEN

APPENDIX 1: BILL OF QUANTITIES

FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

1.2m Hinged joint fence with 3 strands of barbed wire above | Poles 5.0m apart | Total Height 1.7m

Version 1.0 September 2016

Project:	Sukuman!		
Fence Perimeter =	785	m	
District	Ilemba		
Contact Person	F.E Ncanana	Contact Number	032 481 2008
BoQ Compiler	Paul Klappers	Contact Number	072246 7644 Date BoQ 11/08/2017

No.	Item Description	Quantity Required		Unit Price	Total Cost
General:					
1	Site establishment.	Sum	1		
2	Site Clearing: Removal of any existing fences. Bush clearing required.	Sum	1		
Materials:					
3	Galvanized barbed wire 1.6mm diameter High Tensile double strand 845m per roll Fully Galvanized	3	Roll(s) of 845m length		
4	2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mmØ	203	Poles		
5	Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Fully galvanized Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls	9	Roll(s) of 100m length		
6	Galvanized Wire Staples 25mm x 2.5mm 500g packs	26	Pack(s)		
7	Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
8	Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
9	Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain	0	Gate frames		
10	8 ga straining wire, 4mm diam, 5kg(50m) rolls Fully Galvanized	3	Roll(s)of 5kg		
11	12 ga binding wire, 2.5mm diam, 5kg (130m) roll Fully galvanized	1	Roll of 5kg		
12	Erection Cost	Sum	1		
13	Transport Cost, incl on/off loading & delivery off-loading	Sum	1		
14	Cement. Packets of 50 kg	No.			
15	Sand	m3			
16	Stone	m3			

SUB-TOTAL

VAT

TOTAL

NOTE: This Bill of Quantities must be read in conjunction with DRAWING REF. RDN/2013/21/FEN

APPENDIX 1: BILL OF QUANTITIES

FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

1.2m Hinged joint fence with 3 strands of barbed wire above | Poles 5.0m apart | Total Height 1.7m

Version 4.5 September 2015

Project:	NsuzoGarden		
Fence Perimeter =	1798	m	
District	Ilembe		
Contact Person	F.E Ncanana	Contact Number	032 481 2008
BoQ Compiler	Paul Klappers	Contact Number	072246 7644
		Date BoQ	11/08/2017

No.	Item Description	Quantity Required		Unit Price	Total Cost
General:					
1	Site establishment.	Sum	1		
Site Clearing:					
2	Removal of any existing fences. Bush clearing required.	Sum	1		
Materials:					
3	Galvanized barbed wire 1.6mm diameter High Tensile double strand 845m per roll Fully Galvanised	7	Roll(s) of 845m length		
4	2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mmØ	456	Poles		
5	Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Fully galvanised Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls	19	Roll(s) of 100m length		
6	Galvanized Wire Staples 25mm x 2.5mm 500g packs	59	Pack(s)		
7	Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
8	Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
9	Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain	0	Gate frames		
10	8 ga straining wire, 4mm diam, 5kg(50m) rolls Fully Galvanized	8	Roll(s)of 5kg		
11	12 ga binding wire, 2.5mm diam, 5kg (130m) roll Fully galvanized	1	Roll of 5kg		
12	Erection Cost	Sum	1		
13	Transport Cost, incl on/off loading & delivery off-loading	Sum	1		
14	Cement (Packets of 50 kg)	No.			
15	Sand	m3			
16	Stone	m3			
SUB-TOTAL					
VAT					
TOTAL					

NOTE: This Bill of Quantities must be read in conjunction with DRAWING REF. RDN/2013/21/FEN

APPENDIX 1: BILL OF QUANTITIES

FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

1.2m Hinged joint fence with 3 strands of barbed wire above | Poles 5.0m apart | Total Height 1.7m

Version 0.8 September 2016

Project:	UThandolesizwe Garden		
Fence Perimeter =	558	m	
District	ilembe		
Contact Person	F.E Ncanana	Contact Number	032 481 2008
BoQ Compiler	Paul Kloppers	Contact Number	072246 7644
		Date BoQ	11/08/2017

No.	Item Description	Quantity Required		Unit Price	Total Cost
General:					
1	Site establishment.	Sum	1		
2	Site Clearing: Removal of any existing fences. Bush clearing required.	Sum	1		
Materials:					
3	Galvanized barbed wire 1.6mm diameter High Tensile double strand 845m per roll Fully Galvanised	3	Roll(s) of 845m length		
4	2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mmØ	164	Poles		
5	Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Fully galvanised Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls	7	Roll(s) of 100m length		
6	Galvanized Wire Staples 25mm x 2.5mm 500g packs	21	Pack(s)		
7	Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
8	Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain	1	Gate(s)		
9	Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain	0	Gate frames		
10	8 ga straining wire, 4mm diam, 5kg(50m) rolls Fully Galvanized	3	Roll(s)of 5kg		
11	12 ga binding wire, 2.5mm diam, 5kg (130m) roll Fully galvanized	1	Roll of 5kg		
12	Erection Cost	Sum	1		
13	Transport Cost, incl on/off loading & delivery off-loading	Sum	1		
14	Cement. Packets of 50 kg	No.			
15	Sand	m3			
16	Stone	m3			
SUB-TOTAL					
VAT					
TOTAL					

NOTE: This Bill of Quantities must be read in conjunction with DRAWING REF. RDN/2013/21/FEN

SECTION D

DECLARATION OF INTEREST

1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid (Includes an advertised competitive bid, a limited bid, a proposal or written price quotation). In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-

- the bidder is employed by the state; and/or
- the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.

2. In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

2.1 Full Name of bidder or his or her representative:

.....
.....

2.2 Identity Number:

.....
.....

2.3 Position occupied in the Company (director, trustee, shareholder², member):

.....
.....

2.4 Registration number of company, enterprise, close corporation, partnership agreement or trust:

.....
.....

2.5 Tax Reference Number:

.....

2.6 VAT Registration Number:

.....

2.6.1 The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / PERSAL numbers must be indicated in paragraph 3 below.

¹"State" means –

- (a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999);
- (b) any municipality or municipal entity;
- (c) provincial legislature;
- (d) national Assembly or the national Council of provinces; or
- (e) Parliament.

²"Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

Please clearly indicate, with an 'X' only one box that is applicable to your business or firm

2.7 Are you or any person connected with the bidder presently employed by the state?

YES	NO
-----	----

2.7.1 If so, furnish the following particulars:

Name of person / director / trustee / shareholder/member:

.....
.....

Name of state institution at which you or the person connected to the bidder is employed

.....
.....

Position occupied in the state institution:

.....
.....

Any other particulars:

.....
.....

2.7.2 If you are presently employed by the state, did you obtain

YES	NO
-----	----

the appropriate authority to undertake remunerative work outside employment in the public sector?

If yes, did you attach proof of such authority to the bid document?

YES	NO
-----	----

(Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the bid.)

2.7.2.1 If no, furnish reasons for non-submission of such proof:

.....
.....
.....
.....

2.8 Did you or your spouse, or any of the company's directors /

trustees / shareholders / members or their spouses conduct
business with the state in the previous twelve months?

YES	NO
-----	----

2.8.1 If so, furnish particulars:

.....

.....

.....

2.9 Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this bid?

YES	NO
------------	-----------

2.9.1 If so, furnish particulars.

.....
.....
.....

2.10 Are you, or any person connected with the bidder, aware of any relationship (family, friend, other) between any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this bid?

YES	NO
------------	-----------

2.10.1 If so, furnish particulars.

.....
.....
.....

2.11 Do you or any of the directors / trustees / shareholders / members of the company have any interest in any other related companies whether or not they are bidding for this contract?

YES	NO
------------	-----------

2.11.1 If so, furnish particulars:

.....
.....

3 Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	Personal Income Tax Reference Number	State Employee Number / Persal Number

4 DECLARATION

I, THE UNDERSIGNED (NAME).....

CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME SHOULD THIS DECLARATION PROVE TO BE FALSE.

.....
Name of bidder

.....
Position

.....
Signature

.....
Date

SECTION H

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Standard Bidding Document (SBD) must form part of all bids¹ invited.
- 2 Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *per se* prohibition meaning that it cannot be justified under any grounds.
- 3 Treasury Regulation 16A9 prescribes that accounting officers and accounting authorities must take all reasonable steps to prevent abuse of the supply chain management system and authorizes accounting officers and accounting authorities to:
 - a. disregard the bid of any bidder if that bidder, or any of its directors have abused the institution's supply chain management system and or committed fraud or any other improper conduct in relation to such system.
 - b. cancel a contract awarded to a supplier of goods and services if the supplier committed any corrupt or fraudulent act during the bidding process or the execution of that contract.
- 4 This SBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- 5 In order to give effect to the above, the attached Certificate of Bid Determination (SBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:

(Bid Number and Description)

in response to the invitation for the bid made by:

(Name of Institution)

do hereby make the following statements that I certify to be true and complete in every respect:

I certify, on behalf of _____ that:
(Name of Bidder)

1. I have read and I understand the contents of this Certificate;
2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign the bid, on behalf of the bidder;
5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
6. The bidder has arrived at the accompanying bid Independently from, and without consultation, communication, agreement or arrangement with any competitor.

However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature: _____

Date: _____

Position: _____

Name of Bidder: _____