

# **INVITATION OF QUOTATION ABOVE R30,000.00**

# THIS FORM SHOULD BE COMPLETED IN DETAIL AND SHOULD BE ACCOMPANIED BY A VALID TAX

**COMPLIANCE STATUS PIN AND VALID BBBEE VERIFICATION CERTIFICATE/AFFIDAVIT** 

QUOTATION NUMBER: R/S/1819/1255	VALIDITY PERIOD OF QUOTATION Days
	(To be completed by the Supplier)
CLOSING DATE: 25 OCTOBER 2018	CLOSING TIME:11H00
•	001404104114
DESCRIPTION(SPECIFICATION/S) OF ITEMS/	COMPANY NAME:
SERVICE REQUIRED:	TEL NO:
SUPPLY, DELIVER AND ERECT	FAX NO:
FENCING AT AMANDELU UNDER UGU	CONTACT PERSON:
DISTRICT	
	CSD REG NUMBER
	MAAA
DOES OFFER COMPLY WITH SPECIFICATION?	YES/NO
SPECIFICATIONS	(DELETE WHICH EVER IS NOT APPLICABLE)
DOES ARTICLE COMPLY WITH SABS SPECIFICATION?	VEC NO
HAS IT BEEN INSPECTED BY SABS?	YES/NO YES/NO
	(DELETE WHICH EVER IS NOT APPLICABLE)
	(SEELE WHIST EVENTS NOT AN ELECABELY
DELIVERY PERIOD AFTER INITIAL ORDER?	
IS THE PRICE FIRM	
13 THE PRICE CHAP	
WHERE ARE THE STOCK HELD?	
(PHYSICAL ADDRESS , PLEASE)	
QUOTATION PRICE INCLUDING VAT	TOTAL D
(VAT TO BE ADDED BY REGISTERED VAT VENDORS ONLY)	TOTAL: R
COMPANY OFFICIAL STAMP (COMPULSORY)	***************************************
	SIGNATURE OF BIDDER
	DATE
	DOLL
NUMBER OF PAGES SUBMITTED BACK TO THE	/ Supplier to complete
DEPARTMENT BY THE SUPPIER	( Supplier to complete)

NB: QUOTATION FOR THE ATTENTION OF: Bonnie Nzimande

**TELEPHONE NUMBER: 033 355 9568** 

#### NB:

THE ATTACHED SBD4 & SBD9 FORMS MUST BE COMPLETED IN FULL.

THIS REQUEST FOR QUOTATION (RFQ) MUST BE COMPLETED AND RETURNED WITH ALL YOUR QUOTATION DOCUMENTS.

QUOTATIONS MUST BE DEPOSITED IN THE BID BOX SITUATED AT: THE DEPARTMENT OF AGRICULTURE & RURAL DEVELOPMENT: SUPPLY CHAIN MANAGEMENT, 1 CEDARA ROAD, CEDARA, 3201

COMPANY NAME :
ADDRESS :
CONTACT PERSON :
CONTACT NUMBER :
FAX NUMBER :

LINE NO.	DESCRIPTION OR SPECIFICATION OF ITEM	REQUIRED QUANTITY	UNIT PRICE EXCL. VAT		IOIALPRIC		RICE
			R	С	R	С	
1.	To supply, deliver, offload fencing material & erect fence at Amandelu community garden within Umzumbe local office under Ugu District	1.481km					
	See attached Map, bill of quantities, fencing specs & bid document						
	*1	ABOUR (IF AF	PLICABLE)				
	*DI	ELIVERY (IF AI	PPLICABLE)				
			ТОТ	AL			
*ONLY	APPLICABLE TO VAT REGISTERI	ED SUPPLIERS	3 15% VAT				
			TOTAL PRI	ICE			

*VAT Registration No. (Supplier)	7
(COMPULSORY) COMPANY STAMP PRICES ARE VALID FOR 30 60 90 DAYS  Mark one Box (X)	
DATE	1



#### MESH FENCING/ PREMANUFACTURED HINGED JOINT

#### >>> SUPPLY AND ERECTION <<<

#### BID DOCUMENT

Project: Amandelu

# TABLE OF CONTENTS:

	Strike		The Marian State of the State o
1.	Project Particulars and Specification	1-4	Read
2.	Bill of Quantities	5	Complete
3.	Drawing A1	6	Read
<del>}</del>	Map of fence layout	7	Read

ı	Appointment of a Service Provider to SUPPLY AND  ERECT	0,900	kms of Hinged Joint Fence at	Amandelu
ľ	1. Background:			
1	The fence is to be erected approximately	30	km from	Hibberdene

#### 2. Specific Objective:

Supply, deliver and fully erect a hinged joint fence of

The fence must be erected in accordance with the specification in the attached drawing, Drawing A1.

0.9 km.

# Scope of Objectives:

Supply and erect a 1.2m hinged joint fence with 3 strands of double twist barbed wire above. The following services are required:

3,1 Supply:

- of the specified materials listed in the Bill Of Quantities, Appendix 1.
- 3,2 Delivery: 3,3 Erection:
- of all materials to Project site
- according to the attached map, showing the fence layout.
  - according to the attached map, showing the rence layout.
     according to the Departmental Specifications in the attached drawing, Drawing A1.
     providing all equipment required for erection
     sourcing of at least 50% unskilled labour from the local community.

## 3,4 Inspection and reporting:

- Weekly Inspection reports of progress must be submitted on Mondaymorning to the contact person.
   On site inspections will be conducted by Departmental staff to check all completed work before any payments can be made
- -The contractor is responsible to check that the tendered distance is correct. Fallure to check the distance before starting the installation will result in the contractor not being paid for any excess/extra material that the contractor has purchased. The contractor will only be paid for materials that have been used. Where the tendered distance is lower than the required distance the contractor must not exceed the tender amount prior to receiving authorization in the form of a variation order.
- Accurate distances of all erected fences are to be kept by the service provider as only work that has been done will be paid for. Any fencing installed over the order amount will not be paid for unless prior permission has been obtained to exceed the order amount.
- -Site meetings and project steering committee meetings to be held when necessary and minutes to be kept by the SP

#### Deliverables:

- 4,1 Fencing materials according to the Bill of Quantities in Appendix 1.
- 4.2 Construction of the fence according to the specifications provided in Drawing A1. If Drawing A1 was not attached to the tender documents it is the contractors responsibility to obtain the drawing before submitting the tender. Failure to erect the fence according to the Departmental specification will result in the contractor having to re-install the fence at the contractors own expense.
- 4,3 Weekly written progress reports to the Local Agricultural Manager, outlining progress, daily activities and quantities of materials used.

  4,4 Submission of full closeout report including materials used, job opportunities created in EPWP format for the duration of the project.
- 4,5 Attendance of steering committee meetings and the provision of minutes if called for. 4,6 The contract requires a minimum delivery of 3 km of completed fencing per week.
- 4.7 Any excess material STRICTLY to be left with the project beneficiaries.

#### Competence and Expertise:

It is essential that the work be carried out by fully competent personnel with proven experience in

fending and Project Management. 5,1 Competency: -on

-only bidders with proven ability to complete 3 km per week shall be considered.

-failure to provide a program will invalidate the bid.

a skilled and semi-skilled labour only to be provided by the contractor. At least 50% unskilled labour is to

5,2 Labour:

be sourced from the local community. Project Manager/Technician on site to supervise work done, quality control and certify work for payment.

5.3 Site supervision

Estimated time for payment is 6 weeks. 5,4 Bid Format: All documents in the bid document are to be completed. All quotations and claims must include VAT.

#### Validity Period for Bid:

Bids shall remain valid for a period of 90 days from the date that the hid closes.

#### 7. Compulsory Pre-Bid Tender Meeting:

A compulsory pre-bid site meeting will be held with prospective bidders. Failure to attend this meeting will invalidate the bid.

#### Site Hand Over to the Contractor:

The contractor will be introduced to the project participants following the awarding of the tender. The site will be handed over to the contractor who will control the site for the duration of the project. The contractor will be responsible for the administration, control and security for the site it is up to the contractor to arrange insurance as the contractor is responsible for and theft or damage that occurs on site and will have to pay

#### 9. Water and Electricity:

There is no piped water and electricity on site. The contractor shall make the necessary arrangements for the provision of any water and electricity.

Any cost to acquire water and electricity must be added to the bid amount as no extra funding will be received.

#### 10. Housing of Contractors Employees:

No housing is available for the contractors employees and the contractor shall make arrangements to and from site. It is up to the contractor to arrange any short term accommodation with the project participants. The contractor is responsible for any financial expenses for housing employees on site.

#### 11. Underground Cables and Pipes:

If such services are discovered, immediate notification must be made to the Employer and all work in the vicinity will cease until it is safe to continue. If the contractor damages any underground pipes or cables such damage will be repaired as soon as it is safe and possible by the

## 12 Insurance

All accepted approved contractors shall be required to provide the following insurance's for the project awarded to them-

- Registration with the Compensation Commissioner and compliance with the Compensation for Occupational Injuries and Diseases Act with regard to insurance.
- Unemployment fund insurance for all workers
- Insurance against damage, destruction or loss caused by fire.
- Public Liability insurance
- All Risks (works) Policy Political for the value of the respective project plus 10%

#### 13. Specification:

Refer to Bill of Quantities and Drawings.

Spacing of wooden poles: 5.0m;

10% maximum deviation (0.5m) from the specified spacings will be allowed. Boxes: Box length to be 1.05m (half a pole length).

Compaction: Normal manual force against the poles must be absorbed.

Straining: The hinged joint section & barbed wire to be strained. If the fence is pulled down, it must recover to it's original position. Fence is to be strained using appropriate straining equipment.

Exposed Surfaces: All exposed surfaces where poles have been sawed off are to be painted with creosote.

# 14. Timetable/Timing:

The contractor must be on site and commence construction no later than 1 week after on order has been issued. Where more than 1 payment is required, the contractor must indicate the number of part payments that will be required in the tender documents. Claims for work that has been completed and verified can be submitted on a monthly basis. No more than 1 claim per month will be accepted.

## 15. Management Arrangements and Reporting Requirements:

is the District Manager. Any matters regarding the district staff or any complaints should be directed to him/her. Ms M Gwala

#### 16. Evaluation Criteria:

Proven previous experience is a requirement to qualify.

The following minimum CIDB designations are required:

Farm fencing (barbed/razor wire/hinged joint) < 5km;	15Q/CE/GB	1
Farm fencing (barbed/razor wire/hinged joint) 5 - 15km;	25Q/CE/GB	TABLE 1A: Minimum CIDB designation requirements per length of
Farm fencing (barbed/razor wire/hinged joint) > 15km:	35Q/CE/GB	fencing bracket

Award of work to the successful bidder will be based on Price, Departmental Goals (i.e. preference points as per ZNT 30 attached) and functionality.

#### 16.1 Compliance:

All information and documentation required in the Specification, eg. Certificates.

All information required in the bid document must be accurate and duly completed, including all the appropriate signatures. This includes the submission of required / requested documentation eg.valid tax certificate, 2NT 30 etc.

间) Failure to comply with any of the requirements will invalidate the bid.

# 16.2 The 80/20 and 90/10 Preference Points System:

(i) Depending on the bid value either the 80/20 (for bids up to R 1,000,000) or the 90/10 point preference point system (for bids of R 1,000,000 and more) shall be applied. Qualifying for preferential points is entirely based on the B-BBEE status of the bidder as explained below.

(ii) CALCULATION OF POINTS FOR ATTAINING THE 8-BBEE STATUS LEVEL
This will be done in accordance with the "PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 05 OF 2000 AND REGULATION OF 2011".
Points will be awarded to a bidder for attaining the 8-BBEE status level contributor.
Below is the table illustrating points to be allocated at different levels.

B-BBEE Status Level of	Number of points	Number of points
1	10	20
2	9	18
3	8	16
4	5	12
5	4	8
6	3	6
7	2	4
8	1	7 2
Non-compliant bidder	0	0

TABLE 18: Preference points per BBBEE status level

PLEASE NOTE: Bidders are required to, together with their bids, submit original and valid B-BBEE Status Level Verification Certificates or certified copies thereof to substantiate their B-BBEE rating claims. Bidders who do not submit B-BBEE Status Level Verification Certificates do not qualify for preference points for B-BBEE but will not be disqualified from the bidding process for non-compliance in this regard.

#### (III) FUNCTIONALITY

101

(iii) FUNCTIONALITY
Functionality will be assessed separately from the 90/10 or 80/20 formula. The first stage will be the assessment of functionality upon which the Bidders who score less than 65% for functionality will not be considered further.
The second stage will be the assessment and evaluation of Bidders in terms of 90/10 or 80/20, where 90 (80) points shall be used for pricing scores only and the 10 (20) points for BBBEE status. See Tables 2 and 3 for Evaluation Guidelines and Criteria respectively.

	TABLE 2: GUIDELINES FOR EVALUATION
CRITERIA	GUIDELINES FOR EVALUATION
ABILITY & Capacity	Bildres to provide proof of current capacity and ability to: Implement the design and specifications to the standard as directed in the technical specifications.
CAFABILITY  ♣ Competency  ♣ Experience	Demonstration of competency to render the regulard service & providing proof of registration with the CDB (for min. CDB designation regularements see Table 1.6) Bilden: to provide evidence of similar projects completed recently Le. not less than 2 projects and not more than 5 projects in the past 5 years.
	Provide a short description of your intended implementation methodology indicating time frames to complete the work.

# TABLE 3: ASSESSMENT CRITERIA FOR THE EVALUATION OF THE FUNCTIONALITY

	EVALUATION MATRIX	Points	Score
2	financial viability of the bidder: Submission of a letter of good standing from a recognized financial institution	10	1
7	Submission of short CV's at key personnel.	20	
	<ul> <li>Demonstration of competency to render the required service (e.g. CIDB registration certificates).</li> </ul>	10	
3	Providing proof of insurances,     Proof of compliance with Labour legislation (enrolment of staff for Workman's compensation/UIF Occurational Health & Salety Act.	5 10	
4	Demonstrable experience of the prospective service provider's engagement in stinliar work:  "I submission of list of 2-5 projects in the last 5 years with values and extent of involvement and contact deals of prigresses.  "Documentary proof such as reference letters/IIIB assessments indicating volue and period of the contract.	25 10	
5	Submission of a short description of the introded implementation methodology indicating time frames to complete work.	10	
	TOTAL	100%	_

Submissions will be scored using the below scoring table. This bid will be evaluated on functionality which will determine the capability, ability and capacity of the prospective bidders to provide the required goods or services for the department. A minimum score of 65% must be obtained by the bidder in order to qualify to be evaluated further for price.

16.3 General:

The Department of Agriculture, Environmental Affairs and Rural Development is an equal opportunity, affirmative action employer. It shows the same commitment to those who wish to provide services to the Department via the procurement process. This does not preclude the formation of consortiums or the inclusion of proposals on how this project can be used to further the aims of transformation.

The actual price quoted, including VAT, will be used for issuing of an order to the successful bidder. You must provide for all items in Appendix 1 as the unit rates quoted will be applied for calculation of the amount dalmable.

### 17. Payment Schedule:

Claims for work that has been completed can be made according to the follwing payment shedule:

544
Invoiced Amount
pro rata tender amount (less 1+2+4)
pro rata terroes arribunt ness 17274

A 5% retention will be kept for 3 months after works have been completed to make sure that the standard of work that has been done is satisfactory.

#### 18. <u>Enguiries:</u>

Ms M Gwala	District Manager	Contact Number	039 682 2045
Q Gida	Project manager	Contact Number	076 957 2387
-	1. Ofect manages	Contact Number	0/6 957 2387

# APPENDIX 1: BILL OF QUANTITIES FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

No. Rem Description    Caseral:   Caseral:   Sum   1	1.2m Hinged joint fence with 3 strands	of barbed w	vire above (To	otal Height 1.7m)	
District Umsumbe Contract Person Q Gide Contr		rsion 4.0 - Sept	ember 2013		
District Unstambe Contract Number 076 937 2387  No. Rem Description Quantity Required Unit Price Total Cost Ganeral:  1 Site establishment. Sum 1  2 Removal of any edisting fences. Buth clearing required.  Matarials:  Fully Galvanized barbed wire  3 Lömin diameter High Tensile double strand 845m jeer pol Galvanized Class A 2-4m Standard Creasoste Poles  Pressure treated, SARS approved 100-125mmp Pressure treated, SARS approved 100-125mmp 100-125mm 100-125mmp	Etnen Barimeter -	000 m			
Contact Planson Q Gida Contact Number 076 957 2387  No. Rem Description Quantity Required Unit Price Total Cost General: She establishment. Sum 1  She establishment. Sum 1  She clearing: Removal of any existing fences. Bush clearing required. Sum 1  Lifem diameter High Tensile double strand 845m length Galvanized Class A  Lam Standard Creosote Poles A  A Roll(s) of 845m length Resolution of 845m length Resolution of 845m length Resolution of 100 miles Resolu		900 III			
Contact Number 076 557 2387  No. Item Description Quantity Required Unit Price Total Cost Ganeral:  Site Clearing: Site Clearing: Sum 1  Sum 1  A Roll(s) of Sum diameter High Fensile double strand Sum in the sum of Sum in the Sum in the sum of Sum in the Sum in	- THE MINE				
No. Rem Description    Caseral:   Caseral:   Sum   1	4 0100				
General:    Site Clearing:   Sum	Contact Number 076 957 2387				
General:    Site Clearing:   Sum					
General:    Site establishment.   Sum   1	No. Item Description	Quan	tite December	Hule Bules	
Site Clearing: Removal of any existing fences. Bush clearing required.  Materiabs: Fully Galvanteed barbed wire  1.6mm diameter High Tensife double strand B45m per roll Galvanteed Class A 2.4m Standard Crososte Poles  Pressure treated, SABS approved 100 - 125mmß Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Galvanteed Class A 100 Roll(s) of Wertical wire pertures:150mm. Hortzontal wires at 75/88/102/114/127/140mm. 100m rolls Galvanteed Wire Staples 3.15 x 32mm SOOg packs Gates: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanteed finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye botis, include chain Gate: 9500 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvantzed finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye botis, include chain Gate: 9500 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvantzed finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye botis, include chain Gate: 9500 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvantzed finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye botis, include chain Gate: 9500 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvantzed finish 40 - 50mm diam, pipe frame wall thickness of 1.6mm min Hinge eye botis, include chain Gate: 9500 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvantzed finish 40 - 50mm diam, pipe frame wall thickness of 1.6mm min Hinge eye botis, include chain Galvantzed Class A 10 Roll(s) of Skg A 21 Roll of Skg A 22 ga binding wire, 4mm diam, Skg(S0m) rolls Galvantzed Class A 11 Roll of Skg Frection Cost A 12 Roll of Skg Frection Cost A 13 Roll (s) of Skg  Sum 1 1 15 Tarsport Cost, including loading, delivery and off-loading SUB-TOTAL VAT	General:	Quali	ary required	Unit Price	Total Cost
Site Clearing:  Removal of any existing fences. Bush clearing required.  Materiabs:  Fully Galvantzed barbed wire  1.6mm diameter High Tensife double strand 845m per roll Galvanted Class A 2.4m Standard Crososte Poles  4 Pressure treated, SABS approved 100 - 125mm/p 1100 - 125mm/p 1200 - 12	1 Site establishment.				
2 Removal of any existing fences. Bush clearing required.  Materials:  Fully Galvanized barbed wire 3 L6mm diameter High Tensile double strand 4 Roll(s) of 845m length 845m per roll 6alvanized Class A 2.4m Standard Creosote Poles 4 Pressure treated, SARS approved 100 - 125mmg 100 - 125mmg 110 Roll(s) of 6alvanized Class A 100 Roll(s) of 6alvanized Class A 100 Roll(s) of 6alvanized Class A 100 Roll(s) of 6alvanized Wire Staples 3.15 x 32mm 100 Roll(s) of 6alvanized Wire Staples 3.15 x 32mm 100 Roll(s) of 6alvanized Wire Staples 3.15 x 32mm 100 Roll(s) of 6alvanized Wire Staples 3.15 x 32mm 100 Roll(s) of 100 Roll(s		Sum	1		
Bush clearing required.   Bush clearing re					
Materials:   Fully Galvanized barbed wire   1.6mm diameter High Tensile double strand   845m per roll   6alvanized Class   A   2.4m Standard Creosote Poles   A   2.4m Standard Class   A   2.4m S	Bush clearing required	Sum	1		
Fully Galvanized barbed wire  1. Galvanized Class  2. 4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mmß  Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Galvanized Class  A  Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/40mm. 100m rolls Galvanized Wire Staples 3.15 x 32mm S00g pack Gates: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bots, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bots, include chain Gate: 2400 (w) x 1800 (m)m Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bots, include chain Gate: 2400 (w) x 1800 min hin tractor gate (2 trames per gate, HDG flish), 40-50mm diam pipe frame, wall thickness 1.6mm min hinge eye bots, include chain Gate: 2400 (w) x 1800 min hin tractor gate (2 trames per gate, HDG flish), 40-50mm diam, pipe frame, wall thickness 1.6mm min hinge eye bots, include chain Gate: 3500 min hin, 5kg (330m) roll Galvanized Class A 12 ga binding wire, 4mm diam, 5kg (50m) roll Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (330m) roll Galvanized Class A 12 Roll of 5kg  Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT  VAT					
3 1.6mm diameter High Tensile double strand 845m per roll 6alvanized Class 2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mm/9 Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) 5 Galvanized Class A  2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mm/9 Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) 5 Galvanized Class A  2.4m Standard Creosote Poles Pressure treated, SABS approved 100 - 125mm/9 Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) 5 Galvanized Class A  4.1 Pack(s) 6 Galvanized Glass Cabranized Wire staples 3.15 x 32mm 500g packs Gater: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye boths, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye boths, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 trames per gate, HDG finish, 40 - 50mm diam.plpe frame, wall thickness 1.6mm min Hinge eye boths, include chain Gate: 1400 (w) x 1800mm (h) tractor gate (2 trames per gate, HDG finish, 40 - 50mm diam.plpe frame, wall thickness 1.6mm min Hinge eye boths, include chain B ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A  11 Roll of 5kg Galvanized Class A  12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A  12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A  13 Roll (s) of 5kg Galvanized Class A  14 Roll of 5kg  Transport Cost, including loading, delivery and off-loading  5UB-TOTAL  VAT					
B45m per roll Galvanized Class A 2.4m Standard Creosote Poles 4 Pressure treated, SABS approved 100 - 125mmp Hinged Joint Fence, 1.2m high (eg. Veidspan/Bonnox/or equivalent) Galvanized Class A Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls Galvanized Wire Staples 3.15 x 32mm S00g packs Gates 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (m)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame 1 Gate(s)  Gate: 900 (w) x 1800 (m)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame 1 Gate(s)  Galvanized Class A 13 Roll(s)of 5kg Galvanized Class A 13 Roll(s)of 5kg Galvanized Class A 13 Roll of 5kg Frection Cost Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT					
Galvanized Class  2.4m Standard Creosote Poles  Pressure treated, SABS approved 100 - 125mm/9  Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent)  Galvanized Class  A  10 Roll(s) of 100m length  Yertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls  Galvanized Wire Staples 3.15 x 32mm  500g packs  Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish  40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800 (m) in tractor gate (2 Irames per gate, HDG finish, 40 - 50mm diam pipe frame, wall thickness of 1.6mm min hinge eye bolts. Include chain 8 ag straining wire, 4mm diam, 5kg(130m) rolls Galvanized Class  A  13 Roll(s)of 5kg  Galvanized Class  A  14 Roll of 5kg  Frection Cost  Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT		4	Roll(s) of		
2.4m Standard Creosote Poles 4 Pressure treated, SABS approved 100 - 125mm/9 Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Galvanized Class A 10 Roll(s) of 100m length 75/88/102/114/127/140mm. 100m rolls Galvanized Wire Staples 3.15 x 32mm Solog packs Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 Irames per gate, HOG finish, 40-50mm diam,pipe frame, wall thickness 1.6mm min - hinge eye bolts include chain gas straining wire, 4mm diam, 5kg (30m) roll Galvanized Class A 12 ga binding wire, 4mm diam, 5kg (130m) roll Galvanized Class A 12 Roll of 5kg Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT		_	845m length	l I	
4 Pressure treated, SABS approved 100 - 125mmp6 Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Galvanized Class A 100 Roll(s) of 100m length 75/88/102/114/127/140mm. 100m rolls Galvanized Wire Staples 3.15 x 32mm SO0g packs Gates 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate tot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800 (h)mm Vehicle farm gate tot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Salte: 2400 (w) x 1800 (mm (h) tractor gate (2 Irames per gate, HDG finish, 40 - 50mm diam pipe frame, wall thickness 1.6mm min hinge eye bolts. include chain Salte x 1800 (w) x 1800 (mm (h) tractor gate (2 Irames per gate, HDG finish, 40 - 50mm diam, pipe frame, wall thickness 1.6mm min hinge eye bolts. include chain Salte x 1800 (w) x 1800 (m) roll Galvanized Class A 12 ga binding wire, 4mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Frection Cost Sum 1 Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT					
Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent)  Galvanized Class  A  10  Roll(s) of 100m length  75/88/102/114/127/140mm. 100m rolls  Galvanized Wire Staples 3.15 x 32mm  500g packs  Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish  40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain  Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish  40 - 50mm diam pipe frame 1					
Hinged Joint Fence, 1.2m high (eg. Veldspan/Bonnox/or equivalent) Galvanized Class A 10 Roll(s) of Vertical wife apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls Galvanized Wire Staples 3.15 x 32mm 500g packs Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye botts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye botts, include chain Gate: 2400 (w) x 1800 (m) in ractor gate (2 frames per gate; 2400 (w) x 1800 mm (h) tractor gate (2 frames per mail thickness 1.6mm min Hinge eye botts. Include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls 8 ga straining wire, 4mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT		332 Poles			
[eg. Veldspan/Bonnox/or equivalent]  Gahanized Class  A  Vertical wire apertures:150mm. Horizontal wires at 75/88/102/144/127/140mm. 100m rolls  Galvanized Wire Staples 3.15 x 32mm  500g packs  Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain  Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain  Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain 6 sate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40 - 50mm diam, pipe frame, 0 Gate frames  Wall thickness 1.6mm min hinge eye bolts. Include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls 8 ga straining wire, 4mm diam, 5kg(50m) rolls 13 Roll(s)of 5kg  Galvanized Class A 1 Roll of 5kg  Erection Cost Sum 1  Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT					
Salvanized Class Vertical wire apertures:150mm. Horizontal wires at 75/88/102/14/127/140mm. 100m rolls  Galvanized Wire Staples 3.15 x 32mm Soog packs  Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 9600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800 mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800 mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness of 1.6mm min Hinge eye bolts. Include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 13 Roll(s)of 5kg 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Frection Cost Transport Cost, including loading, delivery and off-loading  SUB-TOTAL VAT					
Vertical wire apertures:150mm. Horizontal wires at 75/88/102/114/127/140mm. 100m rolls  Galavanized Wire Staples 3.15 x 32mm  500g packs  Gate: 900 (w) x 1800 (h)mm pedestrian gate  Hot dip galvanized finish  40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye botts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish  40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye botts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40 - 50mm diam.pipe frame, wall thickness 1.6mm min – hinge eye botts. Include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 12 Roll of 5kg Erection Cost Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT			Della) of		
TS-78/8/102/114/127/140mm. 100m rolls Galvanized Wire Staples 3.15 x 32mm 500g packs Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame 1 Gate(s)  Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame vall thickness of 1.6mm min Hinge eye bolts. include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40 - 50mm diam.pipe frame, vall thickness 1.6mm min Hinge eye bolts. Include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, gas extraining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 13 Roll(s)of 5kg Galvanized Class A 14 Roll of 5kg Erection Cost Sum 1 Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT	Garvanized Class	10	1.7		
Galvanized Wire Staples 3.15 x 32mm  500g packs  Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish  40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain  Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam,pipe frame, wall thickness 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam,pipe frame, wall thickness 1.6mm min hinge eye bolts. Include chain Gate: 3400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam,pipe frame, 30 Gate frames  11 Gate(s)  12 Gate(s)  13 Roll(s)of 5kg  14 Roll of 5kg  15 Roll of 5kg  16 Roll of 5kg  17 Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT	Vertical wire apertures:150mm. Horizontal wires at	7	TOOM ICHELL		
SOOg packs  Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain 40 - 50mm diam pipe frame Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 900 (w) x 1800 (m) m Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 900 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 12 Roll of 5kg Frection Cost Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT	Gahranized Wire Stanles 2 45 as				
Gate: 900 (w) x 1800 (h)mm pedestrian gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame 1 Gate(s) wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 Irames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min hinge eye bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Transport Cost, including loading, delivery and off-loading  SUB-TOTAL VAT	· [	41	Pack(s)		
Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min hinge eye bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 13 Roll(s)of 5kg 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Frection Cost Sum 1 Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT					
40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain  Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame 1 Gate(s) wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min hinge eye bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT					
wall thickness of 1.6mm min Hinge eye bolts, include chain  Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 irames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min - hinge eye bolts include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg  Erection Cost Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT					
Hinge eye bolts, include chain  Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate  Hot dip galvanized finish  40 - 50mm diam pipe frame  wall thickness of 1.6mm min  Hinge eye bolts, include chain  Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish,  40-50mm diam.pipe frame,  wall thickness 1.6mm min -  hinge eye bolts - include chain  8 ga straining wire, 4mm diam, 5kg(50m) rolls  Galvanized Class  A  12 ga binding wire, 2.5mm diam, 5kg (130m) roll  Galvanized Class  A  1 Roll of 5kg  Erection Cost  Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT		1	Gate(s)		
Gate: 3600 (w) x 1800 (h)mm Vehicle farm gate Hot dip galvanized finish 40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Sum 1 Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT		1			
Hot dip galvanized finish  40 - 50mm diam pipe frame  wall thickness of 1.6mm min  Hinge eye bolts, include chain  Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish,  40-50mm diam,pipe frame,  wall thickness 1.6mm min -  hinge eye bolts - include chain  8 ga straining wire, 4mm diam, 5kg(50m) rolls  Galvanized Class  A  12 ga binding wire, 2.5mm diam, 5kg (130m) roll  Galvanized Class  A  Frection Cost  Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT					
40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye boits, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam,pipe frame, wall thickness 1.6mm min - hinge eye boits - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 12 Roll of 5kg Erection Cost Sum 1 Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT					
wall thickness of 1.6mm min Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-S0mm diam.pipe frame, wall thickness 1.6mm min – hinge eye bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT		1	1		
Hinge eye bolts, include chain Gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-S0mm diam.pipe frame, wall thickness 1.6mm min - hinge eye bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Sum 1 Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT	40 - 2011MI GIBIN PIPE ITAME	1	Gate(s)		
gate: 2400 (w) x 1800mm (h) tractor gate (2 frames per gate, HDG finish, 40-50mm diam.pipe frame, wall thickness 1.6mm min - hings eve bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Sum 1 Transport Cost, including loading, delivery and off-loading SUB-TOTAL VAT		1	- 1		
gate, HDG finish, 40-S0mm diam.pipe frame, wall thickness 1.6mm min - hinge eve bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Sum 1 Transport Cost, including loading, delivery and off-loading Sub-TOTAL VAT	Gate: 2400 (w) x 1800mm (b) tractor gate /2 frames nos				
wall thickness 1.6mm min - hinge eve bolts - include chain  8 ga straining wire, 4mm diam, 5kg(50m) rolls  Galvanized Class  A  12 ga binding wire, 2.5mm diam, 5kg (130m) roll  Galvanized Class  A  1 Roll of 5kg  Erection Cost  Transport Cost, including loading, delivery and off-loading  Sum  1  Sum  1  Sub-TOTAL  VAT	gate, HDG finish,				
wall thickness 1.6mm min - hinge eve bolts - include chain 8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A 12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A 1 Roll of 5kg Erection Cost Sum 1 Transport Cost, including loading, delivery and off-loading Sum 1 Sub-TOTAL VAT	40-50mm diam.pipe frame,	0	Gate frames		
8 ga straining wire, 4mm diam, 5kg(50m) rolls Galvanized Class A  12 ga binding wire, 2.5mm diam, 5kg (130m) roll Galvanized Class A  1 Roll of 5kg  Erection Cost Sum 1  Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT	wall thickness 1.6mm min -	_	AAVC Mailles		
Galvanized Class A 13 Roll(s)of 5kg  12 ga binding wire, 2.5mm diam, 5kg (130m) roll  Galvanized Class A 1 Roll of 5kg  Erection Cost Sum 1  Transport Cost, including loading, delivery and off-loading Sum 1  SUB-TOTAL  VAT	9 ga ctraining uses down the grant to				
12 ga binding wire, 2.5mm diam, 5kg (130m) roll  Galvanized Class  Erection Cost  Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT		13	Roll(s)of 5kg		
Galvanized Class A  1 Roll of 5 kg  Erection Cost  Transport Cost, including loading, delivery and off-loading  Sum 1  Sum 1  SUB-TOTAL  VAT					
Erection Cost Sum 1  Transport Cost, including loading, delivery and off-loading  SUB-TOTAL  VAT	Golpmined Class	1	Roll of 5kg		
Transport Cost, including loading, delivery and off-loading  Sum 1  Sum 1  SUB-TOTAL  VAT		_			
off-loading Sum 1 SUB-TOTAL VAT		Sum	1		
SUB-TOTAL  VAT		Sum	1		
VAT	TO INDUSTRIES				
TOTAL		SUB-1	TOTAL		
TOTAL			VAT		
E: This Bill of Quantities must be read in conjunction with DRAWING no. A1 Dated 22/10/2010		T	OTAL		



#### SECTION D

#### **DECLARATION OF INTEREST**

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes an advertised competitive bid, a limited bid, a proposal or written price quotation). In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
  - the bidder is employed by the state; and/or

2.

- the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.

In order to give effect to the above, the following questionnaire must be

completed and submitted with the bid. 2.1 Full Name of bidder or his or her representative: 2.2 **Identity Number:** ..... 2.3 Position occupied in the Company (director, trustee, shareholder<sup>2</sup>, member); 2.4 Registration number of company, enterprise, close corporation, partnership agreement or trust: ..... 2.5 Tax Reference Number:

.....

2.6	VAI Registration Number:
261	The names of all directors / fractors / should be aldered and the same of the

2.6.1 The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / PERSAL numbers must be indicated in paragraph 3 below.

1"State" means -

- (a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999);
- (b) any municipality or municipal entity;
- (c) provincial legislature;
- (d) national Assembly or the national Council of provinces; or
- (e) Parliament.

<sup>&</sup>lt;sup>2</sup>"Shareholder" means a person who owns shares in the company and is actively involved in the management of the enterprise or business and exercises control over the enterprise.

Please clearly indicate, with an 'X' only one box that is applicable to your business or firm

2.7	Are you or any person connected with the bidder presently employed by the state?	YES NO
2.7,1	If so, furnish the following particulars:	
	Name of person / director / trustee / shareholder/member:	
		***************************************
	Name of state institution at which you or the person connected to the bidd employed	er is
	Position occupied in the state institution:	
	Any other particulars:	
		*************
2.7.2	If you are presently employed by the state, did you obtain	YES NO
	the appropriate authority to undertake remunerative work outside employn public sector?	ent in the
	If yes, did you attach proof of such authority to the bid document?	
	(Note: Failure to submit proof of such authority, where applicable, may residisqualification of the bid.)	YES NO ult in the
2.7.2.	1 If no, furnish reasons for non-submission of such proof:	
	<u></u>	
		*********
		••••••
		************
2.8 D	id you or your spouse, or any of the company's directors /	

	trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months?	]
2.8.1	If so, furnish particulars:	

2.9 Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this bid?
2.9.1 If so, furnish particulars.
······································
2.10 Are you, or any person connected with the bidder, aware of any relationship (family, friend, other) between  YES NO
any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this bid?
2.10.1 If so, furnish particulars.
2.11 Do you or any of the directors / trustees / shareholders / members  YES   NO
of the company have any interest in any other related companies whether or not they are bidding for this contract?
2.11.1 If so, furnish particulars:

# 3 Full details of directors / trustees / members / shareholders.

Full Name	Identity Number	Personal Income Tax Reference Number	State Employee Number / Persal Number
4 DECLARATION			
I, THE UNDERSIGNED	(NAME)		
CORRECT.	STATE MAY REJECT	THE BID OR ACT AGA	HS 2 and 3 ABOVE IS
Name of bidder			Position

Date

Signature

#### SECTION H

# CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Standard Bidding Document (SBD) must form part of all bids¹ invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>2</sup> Collusive bidding is a *per se* prohibition meaning that it cannot be justified under any grounds.
- Treasury Regulation 16A9 prescribes that accounting officers and accounting authorities must take all reasonable steps to prevent abuse of the supply chain management system and authorizes accounting officers and accounting authorities to:
  - a. disregard the bid of any bidder if that bidder, or any of its directors have abused the institution's supply chain management system and or committed fraud or any other improper conduct in relation to such system.
  - b. cancel a contract awarded to a supplier of goods and services if the supplier committed any corrupt or fraudulent act during the bidding process or the execution of that contract.
- This SBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- In order to give effect to the above, the attached Certificate of Bid Determination (SBD 9) must be completed and submitted with the bid:
- <sup>1</sup> Includes price quotations, advertised competitive bids, limited bids and proposals.
- <sup>2</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

# CERTIFICATE OF INDEPENDENT BID DETERMINATION

- I have read and I understand the contents of this Certificate:
- 2. I understand that the accompanying bid will be disqualified if this Certificate Is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) has been requested to submit a bid in response to this bid invitation;
  - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor.

However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) prices:
  - (b) geographical area where product or service will be rendered (market allocation)
  - (c) methods, factors or formulas used to calculate prices;
  - (d) the intention or decision to submit or not to submit, a bid;
  - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
  - (f) bidding with the intention not to win the bid.
- In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates
- The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature:	Date:
Position:	Name of Bidder: