

### **INVITATION OF QUOTATION UP TO R30,000.00**

QUOTATION NUMBER: R/S/1819/970	VALIDITY PERIOD OF QUOTATION Days
	(To be completed by the Supplier)
CLOSING DATE:21/12/2018	CLOSING TIME:11H00
	COMPANY NAME:
SUPPLY DELIVER AND ERECT FENCING TO THE PROJECT AS PER ATTACHED SPECIFICATION-MACAMBINI PROJECT	TELNO
PER ATTACHED SPECIFICATION-MACAMBINI PROJECT	TEL NO:
	FAX NO:
	CONTACT PERSON:
	CSD REG NUMBER
	MAAA
DOES OFFER COMPLY WITH	
SPECIFICATION?	YES/NO
	(DELETE WHICH EVER IS NOT APPLICABLE)
DOES ARTICLE COMPLY WITH SABS SPECIFICATION?	YES/NO
HAS IT BEEN INSPECTED BY SABS?	YES/NO
	(DELETE WHICH EVER IS NOT APPLICABLE)
	(SECTE WHICH EVEN IS NOT ALT EIGHBLE)
DELIVERY PERIOD AFTER INITIAL ORDER?	
IS THE PRICE FIRM	
WHERE ARE THE STOCK HELD?	
(PHYSICAL ADDRESS , PLEASE)	
QUOTATION PRICE INCLUDING VAT	
(VAT TO BE ADDED BY REGISTERED VAT VENDORS ONLY)	TOTAL: R
COMPANY OFFICIAL STAMP (COMPULSORY)	
Com Com Com	SIGNATURE OF BIDDER
	3. 2.22
	DATE
NUMBER OF PAGES FAXED BACK TO THE DEPARTMENT BY	
THE SUPPLER	( Supplier to complete)
THE JOHN LEN	

NB: EMAIL/ FAX QUOTATION FOR THE ATTENTION OF: BONGI MBOKAZI TELEPHONE NUMBER: 033-3559 5677

 $\ensuremath{\mathsf{NB}}\xspace$  . The attached SBD4 & SBD9 forms must be completed in full.

THIS QUOTATION COVER PAGE MUST BE COMPLETED AND RETURNED WITH ALL YOUR QUOTATION DOCUMENTS.

DOCUMENTS TO BE DEPOSITED AT THE BID BOX AT CEDARA: DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT, 1 CEDARA ROAD

COMPANY NAME :

ADDRESS

**CONTACT PERSON:** 

CONTACT NUMBER:

FAX NUMBER :

LINE NO.	DESCRIPTION OR SPECIFICATION OF ITEM	REQUIRED QUANTITY	UNIT PRICE EXCL. VAT		TOTAL PRICE	
	(Please be very specific and clear)	QUARTITI	R	С	R	С
1	Supply, Deliver and erect fencing to the project as per attached specification- Macambini Cluster	1				
	*	LABOUR (IF	APPLICA	BLE)		
	*1	DELIVERY (IF	APPLICA	BLE)		
				TOTAL		
*ONLY	APPLICABLE TO VAT REGISTER	RED SUPPLIEF	RS 15%	VAT		
			TOTAL	- PRICE		

\*VAT Registration No. (Supplier) -----

When Required (Requester): JULY 2018

Where Required (Requester): Mandeni Local Office -Macambini Project

Contact details of requester: G.P NAIDU

TEL : 082 922 0706 / 032 4377500

(COMPULSORY) COMPANY STAMP	PRICES ARE VALID FOR DAYS

## **APPENDIX 1: BILL OF QUANTITIES**

# 1.2m Hinged joint fence with 3 strands of barbed wire above (Total Height 1.7m)

Project:	P. Mneadi	Version (1) September 2013 [ ]
Fence Perimeter =		
District	STG	2062 m
Contact Person	P. N. Seme	
Contact Number	082-2272699	

Sisteman Sis	Just clearing re- Just clearing re- Just clearing re- Just clearing re- Just clear description of the second re- Just c	existing fences. quired.  barbed wire High Tensile double strand  A (fully galvanised steel) eosote Poles SABS approved  e, 1.2m high nox/or equivalent)  A (fully galvanised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  to (h)mm pedestrian gate finish the frame finish the frame finish the chain	Sur		1 1 of ength	Unit Price		Total Co
Regular Size Size Size Size Size Size Size Size	ite Clearing: demoval of any fush clearing re daterials: ully Galvanized form diameter d5m per roll alvanized Class dm Standard Cr essure treated, 0 - 125mmø nged Joint Fence, Veldspan/Bor lvanized Class tical wire apert 88/102/114/12 vanized Wire Si g packs e: 900 (w) x 180 dip galvanized: 50mm diam pi thickness of 1.6 e eye bolts, inc. e: 3600 (w) x 180	existing fences. quired.  barbed wire High Tensile double strand  A (fully galvanised steel) eosote Poles SABS approved  e, 1.2m high nox/or equivalent)  A (fully galvanised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  to (h)mm pedestrian gate finish the frame finish the frame finish the chain	8 510 22 65	Roll(s) of 845m le Poles Roll(s) of 100m len	of ength			Total Co
President of the control of the cont	demoval of any tush clearing reconstruction of any tush clearing reconstruction of all tush clearing reconstruction of all tush clear of a construction of a	paried.  barbed wire  High Tensile double strand  A (fully galvanised steel)  eosote Poles  SABS approved  e, 1.2m high  nox/or equivalent)  A (fully galvanised steel)  ures:150mm. Horizontal wires at  7/140mm. 100m rolls  aples 3.15 x 32mm  to (h)mm pedestrian gate  finish  the frame  frame	8 510 22 65	Roll(s) of 845m le Poles Roll(s) of 100m len	of ength			
President of the control of the cont	demoval of any tush clearing reconstruction of any tush clearing reconstruction of all tush clearing reconstruction of all tush clear of a construction of a	paried.  barbed wire  High Tensile double strand  A (fully galvanised steel)  eosote Poles  SABS approved  e, 1.2m high  nox/or equivalent)  A (fully galvanised steel)  ures:150mm. Horizontal wires at  7/140mm. 100m rolls  aples 3.15 x 32mm  to (h)mm pedestrian gate  finish  the frame  frame	8 510 22 65	Roll(s) of 845m le Poles Roll(s) of 100m len	of ength			
Miles of the second sec	Just clearing re- Just clearing re- Just clearing re- Just clearing re- Just clear description of the second re- Just c	paried.  barbed wire  High Tensile double strand  A (fully galvanised steel)  eosote Poles  SABS approved  e, 1.2m high  nox/or equivalent)  A (fully galvanised steel)  ures:150mm. Horizontal wires at  7/140mm. 100m rolls  aples 3.15 x 32mm  to (h)mm pedestrian gate  finish  the frame  frame	8 510 22 65	Roll(s) of 845m le Poles Roll(s) of 100m len	of ength			
Miles of the second of the sec	Materials:  ully Galvanized 6mm diameter 45m per roll advanized Class 4m Standard Cr essure treated, 0 - 125mmø nged Joint Fenc vanized Class tical wire apert 88/102/114/12 vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc i: 3600 (w) x 180	A (fully galvanised steel) eosote Poles SABS approved e, 1.2m high nox/or equivalent)  A (fully galvanised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  (0 (h)mm pedestrian gate finish pe frame form min	510 22 65	Roll(s) of 845m lenders  Roll(s) of 100m lenders	of ength			
Fu 1.6. 84 Gal 2.44 Pree 1000 Hing (eg. Gal Vert 500g Gate Hot constitution of the second of the sec	ully Galvanized 6mm diameter 45m per roll advanized Class 4m Standard Cr essure treated, 0 - 125mmØ nged Joint Fenc L. Veldspan/Bor lvanized Class tical wire apert 88/102/114/12 vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pij thickness of 1.6 e eye bolts, inc : 3600 (w) x 181	A (fully galvanised steel) eosote Poles SABS approved e, 1.2m high nox/or equivalent)  A (fully galvanised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm 10 (h)mm pedestrian gate finish the frame finish the frame finish	510 22 65	Poles  Roll(s) of 100m len	ength			
1.6.84 Gal 2.44 Pre 100 Him (eg. Gah Vert 75/8 Galv 5500g Gate Hot c 40 - 5 Wall t Hinge Gate: iate:	6mm diameter 45m per roll alvanized Class 4m Standard Cr essure treated, 0 - 125mmØ nged Joint Fence 2. Veldspan/Bor Ivanized Class tical wire apert (88/102/114/12 vanized Wire St ig packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc. 1: 3600 (w) x 180	A (fully galvanised steel) eosote Poles SABS approved e, 1.2m high nox/or equivalent)  A (fully galvanised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm 10 (h)mm pedestrian gate finish the frame finish the frame finish	510 22 65	Poles  Roll(s) of 100m len	ength			
Gall 2.44 Pre 100 Hing (eg. Galv Vert 75/8 Galv 500g Gate Hot of 40 - 5 Wall t Hinge Gate: iate:	advanized Class  Am Standard Cr essure treated, 0 - 125mmø nged Joint Fenc veldspan/Bor lvanized Class tical wire apert 88/102/114/12 vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pij thickness of 1.6 e eye bolts, inc i: 3600 (w) x 180	A (fully galvanised steel) eosote Poles SABS approved e, 1.2m high mox/or equivalent)  A (fully galvanised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  (0 (h)mm pedestrian gate finish pe frame form min	510 22 65	Poles  Roll(s) of 100m len	ength			
Gall 2.44 Pre 100 Hing (eg. Galv Vert 75/8 Galv 500g Gate Hot of 40 - 5 Wall t Hinge Gate: iate:	advanized Class  Am Standard Cr essure treated, 0 - 125mmø nged Joint Fenc veldspan/Bor lvanized Class tical wire apert 88/102/114/12 vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pij thickness of 1.6 e eye bolts, inc i: 3600 (w) x 180	A (fully galvanised steel) eosote Poles SABS approved e, 1.2m high mox/or equivalent)  A (fully galvanised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  (0 (h)mm pedestrian gate finish pe frame form min	510 22 65	Poles  Roll(s) of 100m len	ength			
2.4 Pre 100 Him (eg. Gah Vert 75/8 Galv 5500g Gate Hot c 40 - 5 Hinge Gate; linge iate; 2 for the same size of the same size	4m Standard Cressure treated, 0 - 125mmØ nged Joint Fence. Veldspan/Bor Ivanized Class tical wire apert 988/102/114/12 vanized Wire Stig packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc.: 3600 (w) x 180 essure treated to the standard of the standar	essore Poles SABS approved  e, 1.2m high nox/or equivalent)  A (fully galva nised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  (0 (h)mm pedestrian gate finish pe frame form min	65	Poles Roll(s) of 100m len				
President Presid	essure treated, 0 - 125mmø nged Joint Fence, Veldspan/Bor Ivanized Class tical wire apert 88/102/114/12 vanized Wire Stig packs  e: 900 (w) x 186 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc.	essore Poles SABS approved  e, 1.2m high nox/or equivalent)  A (fully galva nised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  (0 (h)mm pedestrian gate finish pe frame form min	65	Roil(s) of 100m len				
Hing (eg. Gah Vert 75/8 Galv 500g Gate Hot control of the Hinge Gate; Hot did 0 - 50 the Hinge Gate; interest of the Hinge Gate Gate Gate Gate Gate Gate Gate Gat	u-125mmØ nged Joint Fence L Veldspan/Bor Ivanized Class tical wire apert 88/102/114/12 vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, ince	e, 1.2m high nox/or equivalent)  A (fully galva nised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  (0 (h)mm pedestrian gate finish pe frame form min	65	Roil(s) of 100m len				
Hing (eg. Gak Vert 75/8 Galv 500g Gate Hot c 40 - 5 Wall thinge Gate; iate; ia	nged Joint Fences. Veldspan/Bor Ivanized Class tical wire apert 188/102/114/12 vanized Wire St 18 packs 19 packs 19 galvanized 15 50mm diam pip thickness of 1.6 19 eye bolts, incest 1800 (w) x 180	nox/or equivalent)  A (fully galva nised steel)  ures:150mm. Horizontal wires at  7/140mm. 100m rolls  aples 3.15 x 32mm  (0 (h)mm pedestrian gate  finish  the frame	65	Roil(s) of 100m len				
Gate: Hot dilinge	the veldspan/Bor lyanized Class tical wire apert 88/102/114/12 vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pij thickness of 1.6 e eye bolts, inc	nox/or equivalent)  A (fully galva nised steel)  ures:150mm. Horizontal wires at  7/140mm. 100m rolls  aples 3.15 x 32mm  (0 (h)mm pedestrian gate  finish  the frame	65	100m len				
Vert 75/8 Galv 500g Gate Hot of Wall t Hinge Gate: Hot di 10 - 50 wall th linge	trical wire apert (88/102/114/12) vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc. : 3600 (w) x 180	A (fully galva nised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  (h)mm pedestrian gate finish pe frame finm min	65	100m len				
Vert 75/8 Galv 500g Gate Hot of Wall t Hinge Gate: Hot di 10 - 50 wall th linge	trical wire apert (88/102/114/12) vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc. : 3600 (w) x 180	A (fully galva nised steel) ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm  (h)mm pedestrian gate finish pe frame finm min	65	100m len				
Galv 500g Gate Hot of 40 - 5 wall the Hot di 40 - 5 vall the linge iate:	vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc	ures:150mm. Horizontal wires at 7/140mm. 100m rolls aples 3.15 x 32mm 10 (h)mm pedestrian gate finish pe frame finm min	65	100m len				
Galv 500g Gate Hot of 40 - 5 wall the Hot di 40 - 5 vall the linge iate:	vanized Wire St g packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc	7/140mm. 100m rolls aples 3.15 x 32mm  (h)mm pedestrian gate finish be frame form min			- Gui		$\perp$	
500g Gate Hot of 40 - 5 wall t Hinge Gate: Hot di 40 - 5 wall th linge	g packs e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc.	apies 3.15 x 32mm  (h)mm pedestrian gate  finish pe frame finm min		Pack(s)	+		-	
Gate Hot of 40 - 5 wall thinge Gate; Hot di 40 - 56 vall thinge	e: 900 (w) x 180 dip galvanized: 50mm diam pip thickness of 1.6 e eye bolts, inc.	00 (h)mm pedestrian gate finish pe frame fimm min		Pack(s)				
40 - 5 wall thinge Gate: Hot di 40 - 50 vall thinge	50mm diam pip thickness of 1.6 e eye bolts, inc : 3600 (w) x 18	inish De frame Dimm min Jude chain	1	`,			- 1	
40 - 5 wall thinge Gate: Hot di 40 - 50 vall thinge	50mm diam pip thickness of 1.6 e eye bolts, inc : 3600 (w) x 18	inish De frame Dimm min Jude chain	1					
Wall thinge Gate: Hot di 10 - 50 vall thinge iate:	thickness of 1.6 e eye bolts, inc. : 3600 (w) x 180	imm min	1					
Hinge Gate: Hot di 40 - 50 vall th linge	e eye bolts, inc : 3600 (w) x 180	ude chain	1	Gate(s)				
Gate: Hot di 10 - 50 vall th linge iate:	: 3600 (w) x 18	ude chain					1	
10 - 50 vall ti linge i <b>ate</b> : 2	2000 (W) x 18						-	
10 - 50 vall ti linge i <b>ate</b> : 2	Un anhant in	00 (h)mm Vehicle farm gate					1	
vall ti linge i <b>ate</b> : :	L Dais milited II	DIST			1		1	
linge ate:	40 - 50mm diam pipe frame wall thickness of 1.6mm min Hinge eye bolts, include chain		0	Gata(-)			1	
ate:			Ü	Gate(s)	are(s)		1	
	2400 And the	ide chain			- 1		1	
	2400 (W) X 180	Omm (h) tractor gate (2 frames			_			
0	וומוווו טטיי כייי.				1			
	mm diam.pipe	rame,	2	Cod- *			1	
ngo ~	nickness 1.6mm	min -	~	Gate frames	<u>s</u>		1	
rige e	eye bolts - inclu	de chain					1	
ajvan: Prasti	raining wire, 4r	nm diam, 5kg(50m) rolls						
-1 a C(1)	IZEU CIASS	A 18	7	Roll(s)of 5kg				
lvani.	ized Class	mm diam, 5kg (130m) roll						
4211754	n Cost	A (fully galvanised steel)	1	Roll of 5kg				
			Sum				1	
nspo	ort Cost, includi	ng loading, delivery and	- Juli	1				
loadi	ling	and and	5um	1				
					1	- 1		
-					SUB-TOT	Δ1		
his Bi					SUB-TOT			

## **APPENDIX 1: BILL OF QUANTITIES**

## FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A

1.2m Hinged joint fence with 3 strands of barbed wire above (Total Height 1.7m)

Project:	Sinoxolo CL- J Mdletshe	mber 2013
Fence Perimeter =	1211 m	
District	llembe	
Contact Person	P.N Seme	
Contact Number	0822272699	

No.	item Description	Quan	tity Required	Unit Price	
_	General:	T		One Fire	Total Cost
1	Site establishment.	Sum	1		
	Site Clearing:	Jun	<del></del>		
2	Removal of any existing fences.	Sum	1		
	Bush clearing required.	Juni	1		
	Materials:	<del> </del>			
	Fully Galvanized barbed wire				
	1.6mm diameter High Tensile double strand				
3	845m per roll	5	Roll(s) of		
		1	845m length		
	Galvanized Class A (fully galvanised steel)  2.4m Standard Creosote Poles				
1	Pressure treated, SABS approved				
	100 - 125mmØ	329	Poles	1	
7	Hinged Joint Fence, 1.2m high				
	(eg. Veldspan/Bonnox/or equivalent)				
- [	Galvanized Class A (fully galvanized steel)		Roll(s) of		
I	Galvanized Class A (fully galvanised steel)  Vertical wire apertures:150mm. Horizontal wires at	13	100m length		
ŀ	75/88/102/114/127/140mm. 100m rolls		Toom length		
7	Dalvanized Wire Staples 3.15 x 32mm				
5	500g packs	41	Pack(s)		
10	Sate: 900 (w) x 1800 (h)mm pedestrian gate		T dek(3)		
1	lot dip galvanized finish				
4	0 - 50mm diam pipe frame				
W	vall thickness of 1.6mm min	1	Gate(s)		
Įн	linge eye bolts, include chain			1	
G	ate: 3600 (w) x 1800 (h)mm Vehicle farm gate				
H	ot dip galvanized finish				
4	0 - 50mm diam pipe frame				
w	all thickness of 1.6mm min	0	Gate(s)		
Н	inge eye bolts, include chain				
G	ate: 2400 (w) x 1800mm (h) tractor gate (2 frames				
pe	er gate, HDG finish,				
40	0-50mm diam.pipe frame,	-			
w	all thickness 1.6mm min -	2	Gate <u>frames</u>	1	
	nge eye bolts - include chain		1	1	
8 :	ga straining wire, 4mm diam, 5kg(50m) rolls				
Ga	Ivanized Class A (fully palyanised steel)	6	Roll(s)of 5kg		
12	ga binding wire, 2.5mm diam, 5kg (130m) roll		g/c/ J/g		
Ga	Ivanized Class A (fully galvanised steel)	1	Roll of 5kg		
	ection Cost		TION OF SIRE		
_		Sum	1		
off	Insport Cost, including loading, delivery and -loading	Sum	1		
_			SUB-T	OTAL	
_				VAT	
				OTAL	

## **APPENDIX 1: BILL OF QUANTITIES**

## FOR THE SUPPLY OF MATERIALS FOR AND ERECTION OF A 1.2m Hinged joint fence with 3 strands of barbed wire above (Total Height 1.7m)

Project:	Sinoxolo CL-Them	Version 4.0 September 2013
Fence Perimeter =		1990 m
District	llembe	1330 W
Contact Person	P.N Seme	
Contact Number	0822272699	

No.	item Description	Qı	anti	ty Required		Hala D.:	
_	General:			·) nequired		Unit Price	Total Cos
1	Site establishment.	Sui	~	T	-		
_	Site Clearing:	- Jul	11	1	1		
2	Removal of any existing fences.	c		1			
	Bush clearing required.	Sur	11	1	1		
	Materials:						
	Fully Galvanized barbed wire						
a	1.6mm diameter High Tensile double stra				1		
ا ٢	845m per roll	nd   o	8 Roll(s) of 845m length		1	- 1	
- 1					1	1	
Galvanized Class A (fully galvanised steel)  2.4m Standard Creosote Poles		d steel)				- 1	
1	Pressure treated, SABS approved						
	100 - 125mmØ	502		Poles	1	- 1	
Ti	Hinged Joint Fence, 1.2m high				1	1	
10	(eg. Veldspan/Bonnox/or equivalent)						
- la				D-11/ ) (		- 1	
K	Vertical wire apartures 150	steel) 21		Roll(s) of	1	1	
17	Vertical wire apertures:150mm. Horizonta	wires at		100m length			
de	75/88/102/114/127/140mm. 100m rolls Galvanized Wire Staples 3.15 x 32mm					1	
15	500g packs	C.F.		5 14 1			
16	Sate: 900 (w) × 1000 (b)	65		Pack(s)		1	
l <sub>H</sub>	Sate: 900 (w) x 1800 (h)mm pedestrian gat lot dip galvanized finish	e					
4	0 - 50mm diam pipe frame					1	
W	vall thickness of 1.6mm min	1	1 Gate(s)			- 1	
le:	inge eye bolts, include chain					1	
6	ate: 3600 (w) - 1000 (l)					- 1	
H	ate: 3600 (w) x 1800 (h)mm Vehicle farm ( ot dip galvanized finish	gate					
40	) - 50mm diam pipe frame	1		1		- 1	
w	all thickness of 1.6mm min	0		Gate(s)		1	
His	nge eve holte in that I			1 (5)		1	
Ga	nge eye bolts, include chain					1	
ne	ate: 2400 (w) x 1800mm (h) tractor gate (2 er gate, HDG finish,	frames					
10	Former die	1		1		1	
1440	-50mm diam.pipe frame,	2	(	Sate <u>frames</u>		1	
	all thickness 1.6mm min -		c Gate <u>trames</u>			1	
Q ~	nge eye bolts - include chain			1		1	
د∽، n R	a straining wire, 4mm diam, 5kg(50m) rol	ls					
Gai	vanized class   A /fully golumnia at a	. 8	R	oll(s)of 5kg			
12   201	ga binding wire, 2.5mm diam, 5kg (130m)	roll					
301	variized Class	eel) 1	R	oll of 5kg			
_	ction Cost	Sum		1			
rai	nsport Cost, including loading, delivery and	3011	-	1			
ff-i	loading government and	Sum		1			
_				SUB-T	OTAL		
					VAT		
_	his Bill of Quantities must be read in conju			7			

### **DECLARATION OF INTEREST**

- Any legal person, including persons employed by the state<sup>1</sup>, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes an advertised competitive bid, a limited bid, a proposal or written price quotation). In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
  - the bidder is employed by the state; and/or
  - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.

2.	In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
2.1	Full Name of bidder or his or her representative:
2.2	Identity Number:
2.3	Position occupied in the Company (director, trustee, shareholder <sup>2</sup> , member):
2.4	Registration number of company, enterprise, close corporation, partnership agreement or trust:
2.5	Tax Reference Number:
2.6	VAT Registration Number:
2.6.1	The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / PERSAL numbers must be indicated in paragraph 3 below.

1"5	tate"	m	162	ne	_

- (a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999);
- (b) any municipality or municipal entity;
- (c) provincial legislature;
- (d) national Assembly or the national Council of provinces; or
- (e) Parliament.

	reholder" means a person who owns shares in the company and is actively in agement of the enterprise or business and exercises control over the enterprise	
Please	e clearly indicate, with an 'X' only one box that is applicable to your busin	ness or firm
2.7	Are you or any person connected with the bidder presently employed by the state?	YES NO
2.7.1	If so, furnish the following particulars:	
	Name of person / director / trustee / shareholder/member:	
	Name of state institution at which you or the person connected to the bidder is	s employed
	Position occupied in the state institution:	8 - 222 - 23
		0 *************
	Any other particulars:	
		200.
2.7.2	If you are presently employed by the state, did you obtain	YES NO
	the appropriate authority to undertake remunerative work outside employment sector?	
	If yes, did you attach proof of such authority to the bid document?	
	(Note: Failure to submit proof of such authority, where applicable, may result disqualification of the bid.)	res NO in the
2.7.2.1	1 If no, furnish reasons for non-submission of such proof:	

2.8	Did you or your spouse, or any of the company's directors /	YES NO
	trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months?	120 110
2.8.1	If so, furnish particulars:	
2.9	Do you, or any person connected with the bidder, have	
	any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this bid?	YES NO
2.9.1	If so, furnish particulars.	
2.10	Are you, or any person connected with the bidder,	
	aware of any relationship (family, friend, other) between any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this bid?	YES NO
2.10.	, , , , , , , , , , , , , , , , , , , ,	
********		
2.11	Do you or any of the directors / trustees / shareholders / members	
	of the company have any interest in any other related companies whether or not they are bidding for this contract?	YES NO
2.11.	1 If so, furnish particulars:	
***************************************		

## 3 Full details of directors / trustees / members / shareholders.

Signature

Full Name	Identity Number	Personal Income Tax Reference Number	State Employee Number / Persal Number
4 DECLARATION			
I, THE UNDERSIGNED (NA CERTIFY THAT THE INF CORRECT.			
I ACCEPT THAT THE STATE DECLARATION PROVE TO		E BID OR ACT AGAINST	ME SHOULD THIS
Name of bidder		20	Position
Signature			Data

Date

#### CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Standard Bidding Document (SBD) must form part of all bids<sup>1</sup> invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).<sup>2</sup> Collusive bidding is a *per se* prohibition meaning that it cannot be justified under any grounds.
- 3 Treasury Regulation 16A9 prescribes that accounting officers and accounting authorities must take all reasonable steps to prevent abuse of the supply chain management system and authorizes accounting officers and accounting authorities to:
  - a. disregard the bid of any bidder if that bidder, or any of its directors have abused the institution's supply chain management system and or committed fraud or any other improper conduct in relation to such system.
  - b. cancel a contract awarded to a supplier of goods and services if the supplier committed any corrupt or fraudulent act during the bidding process or the execution of that contract.
- This SBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bidrigging.
- In order to give effect to the above, the attached Certificate of Bid Determination (SBD 9) must be completed and submitted with the bid:
- <sup>1</sup> Includes price quotations, advertised competitive bids, limited bids and proposals.
- <sup>2</sup> Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

SBD 9

#### CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:			
(Bid Number and Description)			
in response to the invitation for the bid made by:			
(Name of Institution)			
do hereby make the following statements that I certify to be true and complete in every respect:			
I certify, on behalf ofthat:			
(Name of Bidder)			

- (Name of bidder)
- 1. I have read and I understand the contents of this Certificate:
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder:
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
  - (a) has been requested to submit a bid in response to this bid invitation;
  - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
  - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium<sup>3</sup> will not be construed as collusive bidding.

- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
  - (a) prices;
  - (b) geographical area where product or service will be rendered (market allocation)
  - (c) methods, factors or formulas used to calculate prices;
  - (d) the intention or decision to submit or not to submit, a bid;
  - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
  - (f) bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature	Date
Position	Name of Bidder