

KWAZULU-NATAL DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

Quotation No: R/S/1920/1473

SUPPLY, DELIVER, OFFLOAD AND ERECT REFABRICATED FOR 3 COMMUNITY GARDENS IN NEWCASTLE – AMAJUBA DISTRICT

NAME OF BIDDER:		
NAME OF DIDDER:		

COMPULSORY SITE BRIEFING DETAILS				
DATE	04/03/2020			
MEETING VENUE	AGRICULTURE LOCAL OFFICE			
MEETING ADDRESS 12 CHURCH STREET DANNHAUSER LOCAL OFFICE				
MEETING TIME				
START TIME	11;00 AM			

1. PRE-QUALIFICATION CRITERIA

REQUIREMENT-CIDB Grading: 1 CE, ME OR GB

Evaluation will be in terms of the 80/20 preference point system

For more information, please contact the following official:

For: Technical Enquiries: Mr K.S Hlongwa 076 947 1644 /082 3393 110

For: Quotation/SCM enquiries:

Ms Bongie Mbokazi 033-343 8312

CLOSING DATE: 13 MARCH 2020 TIME: 11:00 AM



INVITATION OF QUOTATION ABOVE R30,000.00

THIS FORM SHOULD BE COMPLETED IN DETAIL AND SHOULD BE ACCOMPANIED BY A VALID TAX

COMPLIANCE STATUS PIN AND VALID BBBEE VERIFICATION CERTIFICATE/AFFIDAVIT

COM EMICE OF A COT IN THE STREET	T
QUOTATION NUMBER: R/S/1920/1473	VALIDITY PERIOD OF QUOTATION Days (To be completed by the Supplier)
CLOSING DATE:03/03/2020	CLOSING TIME:11H00
DESCRIPTION(SPECIFICATION/S) OF ITEMS/ SERVICE REQUIRED:SUPPLY, DELIVER, OFFLOAD AND ERECT REFABRICATED FOR 3 COMMUNITY GARDENS IN NEWCASTLE - AMAJUBA DISTRICT SEE ATTACHED SPEC	COMPANY NAME: TEL NO: FAX NO: CONTACT PERSON: CSD REG NUMBER MAAA
DOES OFFER COMPLY WITH SPECIFICATION?	YES/NO (DELETE WHICH EVER IS NOT APPLICABLE)
DOES ARTICLE COMPLY WITH SABS SPECIFICATION? HAS IT BEEN INSPECTED BY SABS?	YES/NO YES/NO (DELETE WHICH EVER IS NOT APPLICABLE)
DELIVERY PERIOD AFTER INITIAL ORDER?	
IS THE PRICE FIRM	
WHERE ARE THE STOCK HELD? (PHYSICAL ADDRESS , PLEASE)	
QUOTATION PRICE INCLUDING VAT (VAT TO BE ADDED BY REGISTERED VAT VENDORS ONLY)	TOTAL: R
COMPANY OFFICIAL STAMP (COMPULSORY)	SIGNATURE OF BIDDER DATE
NUMBER OF PAGES FAXED BACK TO THE DEPARTMENT BY THE SUPPLER	(Supplier to complete)

NB: QUOTATIONS MUST BE DEPOSITED IN THE BID BOX SITUATED AT: THE DEPARTMENT OF AGRICULTURE & RURAL DEVELOPMENT:4 PIN OAK AVENUE HILTON

FOR THE ATTENTION OF: BONGI MBOKAZI TELEPHONE NUMBER: 033-343 8312

NB:.THE ATTACHED SBD4 & SBD9 FORMS MUST BE COMPLETED THIS QUOTATION COVER PAGE MUST BE COMPLETED AND RETURNED WITH ALL YOUR QUOTATION DOCUMENTS.

COMPANY NAME ADDRESS CONTACT PERSON CONTACT NUMBER FAX NUMBER

	DESCRIPTIO N OR SPECIFICATI		UNIT PRICE EXCL. VAT		TOTAL PRICE		
LINE NO.	ON OF ITEM (Please be very specific and clear)	REQUIRED QUANTITY	R	С	R	С	
Supply, deliver, offload and erect refabricated for 3 community gardens in Newcastle in Amajuba district : see attached specifications	Specification attached	1					
	* LABOUR (I	F APPLICABLE)				
	*DELIVERY (IF APPLICABLE	≣)				
TOTAL							
*ONLY APPLICABLE TO VAT REG	ONLY APPLICABLE TO VAT REGISTERED SUPPLIERS 15% VAT						
			TOTAL P	RICE			

*VAT Registration No. (Supplier))
When Required (Requester): 1	5 November 2019
Where Required (Requester): Contact details of requester: TEL : COMPANY STAMP	
	SIGNATURE
	DATE



KZN Agriculture & Rural Development

uMnyango: weZolimo nokuThuthukiswa KweMiphakathi yaseMakhaya

ISIFUNDAZWE SAKWAZULU-NATALI

Project Beneficiary: Vumani Sabelo Special School

District:

Amajuba

Co-ordinates:

\$27° 47′ 48.18″ E30° 06′ 54.14″


Fence length:

300 m

SUPPLY, DELIVER & ERECT FENCING

SPEC. REF.	DESCRIPTION	UNIT	QTY.	RATE (R.c)	AMOUNT (R.c)
SANS 935	Supply of prefabricated fence Fence to be manufactured of high tensile steel wire with breaking strength minimum 400kg, fully galvanized (240-280 g/m2) to SANS 935, with 10 horizontal strands and vertical wire at 150 mm intervals.				
	a) 1,2 m high in 100 m rolls	no	4		
SANS	Supply of barbed wire				
935	Single, oval wire, fully galvanized (240-280 g/m2) to SANS 935				
	a) 2,8mm x 1,9mm in 845 m rolls (35kg) 4,45 kN BS	no	1		
SANS 457	standards				
0/1/10/10/	Creosote treated hardwood round poles, to SANS 457				
	a) 2,4 m x 125-150 mm diameter - comer,gate,straining,anchor	no	26		
	b) 2,1 m x 100-125 mm diameter - Brace & Standards	no	42		
SANS	Supply droppers				
457	Creosote treated hardwood round droppers,to SANS 457				
	a) 1,5 m x 32-50 mm diameter	no	75		
SANS	Supply galvanized gates				
675, 763	Heavy duty, Hot Dipped Galvanized to SANS 763 (after fabrication), covered with fully galvanized diamond mesh to SANS 675. Gate to be complete with all relevant bolts and nuts for hinges and latch.				
	a) 1,2 m x 1,5 m high pedestrian gate	no	1		
	b) 4.3 m x 1,5 m high vehicle gate	no	1		
SANS	Supply tie and binding wire				
935	Wire to be mild steel, fully galvanized to the SANS 935				
	a) 4mm diameter in 50 kg rolls 4,4 kN BS	no	1		
	c) 2mm diameter in 5 kg rolls	no	4		
SANS	Supply staples				
763	Hot Dipped Galvanized				
	a) 3,15 mm x 32 mm	kg	3		
SANS 831	Supply OPC Cement or PC 15 FA (50 kg pockets)	no	28		
	Sand	m³	3		
	Stone (20mm)	m³	6		
	Delivery	sum	1		
	Construction / Erection of fencing	sum	1		
		5	Sub Total		
			15% Vat		
	TOTAL	INCLUD	ING VAT		
	SANS 935 SANS 935 SANS 935 SANS 457 SANS 675, 763 SANS 935 SANS 935	SANS Supply of prefabricated fend or nign tensile steel wire with preaking strength minimum 400kg, fully galvanized (240-280 g/m2) to SANS 935, with 10 horizontal strands and vertical wire at 150 mm intervals. a) 1,2 m high in 100 m rolls SANS Supply of barbed wire 935 Single, oval wire, fully galvanized (240-280 g/m2) to SANS 935 a) 2,8mm x 1,9mm in 845 m rolls (35kg) 4,45 kN BS Supply corner, gale, straining, anchor posts, brace poles and standards Creosote treated hardwood round poles, to SANS 457 a) 2,4 m x 125-150 mm diameter - corner, gate, straining, anchor b) 2,1 m x 100-125 mm diameter - Brace & Standards SANS Supply droppers Creosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter SANS Supply droppers Creosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter SANS Supply droppers Heavy duty, Hot Dipped Galvanized to SANS 763 (after fabrication), covered with fully galvanized diamond mesh to SANS 675. Gate to be complete with all relevant botts and nuts for hinges and latch. a) 1,2 m x 1,5 m high pedestrian gate b) 4.3 m x 1,5 m high vehicle gate SANS Supply te and binding wire Wire to be mild steel, fully galvanized to the SANS 935 a) 4mm diameter in 50 kg rolls SANS Supply staples Hot Dipped Galvanized a) 3,15 mm x 32 mm SANS 831 Supply OPC Cement or PC 15 FA (50 kg pockets) Sand Stone (20mm) Delivery Construction / Erection of fencing	SANS Supply of prefabricated fence Fence to be manufactured of ingh tensile steel wire with breaking strength minimum 400kg, fully galvanized (240-280 g/m2) to SANS 935, with 10 horizontal strands and vertical wire at 150 mm intervals. a) 1,2 m high in 100 m rolls SANS Supply of barbed wire 935 Single, oval wire, fully galvanized (240-280 g/m2) to SANS 935 a) 2,8mm x 1,9mm in 845 m rolls (35kg) 4,45 kN BS no Supply corner, gate, straining, anchor posts, brace poles and standards Creosote treated hardwood round poles, to SANS 457 a) 2,4 m x 125-150 mm diameter - corner,gate,straining,anchor no b) 2,1 m x 100-125 mm diameter - Brace & Standards Creosote treated hardwood round droppers,to SANS 457 a) 1,5 m x 32-50 mm diameter SANS Supply droppers Creosote treated hardwood round droppers,to SANS 457 a) 1,5 m x 32-50 mm diameter SANS Supply galvanized gates Heavy duty, Hot Dipped Galvanized to SANS 763 (after fabrication), covered with fully galvanized diamond meth to SANS 675. Gate to be complete with all relevant bolts and nuts for hinges and latch. a) 1,2 m x 1,5 m high pedestrian gate b) 4.3 m x 1,5 m high vehicle gate SANS Supply tie and binding wire Wire to be mild steel, fully galvanized to the SANS 935 a) 4mm diameter in 5 kg rolls 4,4 kN BS c) 2mm diameter in 5 kg rolls 4,4 kN BS no c) 2mm diameter in 5 kg rolls 4,4 kN BS no Supply staples For the midding steel, fully galvanized to the SANS 935 a) 3,15 mm x 32 mm kg SANS Supply of Cement or PC 15 FA (50 kg pockets) no Sand Supply OPC Cement or PC 15 FA (50 kg pockets) Delivery Construction / Erection of fencing sum	REF. DESCRIPTION UNIT QTY. SANS Supply of prefabricated fence be not be manufactured or night tensile steel wire with breaking strength minimum 400kg, fully galvanized (240-280 g/m2) to SANS 935, with 10 horizontal strands and vertical wire at 150 mm intervals. a) 1,2 m high in 100 m rolls SANS Supply of barbed wire Single, oval wire, fully galvanized (240-280 g/m2) to SANS 935 a) 2,8mm x 1,9mm in 845 m rolls (35kg) 4,45 kN BS Supply corner, gale, straining, anchor posts, brace poles and standards Creosote treated hardwood round poles, to SANS 457 a) 2,4 m x 125-150 mm diameter - corner, gate, straining, anchor posts, brace poles and standards Creosote treated hardwood round droppers, to SANS 457 a) 2,1 m x 100-125 mm diameter - Brace & Standards no 42 SANS Supply droppers Creosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter Ferosote treated hardwood round round round round round rou	REF. SANS Supply of prefabricated fence rence to be manufactured or ingn tensile steel wire with breaking strength minimum 400kg, fully galvanized (240-280 g/m2) to SANS 935, with 10 horizontal strands and vertical wire at 150 mm intervals. a) 1,2 m high in 100 m rolls SANS Supply of barbed wire Single, oval wire, fully galvanized (240-280 g/m2) to SANS 935 a) 2,8mm x 1,9mm in 845 m rolls (35kg) 4,45 kN BS Supply corner, gale, straining, anchor posts, brace poles and standards Creosote treated hardwood round poles, to SANS 457 a) 2,4 m x 125-150 mm diameter - corner, gate, straining, anchor ob 1) 2,1 m x 100-125 mm diameter - Brace & Standards SANS Supply droppers Creosote treated hardwood round droppers, to SANS 457 a) 1,5 m x 32-50 mm diameter SANS Supply galvanized gates Heavy duty, Hot Dipped Galvanized to SANS 763 (after fabrication), covered with fully galvanized diamond mesh to SANS 675. Gate to be complete with all relevant bolts and nuts for hinges and latch. a) 1,2 m x 1,5 m high pedestrian gate b) 4.3 m x 1,5 m high pedestrian gate SANS Supply tie and binding wire Wire to be mild steel, fully galvanized to the SANS 935 a) 4 mm diameter in 50 kg rolls 4,4 kN BS roll 4 mm diameter in 50 kg rolls 4,4 kN BS roll 5 yard diameter in 5 kg rolls SANS Supply of Cement or PC 15 FA (50 kg pockets) Dellvery Sand Supply OPC Cement or PC 15 FA (50 kg pockets) Dellvery Sum 1 Sub Total

NAME, SIGNATURE, ADDRESS & TELEPHONE NO.	. OF TENDERER	DATE:





KZN Agriculture & Rural Development

uMnyango: weZolimo nokuThuthukiswa KweMiphakathi yaseMakhaya

ISIFUNDAZWE SAKWAZULU-NATALI

Project Beneficiary: Vukayibambe Vegetable Garden

District:

Amajuba

Co-ordinates:

\$27° 48′ 16.56″ E30° 09′ 40.28″


Fence length:

310 m

SUPPLY, DELIVER & ERECT FENCING

ITEM No.	SPEC. REF.	DESCRIPTION UNIT QTY.				AMOUNT (R.c)
2.1	SANS 935	Supply of prefabricated fence Hence to be manufactured or high tensile steel wire with preaking strength minimum 400kg, fully galvanized (240-280 g/m2) to SANS 935, with 10 horizontal strands and vertical wire at 150 mm intervals.				
		a) 1,2 m high in 100 m rolls	no	4		
2.2	SANS 935	Supply of barbed wire Single, oval wire, fully galvanized (240-280 g/m2) to SANS 935				
2.3	SANS 457	a) 2,8mm x 1,9mm in 845 m rolls (35kg) 4,45 kN BS Supply corner, gate, straining, anchor posts, brace poles and standards	no	1		
1 1		Creosote treated hardwood round poles, to SANS 457				
		a) 2,4 m x 125-150 mm diameter - corner,gate,straining,anchor	no	20		
0.4	CANIC	b) 2,1 m x 100-125 mm diameter - Brace & Standards	по	41		
2.4	SANS 457	Supply droppers Creosote treated hardwood round droppers,to SANS 457				
2.5	SANS	a) 1,5 m x 32-50 mm diameter	no	75		
2.0	675, 763	Supply galvanized gates Heavy duty, Hot Dipped Galvanized to SANS 763 (after fabrication), covered with fully galvanized diamond mesh to SANS 675. Gate to be complete with all relevant bolts and nuts for hinges and latch. a) 1,2 m x 1,5 m high pedestrian gate	no	1		
		b) 4.3 m x 1,5 m high vehicle gate	no	1		
2.6	SANS 935	Supply tie and binding wire Wire to be mild steel, fully galvanized to the SANS 935 a) 4mm diameter in 50 kg rolls 4,4 kN BS c) 2mm diameter in 5 kg rolls	no	1 4		
2.7	SANS	Supply staples	110			
	763	Hot Dipped Galvanized a) 3,15 mm x 32 mm	kg	3		
2.8	SANS 831	Supply OPC Cement or PC 15 FA (50 kg pockets)	no	26		
2.9		Sand	m³	3		
2.10		Stone (20mm)	m³	5		
2.11		Delivery	sum	1		
2.12		Construction / Erection of fencing	sum	1		
			8	Sub Total		
				15% Vat		
		TOTAL	INCLUD	ING VAT		

DATE			





KZN Agriculture & Rural Development

uMnyango: weZolimo nokuThuthukiswa KweMiphakathi yaseMakhaya

ISIFUNDAZWE SAKWAZULU-NATALI

Project Beneficiary: Qalakabusha Community Garden

District:


Amajuba S27° 47' 41.39" E30° 07' 19.03" Co-ordinates:

160 m Fence length:

SUPPLY, DELIVER & ERECT FENCING

ITEM No.	SPEC. REF.	DESCRIPTION UNIT QTY.				AMOUNT (R.c)
2.1	SANS 935	Supply of prefabricated fence Fence to be manufactured or night tensile steel wire with breaking strength minimum 400kg, fully galvanized (240-280 g/m2) to SANS 935, with 10 horizontal strands and vertical wire at 150 mm intervals.				
		a) 1,2 m high in 100 m rolls	no	2		
2.2	SANS 935	Supply of barbed wire Single, oval wire, fully galvanized (240-280 g/m2) to SANS 935				
2.3	SANS 457	a) 2,8mm x 1,9mm in 845 m rolls (35kg) 4,45 kN BS Supply corner, gate, straining, anchor posts, brace poles and standards	по	1		
		Creosote treated hardwood round poles, to SANS 457 a) 2,4 m x 125-150 mm diameter - corner,gate,straining,anchor	no	20		
		b) 2,1 m x 100-125 mm diameter - Brace & Standards	no	24		
2.4	SANS 457	Supply droppers Creosote treated hardwood round droppers,to SANS 457 a) 1.5 m x 32-50 mm diameter	no	42		
2.5	SANS	Supply galvanized gates	110	72		
	675, 763	Heavy duty, Hot Dipped Galvanized to SANS 763 (after fabrication), covered with fully galvanized diamond mesh to SANS 675. Gate to be complete with all relevant bolts and nuts for hinges and latch. a) 1,2 m x 1,5 m high pedestrian gate	no	2 1		
		b) 4.3 m x 1,5 m high vehicle gate	no	1		
2.6	SANS	Supply tie and binding wire	110	•		
	935	Wire to be mild steel, fully galvanized to the SANS 935 a) 4mm diameter in 50 kg rolls 4,4 kN BS c) 2mm diameter in 5 kg rolls	no no	1 2		
2.7	SANS 763	Supply staples Hot Dipped Galvanized		_		
		a) 3,15 mm x 32 mm	kg	2		
2.8	SANS 831	Supply OPC Cement or PC 15 FA (50 kg pockets)	no	18		
2.9		Sand	m³	2		
2.10		Stone (20mm)	m³	4		
2.11		Delivery	sum	1		
2.12		Construction / Erection of fencing	sum	1		
				Sub Total		
		TOTAL	INCLUD	ING VAT		

NAME, SIGNATURE, ADDRESS & TELEPHONE NO. OF TENDERER	DATE :



DECLARATION OF INTEREST

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes an advertised competitive bid, a limited bid, a proposal or written price quotation). In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorised representative declare his/her position in relation to the evaluating/adjudicating authority where-
 - the bidder is employed by the state; and/or
 - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.

2.	In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.
2.1	Full Name of bidder or his or her representative:
2.2	Identity Number:
2.3	Position occupied in the Company (director, trustee, shareholder², member):
2.4	Registration number of company, enterprise, close corporation, partnership agreement or trust:
2.5	Tax Reference Number:
2.6	VAT Registration Number:
2.6.1	The names of all directors / trustees / shareholders / members, their individual identity numbers, tax reference numbers and, if applicable, employee / PERSAL numbers must be indicated in paragraph 3 below.

*	
1"State	e" means — (a) any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No. 1 of 1999); (b) any municipality or municipal entity; (c) provincial legislature; (d) national Assembly or the national Council of provinces; or (e) Parliament.
	eholder" means a person who owns shares in the company and is actively involved in the agement of the enterprise or business and exercises control over the enterprise.
Please	e clearly indicate, with an 'X' only one box that is applicable to your business or firm
2.7	Are you or any person connected with the bidder presently employed by the state? YES NO
2.7.1	If so, furnish the following particulars:
	Name of person / director / trustee / shareholder/member:
	Name of state institution at which you or the person connected to the bidder is employed
	Position occupied in the state institution:
	Any other particulars:
2.7.2	If you are presently employed by the state, did you obtain YES NO
	the appropriate authority to undertake remunerative work outside employment in the public sector?

If yes, did you attach proof of such authority to the bid document?

2.7.2.1 If no, furnish reasons for non-submission of such proof:

disqualification of the bid.)

(Note: Failure to submit proof of such authority, where applicable, may result in the

YES NO

2.8	Did you or your spouse, or any of the company's directors /	YES NO
	trustees / shareholders / members or their spouses conduct business with the state in the previous twelve months?	
2.8.1	If so, furnish particulars:	***************************************
	34	
2.9	Do you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this bid?	YES NO
2.9.1	If so, furnish particulars.	
2.10	Are you, or any person connected with the bidder,	
	aware of any relationship (family, friend, other) between any other bidder and any person employed by the state who may be involved with the evaluation and or adjudication of this bid?	YES NO
2.10.	1 If so, furnish particulars.	
		······································
2.11	Do you or any of the directors / trustees / shareholders / members	YES NO
	of the company have any interest in any other related companies whether or not they are bidding for this contract?	
2.11.	1 If so, furnish particulars:	
		mount OHEL SEED

3 Full details of directors / trustees / membe	rs / shareholders.
--	--------------------

CORRECT.

Name of bidder

Signature

DECLARATION PROVE TO BE FALSE.

Full Name	Identity Number	Personal Income Tax Reference Number	State Employee Number / Persal Number
4 DECLARATION	,II		

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME SHOULD THIS

Position

Date

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Standard Bidding Document (SBD) must form part of all bids¹ invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *per se* prohibition meaning that it cannot be justified under any grounds.
- 3 Treasury Regulation 16A9 prescribes that accounting officers and accounting authorities must take all reasonable steps to prevent abuse of the supply chain management system and authorizes accounting officers and accounting authorities to:
 - a. disregard the bid of any bidder if that bidder, or any of its directors have abused the institution's supply chain management system and or committed fraud or any other improper conduct in relation to such system.
 - b. cancel a contract awarded to a supplier of goods and services if the supplier committed any corrupt or fraudulent act during the bidding process or the execution of that contract.
- This SBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bidrigging.
- In order to give effect to the above, the attached Certificate of Bid Determination (SBD 9) must be completed and submitted with the bid:
- ¹ Includes price quotations, advertised competitive bids, limited bids and proposals.
- ² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

INTITION OF THE PROPERTY OF TH

SBD 9

CERTIFICATE OF INDEPENDENT BID DETERMINATION

i, the undersigned, in submitting the accompanying bid:
(Bid Number and Description)
in response to the invitation for the bid made by:
(Name of Institution)
do hereby make the following statements that I certify to be true and complete in every respect:
I certify, on behalf ofthat:

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation:
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.
- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications and conditions or delivery particulars of the products or services to which this bid invitation relates.
- The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 10. I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature	Date
Position	Name of Bidder

OFFICIAL BRIEFING SESSION/SITE INSPECTION CERTIFICATE

TO THE BID.
Site/building/institution involved:
Bid No:
Service:

THIS IS TO CERTIFY THAT (NAME):
ON BEHALF OF:
VISITED AND INSPECTED THE SITE ON(DATE)
AND IS THEREFORE FAMILIAR WITH THE CIRCUMSTANCES AND THE SCOPE OF THE SERVICE TO BE RENDERED.
SIGNATURE OF BIDDER OR AUTHORISED REPRESENTATIVE (PRINT NAME)
DATE:
SIGNATURE OF DEPARTMENTAL REPRESENTATIVE (PRINT NAME)
DEPARTMENTAL STAMP: (OPTIONAL)
DATE:

N. B.: THIS FORM IS ONLY TO BE INCLUDED AND COMPLETED WHEN APPLICABLE

Wa Cooken

SBD 6.2

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2011, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2011 (Regulation 9) makes provision for the promotion of local production and content.
- 1.2. Regulation 9.(1) prescribes that in the case of designated sectors, where in the award of bids local production and content is of critical importance, such bids must be advertised with the specific bidding condition that only locally produced goods, services or works or locally manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for bids referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x / y] * 100$$

Where

x is the imported content in Rand

y is the bid bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

- 1.6 A bid may be disqualified if -
 - (a) this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation; and
 - (b) the bidder fails to declare that the Local Content Declaration Templates (Annex C, D and E) have been audited and certified as correct.

2. Definitions

- 2.1. "bid" includes written price quotations, advertised competitive bids or proposals;
- 2.2. "bid price" price offered by the bidder, excluding value added tax (VAT);
- 2.3. "contract" means the agreement that results from the acceptance of a bid by an organ of state:
- 2.4. "designated sector" means a sector, sub-sector or industry that has been designated by the Department of Trade and Industry in line with national development and industrial policies for local production, where only locally produced services, works or goods or locally manufactured goods meet the stipulated minimum threshold for local production and content;
- 2.5. "duly sign" means a Declaration Certificate for Local Content that has been signed by the Chief Financial Officer or other legally responsible person nominated in writing by the Chief Executive, or senior member / person with management responsibility(close corporation, partnership or individual).
- 2.6. "imported content" means that portion of the bid price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or its subcontractors) and which costs are inclusive of the costs abroad (this includes labour or intellectual property costs), plus freight and other direct importation costs, such as landing costs, dock duties, import duty, sales duty or other similar tax or duty at the South African port of entry;
- 2.7. "local content" means that portion of the bid price which is not included in the imported content, provided that local manufacture does take place;
- 2.8. "stipulated minimum threshold" means that portion of local production and content as determined by the Department of Trade and Industry; and
- 2.9. "sub-contract" means the primary contractor's assigning, leasing, making out work to, or employing another person to support such primary contractor in the execution of part of a project in terms of the contract.
- 3. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows:

2	steel product	
	1	%
-	`	
- 2		%
l .	Does any portion of the services, whave any imported content? (Tick applicable box)	rorks or goods offered
	YES NO	
4.1	prescribed in paragraph 1.5 of the SARB for the specific currency at 1	pe used in this bid to calculate the local content as general conditions must be the rate(s) published by 12:00 on the date of advertisement of the bid.
The r	elevant rates of exchange information	n is accessible on www.reservebank.co.za.
ndica	ate the rate(s) of exchange against th	ne appropriate currency in the table below (refer to
Anne	x A of SATS 1286:2011):	
Curre	encv	Rates of exchange
JS D		
	d Sterling	
Euro	a otor	
Yen		
Other		
NB: E 5.	Bidders must submit proof of the SAF Were the Local Content Declaration as correct? (Tick applicable box)	RB rate (s) of exchange used. on Templates (Annex C, D and E) audited and certifie
	YES NO	
	f yes, provide the following particular	
(t (c	b) Telephone and cell number: d) Email address:	
	(Documentary proof regarding the satisfaction of the Accounting Office 1987)	declaration will, when required, be submitted to the cer / Accounting Authority)
_		challenges are experienced in meeting the stipulate the dti must be informed accordingly in order for the AO/AA provide directives in this regard.

Description of services, works or goods

Stipulated minimum threshold

LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

LOCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFF LEGALLY RESPONSIBLE PERSON NOMINATED IN WRITING EXECUTIVE OR SENIOR MEMBER/PERSON WITH MANAGEMENT (CLOSE CORPORATION, PARTNERSHIP OR INDIVIDUAL)	BY THE CHIEF
IN RESPECT OF BID NO.	
ISSUED BY: (Procurement Authority / Name of Institution):	
NB	•••••
1 The obligation to complete, duly sign and submit this declaration cato an external authorized representative, auditor or any other third party the bidder.	nnot be transferred acting on behalf of
2 Guidance on the Calculation of Local Content together with Local Content together wi	After completing ate the information at claration made in ders for verification ed to continuously
I, the undersigned,	
(a) The facts contained herein are within my own personal knowledge.	
(b) I have satisfied myself that:	
the goods/services/works to be delivered in terms of the bid comply with the minimum local content requirements as spand as measured in terms of SATS 1286:2011; and the declaration templates have been audited and certified.	pecified in the bid,
(c) The local content percentage (%) indicated below has been calc formula given in clause 3 of SATS 1286:2011, the rates of excha paragraph 4.1 above and the information contained in Declaration D and consolidated in Declaration C:	inge indicated in
Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	
If the bid is for more than one product, the local content perceiproduct contained in Declaration C shall be used instead of the table	ntages for each

The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Institution has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 13 of the Preferential Procurement Regulations, 2011 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

	Imported Content Declaration - Supporting Schedule to Annex C												
(D1) (D2) (D3)	Tender No. Tender descrip Designated Pro								Note: VAT to b	e excluded from	m]		
(D4) (D4) (D5) (D6)	Tender Author Tendering Enth Tender Exchan	ity: ly name:		นใจ	٦,	U R 9,00	~) si	BP R 12.00	7				
1007									- Marian et aleman		***************************************		
	Tender item	ed imported of	imported content	Local supplier	Overseas Supplier	Forign currency value as per Commercial involce		Local value o	Freight costs to part of entry	All locally	Total landed	Tender	Qty
	(D7)		(DE)	(D9)	(D10)	(011)	(012)	(D13)	(D14)	(D15)	(D16)	(017)	1
													\pm
							-	1		(D)	19) Total exempt	imported val	lue
		-										1 his 1010	
ر ء	B. Imported	i directly by ti	he Tenderer			bha		Calculation of	imported conte	nt	6 0 60		51
1	Tender item no's	Description of i	mported content	Unit of measure	Overseas Supplier	Forign currency value as per Commercial	Tender Rate of Exchange	Local value of	Freight costs to part of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Tender Q	T
	(D20)	(D	21)	(D22)	(D23)	(D24)	(D25)	(D26)	(027)	(D28)	(029)	(D30)	+
												1	1
													t
													+
ł													F
[Annais			
											tal imported valu	by tendere	
Ī	C. Imported	by a 3rd party	and supplied	to the Tend	erer	Forign		Calculation of	mported conten	-			Sur
	Description of i	mported content	Unit of measure	Local supplier	Overseas Supplier	currency value as per Commercial Invoice	Tender Rate of Exchange	Local value of Imports	Freight costs to part of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Quantity Imported	To
F	(D	93)	(D34)	(D35)	(D36)	(037)	(D38)	(D39)	(D40)	(D41)	(042)	(D43)	
F													-
) -													
-										(D45) Tota	Imported value	y 3rd party	
D	Other fore	ign currency j	payments		Calculation of foreig								
	Type of p	ayment	Local supplier making the payment	Overseas beneficiary	Foreign currency value paid	Tender Rate of Exchange						Ì	1
	(04	6)	(047)	[D48]	(D49)	(050)						H	
L												F	
							(D	52) Total of for	eign currency payn		y tenderer and/o	3rd party	
Siz	mature of tenders	z from Annex B					(DS3) Total	of imported con	tent & foreign corr	D0001 D011		-	_
Siz Date		er from Apriex B					(D53) Total	of Imported con	tent & foreign curr	ency payments -	600	52) above ns total mus Annes	

SATS 1286.2011

Annex E

1)	Tender No.			
2) 3)	Tender description: Designated products:	Note: VAT to be excluded		from all calcul
2) 1)	Tender Authority:			
5)	Tendering Entity name:			
	Local Products [Goods, Services and	Description of Items purchased	Jacob II	
	Works)		Local suppliers	Value
		(E6)	(E7)	(E8)
	-			
	ļ			
		(E9) Total local products	(Goods, Services and Works)	
	(E10) Wanpowercosts (Tende		The same works	
	(E10) Manpower costs (Tende	erer's manpower cost)		
	(E11) Factory overheads (Renta	, depreciation & amortisation, utility costs, cor	35umahlaa - L	
	(E12) Administration overheads and	mark-up (Marketing, insurance, financing	g, interest etc.)	
			(E13) Total local content	
			This total must correspond with	Annex C - C2
Sigr	nature of tenderer from Annex B			THE REAL PROPERTY.