

KWAZULU-NATAL DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

Quotation No: R/N/2223/94
DRILLING OF BOREHOLE FOR BOMBOLO
PROJECTS AT NONGOMA

	COMPULSORY SITE BRIEFING DETAILS
DATE	26/05/ 2022
MEETING VENUE	DEPT OF AGRICULTURE AND RURAL DEVELOPMENT (
	NONGOMA LOCAL OFFICE
MEETING ADDRESS	LOT 96 NONGOMA MAIN ROAD, NONGOMA,3950
START TIME	10HOO

REQUIREMENT - CIDB GRADING 1CE/PE

For more information, please contact the following official:

For: Technical Enquiries:

Mrs T.A Mgabhi

035 874 9001 For: Quotation/SCM enquiries:

K.S MANGUNI 033 3438313

CLOSING DATE: 02/06/2022 TIME: 11:00 AM

NB

DOCUMENTS MUST BE DEPOSITED IN THE BID BOX SITUATED:
DEPERTMENT OF AGRICULTURE & RURAL DEVELOPMENT
SOUTH SERVICE CENTRE 4 PIN OAK AVENUE HILTON



INVITATION OF QUOTATION

THIS FORM SHOULD BE COMPLETED IN DETAIL AND SHOULD BE ACCOMPANIED BY <u>VALID TAX COMPLIANCE STATUS</u>
<u>PIN /CSD NUMBER</u>

QUOTATION NUMBER: R/N/2223/94	VALIDITY PERIOD OF QUOTATION Days
	(To be completed by the Supplier)
CLOSING DATE: 02/06/2022	CLOSING TIME: 11:00
DESCRIPTION(SPECIFICATION/S) OF ITEMS/	COMPANY NAME:
SERVICE REQUIRED:	
SEE SPEC ATTACHED.	TEL NO:
	FAX NO:
	CONTACT PERSON:
	CSD :MAAA
DOES OFFER COMPLY WITH	
SPECIFICATION?	YES/NO (DELETE WHICH EVER IS NOT APPLICABLE)
DOES ARTICLE COMPLY WITH SABS SPECIFICATION?	,
HAS IT BEEN INSPECTED BY SABS?	YES/NO
	YES/NO (DELETE WHICH EVER IS NOT APPLICABLE)
DELIVERY PERIOD AFTER INITIAL ORDER?	(
DELIVERY PERIOD AFTER INITIAL ORDERS	
IS THE PRICE FIRM	
WHERE ARE THE STOCK HELD?	
(PHYSICAL ADDRESS , PLEASE)	
QUOTATION PRICE INCLUDING VAT	TOTAL: R
(VAT TO BE ADDED BY REGISTERED VAT VENDORS ONLY)	
COMPANY OFFICIAL STAMP (COMPULSORY)	D. 1960 Mr. 1969 Mr. 1970 Mr. 1988
	SIGNATURE OF BIDDER
	DATE
Quotation to be returned to: BID BOX	DATE
Tel. No: 033 343 8313 MR K.S Mnguni	
Tel. No. 000 070 0010 Witt N.O Willigatii	
NB: DOCUMENT MUST BE COMPLETED IN FULL	

THIS QUOTATION COVER PAGE MUST BE COMPLETED AND RETURNED WITH ALL YOUR SUPPORTING DOCUMENTS.

COMPANY NAME

. .

ADDRESS

•

CONTACT PERSON

CONTACT NUMBER :

LINE NO.	DESCRIPTION OR SPECIFICATION OF ITEM	REQUIRED QUANTITY	UNIT PRICE EXCL. VAT		TOTAL PRICE	
	(Please be very specific and clear)		R	С	R	С
1.	Drilling and equipping of new borehole at Bombolo, according to the attached specification					
	* LAI	BOUR (IF APP	LICABLE)			
	*DEL	IVERY (IF APP	LICABLE)			
			1	OTAL		1

	*DELIVERY (IF APPLICABLE)	
	TOTAL	
*ONLY APPLICABLE TO VA	AT REGISTERED SUPPLIERS 15% VAT	
	TOTAL PRICE	
CIDB Grading (if appli	cable)	
For Enquiry only END-USER NAME TELEPHONE NUMBER E-MAIL ADDRESS PROPOSED DELIVERY DATE DELIVERY ADDRESS LOCAL MUNICIPALITY DISTRICT	: T.A. Mgabhi : 038 874 9001 : Audrey.Mbatha@kzndard.gov.za : 01 June 2022 : Lot 96, Nongoma Main Road, Nongoma, 3960 : Nongoma Local Municipality : Zululand District	
"VAT Registration No. (Supplie	PF)	
COMPANY STAMP	PRICES ARE VALID FOR 30 60 90 DA	AYS

SIGNATURE
DATE



SITING, DRILLING, TESTING, EQUIPPING OF A BOREHOLE – WITH GENERATOR

Feb 2022

DISTRICT	ZULULAND
NAME OF BOREHOLE	BOMBOLO BOREHOLE
CO - ORDINATES	S 27°53′05″
	E 31°59′41″

This document contains:

No.	Section	Pages
1	A - Project Particulars	2
2	B - General Conditions of Contract	3-6
3	C - Project Technical Specifications	7-10
4	Bill of Quantities	11
5	ANNEXURE A: Work Phase Schedule	
6	ANNEXURE B : Additional Information	

A - PROJECT PARTICULARS


1) PROJECT DESCRIPTION / BACKGROUND

The project covers the siting, drilling and equipping of 1 Borehole

2) LOCATION

#	NAME OF PROJECT	DISTRICT	PROJECT DISTANCE (Km's) FROM NEAREST TOWN	NAME OF NEAREST TOWN	PROJECT CO_ORDINATES (If available)
1	Bombolo Borehole	Zululand	44.2Kms	Nongoma	27°53'05" S & 31°59'41" E

For exact location, see attached map(s) or directions to be provided at site briefing.



3) GENERAL SCOPE OF WORKS

The contract covers the supply of all professional services, drilling, testing and equipping of borehole. The following scope of works for the drilling and equipping of boreholes is applicable with the expected deliverables and must be in accordance with "MINIMUM STANDARDS AND GUIDELINES FOR GROUNDWATER RESOURCE DEVELOPMENT FOR THE COMMUNITY WATER SUPPLY AND SANITATION PROGRAMME, DWAF, 1997": Details of these works are specified in Section C: Project Technical Specifications.

- Desktop Assessment: The co-ordinates of the boreholes must be plotted on GIS map coverage and assessed for the probability of ground water. Geology, hydrogeology and existing borehole information needs to be presented.
- Geophysical Assessment: The physical site must be surveyed with a Magnetometer and other survey equipment to determine the apparent conductivity of the subsurface. The geophysical data must provide a clear indication of groundwater potential. For production borehole siting, an alternate target must be provided.
- Drilling: The appropriate drilling must be done according to the ground conditions and to the
 appropriate depth based on the geophysical method employed and the geology intercepted
 during the drilling. The Drilling method must be suited to the geological environment i.e. Air
 Percussion, Mud Rotary Percussion, Symetrix, Odex

- Yield Testing and Determination of Sustainable Yield: Boreholes yielding > 0.3 L/s must be subjected to a SDT (4 steps of 1 hr duration and maximum of 4 hours recovery or 95% recovered) and a CDT (24 hr constant test and maximum of 24 hr recovery or 95% recovered). The determination of the sustainable yield must be calculated with scientific methods that are proven in industry.
- Sampling and water quality analysis: it will be acceptable to collect a water sample during the CDT discharge test when the borehole is adequately purged, with sample bottles supplied by an accredited laboratory. The water sample will be analysed for SANS 241 (2015) Drinking Water Standards (Abbreviated Analysis), which includes bacteriological analysis. This means that water samples will need to be received by the laboratory within 24 hrs of collection.
- Equipping The borehole is to be equipped with a quality SABS approved pumps carrying a minimum of a 12 month quality guarantee. The pump specifications will be guided by the sustainable yield, hydraulic head conditions and the water requirements at the site.
- Reporting All technical information and results obtained and derived during the course of the investigation needs to be compiled into a comprehensive scientific report.
- Strength of concrete 20MPa for the tank stand footings, concrete bases.
- Tank Stand Galvanised 3m tank stand to carry a 5000L JoJo Water Tank.
- Water supply Tap stand with stand encased in concrete and pvc piping, secured to concrete block 1.2m X 1m X 200mm with adequate gradient to allow for runoff away from the water collection point.
- Drinking Troughs Concrete stock water drinking troughs to be supplied including float valves and all the required fittings to be connected to the Jojo tanks.

B - GENERAL CONDITIONS OF CONTRACT

1) COMPETENCY

COMPETENCY OF THE CONSULTANT / ORGANIZATION

The Contractor is expected to acquire the services of geohydrological consultant / organization which must conform to the standards detailed in the "Minimum Standards and Guidelines for Groundwater Resource Development for the Community Water Supply and Sanitation Programme" by the Department of Water Affairs and Forestry, 1997. The consultant / organization must be registered and recognized for their proficiency in hydro-geological services. The following must be submitted with the tender submission:

- Valid proof of registration with the South African Council for Natural Scientific Professions (SACNASP) must be attached.
- Registered and paid up members of the Ground-water Association of Kwa-Zulu Natal must supply a copy of their membership details.
- If the contactor is not in position to submit the above compulsory registration documents with the tender, must submit confirmation letter from registered consultant / organization to be used on the project. The letter should be on the letter head of the consultant / organization. It will be expected that the contractor must submit compulsory registration documents before work can commence.

The consultant / organization competence and reliability will be evaluated according to the proof of previous works indicated in Annexure B.

COMPETENCY OF THE CONTRACTOR

2) CONTRACTOR TO PROVIDE EVERYTHING NECESSARY

The Contractor shall provide everything necessary for the proper execution of the Works according to the true intent and meaning of the Drawings and Specification taken together. The Contractor shall provide without extra charge all assistance and everything reasonably necessary for proving the quality of work done as may be required by the Engineer.

3) SUB-CONTRACTED WORK

The Appointed Contractor shall not sub-contract the whole of the contract. In case the Contractor decides to subcontract part of the work he shall obtain written consent of the Engineer. Any such consent shall not relieve the Contractor from any liability or obligation under the contract and he shall be fully liable for the acts, defaults and neglects of any sub-contractor, his agent or employees. The Contractor remains fully responsible and accountable for all aspects of the work (quality, timelines and budget).

It is recommended that the appointed contractor sub-contract part of the job to local sub-contractors. The following shall be considered for sub-contracting in all the boreholes.

- Supply of Jojo tanks
- Supply of 3m tank stands and installation of the tank stands according to the supplier's recommendation. Certificate of compliance or design of the tank stands would be required.
- Concrete works (concrete footing for the tank stands and tap base)
- Supply and install 32mm pipe lines

4) VARIATIONS / 'AS BUILT' DETAILS

No variations or alterations may be made without the prior approval of the Regional Engineer. As the work progresses, the Contractor shall keep full records of all amendments to and deviations from the specifications as issued to the Contractor at the start of the contract. These details will, where appropriate, be noted on the specification. All alterations will be deemed to have a zero additional cost implication. If any additional works are required that have an additional cost implication then these must first be authorized in writing by the Regional Engineer. Refer to Clause 41: Ancillary Materials, Services And Equipment.

5) VERIFICATION OF EXPERIENCE

The Bidder will be required to produce adequate and sufficient references to enable the Department to inspect previously completed projects and assess the capacity of the Bidder. The Bidder shall provide such information in Annexure B - Additional Information.

PRICING AND PAYMENT STRUCTURES

6) FIXED RATE CONTRACT

The contract shall not be subject to contract rate (unit price) adjustment. Bidders must therefore allow for increased cost for the contract duration, including possible delays in awarding the Bid in accordance with the validity period. The tendered rates will be applied for calculating the payment value by using the actual quantities as measured and certified by the engineer at completion of the work.

7) PRICING

The Bidders will be required to Bid for all services, products and commissioning as specified in this document and associated plans. Partial bids will not be accepted. If a Bidder does not Bid on all items, his/her Bid may be rejected.

All prices tendered are to be in South African currency. All prices must exclude Vat. Vat of 15% must be added in the pricing summary.

- · All items as described in the project specification are to be priced in full.
- Prices to exclude VAT.
- The costs for travel, accommodation, all associated disbursements and labour must be included in the rates/amounts tendered for the all the works required.
- Transport/Delivery costs must be included in the pricing. It must not be a separate item.
- VAT must be filled in as the sub total followed by the complete price for the entire project.
- The tendered price must have your company stamp, date and be signed by an authorised person.

8) QUANTITIES OF WORK

The Contractor shall receive payment only for the works actually executed and approved by the Engineer. No claim for an extra or for any addition, or for any variation shall be entertained unless such extra, addition or variation was ordered in writing by the Head of Department.

9) PROGRESS PAYMENTS

- .1 The contractor may submit claims for progress payments only on completion of the hereunder listed levels. Payment shall only be paid for claims, which are commensurate with the works actually executed and complete. NOTE: Payment will only be made against the construction progress as pertaining to build items. Movable items and materials on site are excluded from progress payments until they have been fully installed, fitted or built up.
- .2 If any item or part of an item in an invoice is disputed by the Engineer, the Engineer shall give notice of such with reasons.

- .3 The contractor shall be paid in monthly instalments up to a maximum of five (5). Refer to ANNEXURE B: Work Phase Schedule for Drilling and Equipping of a Borehole for the values of each phase. Please note these values are primarily estimates of what part the work phase constitutes of the entire project, and do NOT reflect the exact amounts paid per payment. Usually payment certificates reflect work done in several work phases, which have not necessarily all been completed. Verification of the % complete will be at the sole discretion of the Engineer.
- .4 ANNEXURE F presents a pro forma payment certificate. This will be used in conjunction with ANNEXURE B (Work phase schedule). The latter provides an approximate maximum to prevent over-payment of items that have been clearly over-priced.
- .5 Part payments will be made after the Department has approved the completion of each construction phase.

10) DEFECT LIABILITY PERIOD

The contractor shall unconditionally guarantee all materials, workmanship related to the works for a minimum period of twelve (12) months. The guarantee shall cover any defects due to inferior materials and/or workmanship of the Contractor, or any of his sub-contractors, fair wear and tear excepted. The Contractor shall repair, remedy or replace any such defects, part or complete works without delay and at his own cost.

If any defects are not remedied within the period specified by the Head of Department, then the Head of Department shall have such defect repaired, at the risk and cost to the appointed Contractor, by another Contractor whom the Head of Department deems to be proficient in the work without prejudice to any rights the Head of Department has against the defaulting contractor. The Head of Department will give written notice to the Contractor of such instances where he appoints another Contractor to remedy defects in the works.

11) SERVICE LEVEL AGREEMENT

The successful Bidder and the Department will sign a Service Level Agreement prior to commencement of works. A proposed schedule of work must be provided by the contractor for the approval of the Engineer within 2 (two) weeks of receiving notification of a successful bid.

12) COMMENCEMENT OF THE WORKS

The Department will organize a site hand-over to the contractor and consultant who will then be introduced to the project stakeholders and participants. The site shall only be accessible to consultant, contractor staff and Departmental representatives while work is in progress. If this contract entails the siting, drilling, testing and equipping of more than one borehole, work on more than one site should commence simultaneously. The site(s) will be handed back after practical completion. Site establishment must start within one week, and the actual works within one week after hand-over of the site, provided that an official order has been issued and that no exceptional circumstanced such as inclement weather or other outside the control of either party to the contract prevail. In the case the work has not commenced within three weeks of the hand-over and no extenuating circumstances for the delay can be provided, the Department reserves itself the right to cancel the contract and appoint one of the other contractors that have bided for the works.

13) COMPLETION OF THE WORKS

The project is to be completed within 3 months of award of Bid, provided that the order was received within two weeks after award of the Bid. In case of the drilling and equipping of more than one borehole, an extended period should be agreed upon, which will be part of the Implementation plan/Work schedule as drawn up by the contractor before commencement of the works and included in the Service Level Agreements.

14) RATE OF PROGRESS

The Works shall be completed within the time period indicated on the official order form.

If the Works are delayed by cessation of work by any workmen, inclement weather, or by any omissions, additions, substitutions or variations of the Works, or of any items of work, labour or material, or other causes beyond the Contractor's control then the Contractor shall have the right within twenty-one days of any such cause of delay arising, to apply in writing to the Department to extend the date of completion, stating the cause of delay and period of extension applied for. The Department upon receipt of such written application may by order in writing extend such date of completion by a period to be determined, or may refuse to extend such date of completion, or may postpone giving a decision upon such application until completion of the Contract period set out in sub-clause (a) of this clause. The date of completion will be extended only to the extent approved by the Department.

Should the Contractor fail to apply in writing for an extension within the time set out above, or should the Department refuse to grant any extension in writing, then the Contract period provided by sub-clause (a) of this clause shall not be exceeded.

When the Works are completed the Department will give a completion certificate and the date of such certificate shall be the date of commencement of the guarantee period.

15) TIME TO BE OF THE ESSENCE

Time shall be considered as the essence of the Contract. If, therefore, the Contractor fails to commence work or the Works or to proceed with and complete the Works in compliance with the projected timeframes, then the Head of Department shall have the right in his/her absolute discretion to adopt and exercise all or any of the following courses wholly or partly, viz: -

- To direct the Contractor, in writing, on any day named therein to suspend and discontinue the
 execution of the Works, and to withdraw himself and his workmen from the said Site or Sites,
 and thereupon: -
- To make any Contract or Contracts by calling for Bids or otherwise with any other Contractor
 or Contractors for the completion of the Works, or any part thereof, at such times and upon
 such terms as to the Department shall deem best.
- To provide such number of men, or purchase such materials, or both provide the men and purchase the materials as to him shall seem fit and proceed with and complete the said Works. In relation to the foregoing provisions the Department shall charge any sums of money which may be paid by the Department for completing the said Contract against the Contractor and if such amount shall exceed this Contract, then the Department shall have the right to recover such excess or any balance thereof from the Contractor by legal proceedings.

16) WORK SCHEDULE & PROGRESS PAYMENTS

The contractor is to supply a Gantt chart with the proposed times of completion of each phase. The progress payments suggested in **ANNEXURE B** serve as a <u>suideline</u> for part payments. However, the contractor, in consultation with the Engineer, may deviate from this as long as the claim does not exceed the actual progress made.

17) CIDB Registration

It is a minimum requirement that all tenderers shall be registered with the Construction Industry Development Board in a designation of higher, or equal, to Class of Construction Work grading of 1CE or 1PE.

All Tenderers must attach proof CIDB in order to be evaluated for this requirement.

C) PROJECT TECHNICAL SPECIFICATIONS

1) SPECIFIC SCOPE OF WORKS

To Facilitate the Siting, Drilling, Testing and Equipping of boreholes as indicated in Section A: Project Particulars, clause 1.

- a. Geohydrological Desktop study, Geophysical survey (Instruments) and selection of drilling target.
 - Geohydrological services are to conform to the standards detailed in the "Minimum Standards and Guidelines for Groundwater Development for the Community Water Supply and Sanitation Programme" by the Department of Water Affairs and Forestry 1997. The consultant / organization must be recognized for their proficiency in hydro-geological services.
 - Study and interpretation of published geological and hydro-geological maps, aerial photography and ortho-photos (if available)
 - Interrogation of available existing databases National Groundwater Archive (NGA) and the Groundwater Resource Information Project (GRIP) and WARMs
 - The siting of a potential groundwater borehole position must be preceded by the
 pre-feasibility desktop study to maximise the success rate within the most cost
 effective and productive manner. Drilling targets need to be identified based on
 scientific methods and offering the greatest potential success in terms of yield
 and access.
 - Geophysical borehole siting is to be conducted utilizing a minimum of two
 methods by an experienced hydro-geological consultant / team Geophysical
 techniques include but are not limited to:
 - Magnetic surveys
 - Frequency domain electromagnetic surveys
 - Gravimetric surveys
 - Electrical resistivity surveys
 - Seismic refraction surveys
 - More than one potential position is required per project, based on whether or not the geophysical results show good potential for ground-water. The minimum requirements are as follows:
 - Production application: a minimum of two (2) potential positions (pegs) required per project.

b. Drilling of boreholes.

The drilling contractor will function under the direct and full-time on-site supervision of the hydro-geological consultant (unless otherwise specified). The hydro-geological consultant will be responsible for the borehole construction for all aspects of that construction, inclusive of technical and management aspects. The hydro-geological consultant will be required to verify and document the construction parameters of the borehole as well as to log the geological formation encountered in that borehole.

 Service provider will be paid per m of drilling as per quotation. If no water is found (dry hole). Then the contract will be cancelled and the contractor will be paid for sitting and drilling only.

Drilling method	Geological formation for drilling method used
Rotary air percussion	All consolidated rock formations (with limited overburden)
ODEX / Symetrix	In all formation
Rotary mud flush	In extensive unconsolidated soil formation

- c. Pump Test Water Sampling and laboratory water analysis.
 - The test pumping contractor will function under the direct supervision of the hydro-geological consultant (unless otherwise specified). The hydro-geological consultant will be responsible for the required instruction and on site supervision of the testing of the borehole and for all aspects of the testing of that borehole, inclusive of technical and management aspects. The hydro-geological consultant will be required to verify, document and interpret test results and make borehole utilisation and pumping recommendations. Payment shall be made according to the type of test performed and per borehole tested. Test pumping will typically be as follows:
 - Step test (4 x 1 hr duration and 4 hrs maximum recovery or 95% recovered,
 24 hour constant discharge test (CDT) and associated recovery (of maximum 24 hrs of 95% recovered)
 - Groundwater sampling during the CDT with laboratory supplied containers and submission within 24 hrs for a SANS 241: 2015 Drinking Water Standards Abbreviated Analysis.

d. Equipping of boreholes.

- The hydro-geological consultant will be required to verify, document and interpret test results and make pump and pumping recommendations. The pump specifications will be guided by the sustainable yield, hydraulic head conditions and the water requirements at the site.
- The borehole will be equipped with the recommended submersible pump powered by the recommended power supply i.e. Generator
- Proposed SVM Franklin Pump, Motor 1.1Kw and Control Box 1.1Kw (or equivalent to be discussed with Engineer before installation), supplied by 4mm X 4 core electric cable and secured with heavy duty nylon ski-rope.
- Generator 6.5 Kva with combination battery powered and pull start
- 3m Galvanised Tank Stand secured with 20MPa concrete footings (500 mm X 500 mm X 500 mm).
- 5000L Jojo tank braced with 4mm wire ties to tank stand.
- Precast concrete drinking troughs 600L capacity with lid and float valve.
- Tap and tap stand secured in concrete and pvc piping 800mm above the concrete slab.
- Concrete slab is to be 15Mpa (1.2m X 1m X 200mm). The slab is to be recessed 50mm below natural ground level and runoff must drain away from the water collection point.

- Supply (rising main) and delivery lines is to be 32mm HDPE class 10 (SABS approved), 100 m supply from borehole and a maximum of 200 m delivery to water points.
- Trenching for piped water supply to be 600mm deep by 300 mm wide.
- Fittings control valves must be installed on both independent supply lines from the Jojo tank to the tap.
- The borehole pump will be secured in a concrete ring. Galvanised lockable lid to be used to secure control box and pump (Alternative to be discussed with Engineer prior to any installations). The ring or lid to be fitted with ease of use lockable box which houses plug lead to prevent the continuous opening and closing of the lid.
- All operation and service manuals to be supplied on commissioning.
- e. Testing and commissioning of boreholes.
 - A complete operational test will be performed of the borehole pump and all
 associated pipes and fittings. The Geohydrologist will be required to be present
 on site to verify proper functioning of the borehole and to commission each
 project.

f. Technical Report.

 The PSP will compile a comprehensive technical report based on the findings and results of the investigation. This would include the outcomes of the desktop review, geophysical investigation, drilling and testing data, analysis and interpretation, equipping and reticulation design.

2) MATERIALS AND CONSTRUCTION

All materials must conform to SABS specifications for the products. This includes all items such as piping, HDPE fittings, tank stands, reservoir tank, all other fittings, borehole pump and control box, etc.

All construction works must conform to the applicable standard specifications and installation requirements as per NBR requirements and manufacturers recommendations. All concrete works to conform to Cement & Concrete Institute standards and recommendations.

STANDARD CONCRETE MIXES: (Class B concrete Slabs and footings)

Mixing, pouring and curing of concrete: SABS 1200 GA (5.4)

Materials: SABS 1200 AA (3); SABS 1200 GA (3)

Cement: Common cement 32,5N or R to SANS 50197-1

Testing: SABS 1200 AA (7); SABS 1200 GA (7)

Quality control through the slump test SABS 1200 GA (5.4.1.2) SABS method 862. The contractor

is to supply the slump testing equipment.

Tolerances to SABS 1200 GA (6.4)

Formwork: Refer to SABS 1200 GA (4.4; 5.2)

Reinforcing: SABS 1200 GA (5.1)

Refer to standard concrete mixes specification.

STANDARD CONCRETE MIXES:

Concrete for non-structural purposes shall be "Prescribed mix concrete" produced in accordance with the requirements indicated in table 5.1, and the Contractor is also referred to the foregoing preambles insofar as they apply: -

Class of	Estimated Maximum		Proportion of Constituents				
Concrete	Minimum Compressive Strength in MPA at 28 Days	Nominal Size of Coarse Aggregate in mm	Cement (Parts)	Fine Aggregate (Parts)	Coarse Aggregate (Parts)		
A	10	37,5	1 (=2 bags)	4	5		
В	15	19,0	1 (=2 bags)	3	4		
č	20	19,0	1 (=2 bags)	21/2	31/2		
D	25	19.0	1 (=2 bags)	2	3		
F	30	19,0	1 (=2 bags)	2	21/2		

Cement and aggregates shall be mixed by volume and the contents of a 50kg sack of cement shall be taken to be 0,033m³. Water addition should be kept to a minimum. Only sufficient water should be used to produce a workable mix of 60-100mm slump. A recommended maximum water: cement ratio is 1 for a 10Mpa; 0.8 for a 15Mpa; 0.65 for a 20Mpa; 0.59 for a 25Mpa; 0.53 for a 30Mpa mix, however the lower the ratio the better the durability of the concrete. Approximately 210 litres per m³ of concrete is required for an average quality sand and optimum quantity 19mm stone.

BILL OF QUANTITIES

GEOHYDROLOGICAL SERVICES

Payment Reference	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1	PRE-FEASIBILITY DESKTOP STUDY	project	1		
2	GEOPHYSICAL BOREHOLE SITING To include travel, accommodation, travel time and all related disbursements. DRILLING SUPERVISION	project	1		
3	Full-time supervision for a field hydrogeologist. To include travel, accommodation, travel time and all related disbursements. TESTING SUPERVISION	Day	2		
4	Full-time supervision for a field hydrogeologist. To include travel, accommodation, travel time and all related disbursements.	Day	2		
5	EQUIPPING Site monitoring by hydrogeologist. To include travel, travel time and all related disbursements.	Day	1		
6	REPORTING				
	Inclusive of professional time and all associated disbursements. Technical report in a word format, to detail study approach, results, recommendation complete with all geophysical data, drill log, test data and applicable maps and photographs.	No.	1		
7	COMMISSIONING				
	Commissioning of project with Departmental Engineer, Extension Departmental Officer and community participants. To include travel, accommodation, travel time and all related disbursements. PROJECT MANAGEMENT	Project	1		
3	To include professional fees for overall management of the project and disbursements for communications, printing etc.	Project	1		
9	SUBMISSION OF INFORMATION TO EMPLOYER All borehole data needs to be sent to DWS in a specified format	Project	1		

SUB TOTAL	
ADD: 15% VAT	
TOTAL CARRIED FORWARD	

BILL OF QUANTITIES
DRILLING OF BOREHOLE

NO NO	DESCRIPTION	UNI T	QTY	RATE	AMOUNT
	SITE ESTABLISHMENT				
1.1	initial establishment to site for drilling	No.	1		
1.2	Set-up at site				
	a) Percussion (Positioning of the drilling machine)	No.	1		
2	DRILLING OF BOREHOLES				
2.1	For internal borehole diameter of 165mm				
.1.1	Air Percussion Drilling				
	a) Drilling Depth Range: 0 - 120m				
	216 mm drilling diameter	m	30		
	165 mm drilling diameter	m	90		
	b) Mild Steel 3- 4mm wall thickness	m	30		
	c) Development (Air Flush)	hr	1		
	d) Silica grit 3-5 mm	m	rate only		
	e) Sanitary Seal (3-5m)	project	1		
	f) Concrete Collar	project	1		
	g) Borehole protection (welding of casing)	project	1		
	h) Borehole marking (as per DWS specification)	project	1		
	To include travel, accommodation, travel time and all related disbursements.				

SUB TOTAL	
ADD: 15% VAT	
TOTAL CARRIED FORWARD	

BILL OF QUANTITIES TEST PUMPING

TEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1	Establishment and Set-up Pump Testing	No.	1		
2	Pump Test				
	To include stepped discharge test (4hr discharge), 24hr constant discharge, recovery monitoring (28hrs)	No.	1		
3	Borehole Disinfection - Granular chlorine (HTH or equivalent)	No.	1		
4	Borehole capping (re-welding of casing)	No.	1		
5	Data Recording - (hard copy field sheet and digital excel spreadsheet including log graphs)	No.	1		
6	Water level monitoring at observation borehole	No.	rate only		
7	Collection of water sample (cold storage and delivery to the laboratory)	No.	1		
8	SANS 241 (2015) Abbrev. at accredited laboratory	No.	Rate		
	To include travel, accommodation, travel time and all related disbursements.				
UB TO	TAL				
DD: 15	% VAT				
TAI	CARRIED FORWARD				

BILL OF QUANTITIES EQUIPPING TO ALLOW 6 HRS OF PUMPING TO FILL 2 X 5 m³ STORAGE TANKS

NO NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1	Establishment, Set-up and Equipping(labour)	No.	1		
2	Disinfection of borehole (only if pathogens indicated by total coliforms and e-Coli, are present)	No.	1		
3	Trenching (600mm X 300mm)	m	230		
4	SVM 3019 Pump & 1.1kw Franklin Motor	No.	1		
5	Franklin Box Std 1.1kw	sum	1		
6	Piping 32mm Class 10 HDPE (SABS approved)	M	300		
7	Fittings (Termination kit, safety rope, compression fittings, external fittings, tank fittings, tap stand and tap)	sum	1		
8	Cable 4mm (4 core)	m	100		
9	Petrol Generator (6.5kVa) Mounted on Wheelbarrow frame	No	1		
10	Galvanized tank Stand (3m High)	No.	2		
11	Jojo Tank 5000L	No.	2		
12	Precast concrete drinking troughs 600L Trough to include: legs, lid and float valves	No.	2		
3	Protective Pump House (Concrete ring with lockable lid)	No.	1		
4	Tap stand with Concrete block (1.5m X 1m X 200mm (20 MPa)	No.	1		
3	Commissioning of borehole On site for snags To include travel, accommodation, travel time and all related disbursements.	No.	1		
тот	'AL				
: 15%	S VAT				
TAL (CARRIED FORWARD				

SUMMARY

NO	DESCRIPTION	THUOMA	
1	Sub-Total Geohydrological Services		
2	Sub-Total Drilling The borehole		
3	Sub-Total Test Pumping		
4	Sub-Total Equipping The borehole		
OTAL			

ANNEXURE A: Work Phases Schedule for Drilling and Equipping of a Single Borehole

Please note these values are primarily estimates of what part of the work phase constitutes of the entire project, and do NOT reflect the exact amounts per part payment. Usually payment certificates reflect work done in several work phases, which do not necessarily mean that they have been completed.

Work phase No.	PHASE DESCRIPTION	App. % of work/ contract
1	Hydrogeological Services	20%
2	Drilling	20%
3	Pump Test and laboratory water sampling.	10%
4	Equipping of borehole	50%
	TOTAL	100%

Additional Information

ANNEXURE B:

1. PROFESSIONAL REGISTRATION

Please note that the awarded bidder will be required to supply proof of registration with the appropriate body.

Please note that Completion of the table below is mandatory and proof of registration must be attached !!!!

#	PROFFESSIONAL BODY REGISTRATION	REGISTRATION NUMBER
1		
2		
3		
4		

#	CONSULTATION / ORGANISATION	REGISTRATION NUMBER
1		
2		
3		
4		

2. EXPERIENCE

Please indicate your experience and expertise by completing the table.

#	NAME OF PROJECT + PERIOD	PROJECT DESCRIPTION	ROLE	PROJECT VALUE	NAME AND CONTACT NUMBER OF REFEREE
1					
2					
3					
4					
5					

ANNEXURE C: EVALUATION OF BIDS (FUNCTIONALITY) FOR BOREHOLE DEVELOPMENT

	TABLE 1: BID EVAL			
	FUNCTIONALITY EVALUATION CRITERIA	Max Point	I .	Bidde :s Score
1.	Bidder's/JV's own experience: In borehole development (siting, drilling, testing and equipping) No project experience = 0 points 1 project = 20 points 2 - 5 projects = 30 points > 5 projects = 35 points		Completion Certificate (Works or other) In support of Annexure B	
2.	Financial Capacity Total Credit Facility (with financial institution and/or supplier(s) of material and equipment) R 200 000 - R 500 000.00 = 15 points R 500 000 - R 900 000.00 = 25 points > R 900 000 = 25 points	25	Evidence of credit facility with manufacturer/supplier and/or Registered Financial Institution Or Evidence of access to any legal funding instrument (e.g. Letter of intent)	
3.	Access to a transportation facility/ Light Delivery Vehicle (LDV) / Truck	25	Letter of commitment from fleet company Or Confirmation from producer that delivery shall also be undertaken Or Documentary proof of transport or transportation facility (Log Books/ Letter of agreement supported by Log book)	
	Proof of Physical address Office of Bidder outside borders of KZN = 5 pts Office of Bidder within borders of KZN = 15 pts	15	Lease agreement; Municipal Utility Bill; or Copy of Bank Statement (first page only) with address	
		100		
A	Minimum Functionality Threshold	70%		

PART A INVITATION TO BID

	VITED TO BID FO 2022/94	R REQUIREMENTS OF CLOSING DATE:	THE (NAME	OF DEPARTMEN 02/06/2022		LOSING TIME:	11:00
		OLE FOR BOMBOLO PE	ROJECT AT I			LOCKIO I HAIL.	11.00
BID RESPONSE DOCU	MENTS MAY BE	DEPOSITED IN THE BI	D BOX SITU	ATED AT (STREE	ADDI	RESS)	
		THE BID BOX SITUAT	ED AT: THE	DEPARTMENT O	F AGRI	CULTURE AND R	URAL DEVELOPMENT
SOUTH SERVICE CEN	TER 4 PIN OAK A	VENUE HILTON.					
BIDDING PROCEDURE	ENQUIRIES MAY	BE DIRECTED TO	TECHNIC	AL ENQUIRIES N	MY BE	DIRECTED TO:	
CONTACT PERSON	Khulekani Mng			T PERSON		MRS T.A.I	IGABHI
TELEPHONE NUMBER			TELEPHO	NE NUMBER		038 874 90	
FACSIMILE NUMBER	N/A		FACSIMIL	E NUMBER		NA	
E-MAIL ADDRESS		uni@kzndard,gov.za	E-MAIL A	DDRESS		Audrey.mt	atha@kzndard.gov.za
SUPPLIER INFORMATI	ON			DAIL		ALVERY !	
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER	CODE			NUMBER			
CELLPHONE NUMBER							
FACSIMILE NUMBER	CODE			NUMBER			
E-MAIL ADDRESS							
VAT REGISTRATION							
NUMBER	TAX			CENTRAL	_		
SUPPLIER COMPLIANCE	COMPLIANCE			SUPPLIER			
STATUS	SYSTEM PIN:		OR	DATABASE			
ADE VOUTUE			-	No:	MAAA	1	
ARE YOU THE ACCREDITED			ADE VOIL	4 EGDEIGH D461	_		
REPRESENTATIVE IN				A FOREIGN BASI FOR THE GOOD		☐Yes	□No
SOUTH AFRICA FOR THE GOODS	☐Yes	□No		S MORKS OFFE		SE VEG ALIQUE	THE
ISERVICES MORKS	[IF YES ENCLOS	SE PROOFI				(IF YES, ANSWER	
OFFERED?	p						. 522011
QUESTIONNAIRE TO BI	DDING FOREIGN	SUPPLIERS					
IS THE ENTITY A RESIDI	ENT OF THE REP	UBLIC OF SOUTH AFR	ICA (RSA)?			□ Y	ES NO
DOES THE ENTITY HAVE	E A BRANCH IN T	HE RSA?				☐ YE	S I NO
DOES THE ENTITY HAVE	A PERMANENT	ESTABLISHMENT IN T	HE RSA?				YES NO
DOES THE ENTITY HAVE	ANY SOURCE O	F INCOME IN THE RS/	47				YES NO
IS THE ENTITY LIABLE IN	THE RSA FOR A	NY FORM OF TAXATIO	ON?			[YE	S TINO
IF THE ANSWER IS "NO SYSTEM PIN GODE FRO	" TO ALL OF TH	E ABOVE, THEN IT IS	NOT A REQ	UREMENT TO R S) AND IF NOT RE	EGISTE EGISTEF	R FOR A TAX CO	MPLIANCE STATUS

PART B **TERMS AND CONDITIONS FOR BIDDING**

		BM	

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

- 2. TAX COMPLIANCE REQUIREMENTS
 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PA	ARTICULARS MAY RENDER THE BID INVALID
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	>100 100 110 110 110 110 110 110 110 110

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person's are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

Bidder's declarati	on	
--------------------------------------	----	--

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State Institution

Do you, o	or any person connec rocuring institution? Y	cted with the bidder, h	ave a relationship with any	person who is employed
if so, fu	mish particulars:	***************************************	, 	
having a	controlling interest in	the enterprise have	shareholders / members any interest in any other re YES/NO	/ partners or any person plated enterprise whether
If so, furr	nish particulars:			
**********		***************************************	***********	
	Does the having a or not the	by the procuring institution? If so, furnish particulars: Does the bidder or any of its having a controlling interest in	by the procuring institution? YES/NO If so, furnish particulars: Does the bidder or any of its directors / trustees / having a controlling interest in the enterprise have or not they are bidding for this contract?	Does the bidder or any of its directors / trustees / shareholders / members having a controlling interest in the enterprise have any interest in any other re or not they are bidding for this contract? YES/NO

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

3 DECLARATION

- 3.1 I have read and I understand the contents of this disclosure:
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF

PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bid

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT FOR DESIGNATED SECTORS

This Standard Bidding Document (SBD) must form part of all bids invited, it contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C) and E (Local Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) make provision for the promotion of local production and content.
- 1.2. Regulation 8. (2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for tenders referred to in paragraph 1.2 above, a two stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = [1 - x/y] * 100$$

Where

- x is the imported content in Rand
- y is the bid price in Rand excluding value added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by South African Reserve Bank (SARB) on the date of advertisement of the bid as indicated in paragraph 3.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.thedti.gov.za/industrial development/ip.jsp at no cost.

1.6. A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;

Desci	ription of services, works or goods	Stipulated minimum threshold
Steel		100%
		%
		•
		%
YE:		sed in this hid to calculate the local content as prescribed in personant 1.4
	If yes, the rate(s) of exchange to be use the general conditions must be the rat of the bid.	sed in this bid to calculate the local content as prescribed in paragraph 1.e(s) published by SARB for the specific currency on the date of advertised attion is accessible on www.resbank.co.za
	if yes, the rate(s) of exchange to be use the general conditions must be the rate of the bid. The relevant rates of exchange inform	e(s) published by SARB for the specific currency on the date of advertises
	If yes, the rate(s) of exchange to be use the general conditions must be the rate of the bid. The relevant rates of exchange information indicate the rate(s) of exchange again	
	if yes, the rate(s) of exchange to be use the general conditions must be the rate of the bid. The relevant rates of exchange informal indicate the rate(s) of exchange again 1286:2011):	e(s) published by SARB for the specific currency on the date of advertises attion is accessible on www.resbank.co.za st the appropriate currency in the table below (refer to Annex A of SATS
	if yes, the rate(s) of exchange to be use the general conditions must be the rate of the bid. The relevant rates of exchange informal indicate the rate(s) of exchange again 1286:2011): Currency	e(s) published by SARB for the specific currency on the date of advertises attion is accessible on www.resbank.co.za st the appropriate currency in the table below (refer to Annex A of SATS
	if yes, the rate(s) of exchange to be use the general conditions must be the rate of the bid. The relevant rates of exchange informal indicate the rate(s) of exchange again 1286:2011): Currency US Dollar	e(s) published by SARB for the specific currency on the date of advertises attion is accessible on www.resbank.co.za st the appropriate currency in the table below (refer to Annex A of SATS
3.1.	If yes, the rate(s) of exchange to be use the general conditions must be the rate of the bid. The relevant rates of exchange informal indicate the rate(s) of exchange again 1286:2011): Currency US Dollar Pound Sterling	e(s) published by SARB for the specific currency on the date of advertises attion is accessible on www.resbank.co.za st the appropriate currency in the table below (refer to Annex A of SATS

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the dti must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION (REFER TO ANNEX B OF SATS 1286:2011)

	PE	DCAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGAL RSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MEMB ANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, PARTNERSHIP OR INDIV	ER/PERSON WITH					
	!N	RESPECT OF BID NO.						
- 1		BUED BY: (Procurement Authority / Name of Institution):						
	NB							
	The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.							
	Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.thedti.gov.za/industrial_development/ip.isp . Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.							
0	io h	e undersigned,	ity), the following:					
	a)	The facts contained herein are within my own personal knowledge.						
(b)	I have satisfied myself that:						
		 the goods/services/works to be delivered in terms of the above-specified bi minimum local content requirements as specified in the bid, and as measured 1286:2011; and 	d comply with the lin terms of SATS					
(0	c)	The local content percentage (%) indicated below has been calculated using the forms 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above ar contained in Declaration D and E which has been consolidated in Declaration C:	ula given in clause nd the information					
	Bio	d price, excluding VAT (y)	R					
	lm	ported content (x), as calculated in terms of SATS 1286:2011	R					
	Sti	pulated minimum threshold for local content (paragraph 3 above)						
	Lo	cal content %, as calculated in terms of SATS 1286:2011						
DITION	eci he i S	e bid is for more than one product, the local content percentages for each productaration C shall be used instead of the table above. local content percentages for each product has been calculated using the formula (ATS 1286:2011, the rates of exchange indicated in paragraph 3.1 above and alned in Declaration D and E.	given in clause 3					
(d)	accept that the Procurement Authority / Institution has the right to request that the varified in terms of the requirements of SATS 1286:2011.	local content be					
(e)	I understand that the awarding of the bid is dependent on the accuracy of the information application. I also understand that the submission of incorrect data, or data that						

any or all of the remedies as provided	2011, may result in the Procurement Authority / Institution imposing I for in Regulation 14 of the Preferential Procurement Regulations, tial Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).
SIGNATURE:	
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

ANNEXURES OF SBD 6.2 LOCAL PRODUCTION AND CONTENT DECLARATION

Note: VAT to be excluded from all calculations		Tender summany Total czempted Total imported Imported content	(C18) (C19)	Promit	(C39) Total Imported comtent (C34) Total Iocal comtent
		Tetaftender value	u (3)	t Importe	Ø j
		Tendary 90	(3D)	(CCO) 10tal Cinder volue (CCI) Total Domin Tender value net of enemy	
y Schedul		Local contint % (per fam)	(C15)	CON TOTAL CONTRACTOR OF TENDER VARIAN	
- Summar		lecal value	(528)		
cdaration - St	das	Part of	((1))		
Local Content Declaration - Summary Schedule		Tractor value net of imported exempted value imported context	(215)		
Local	2	Elemyted imported value	CO)		
		Tender palca- each (exd VAT)	0		
	# N. M.	List'of Neme	(5)	than Aues B	
Tender Bh. Fender description: Designated preductiff Tender Authority:	Inder Buhaye Sate: pedfed local content S	Tender Rem no's	(8)	Snatur of leaders from Amer. 9	Date:

		The same of		Inservice	Content Declara	Annex D		odula to do	nov. r				
i i	tonder (to. Tender descriptio Suriproted Preda			Imported	content becam	neu - 29th	orung Schi	edug to An	Mate VAT to be	enclari pi ince]		
ų V	Tender Andrestige Tenderlag Bathy a Tender Endrange	i Mine		6		IV) "	P 11 11 No			J		
-	A. Exemples	Imported	tontent				1	Cake Differen	(itujunter) esents	ent		-	Saldimone
	Tender bom eats	Dansiption of	I Imperiod costesia	Local supplie	r Overseen Supplier	Feriga currency value on pa Commercia		focal value of hoporis	Fraight costs to part of anary	Attitionity Brownest Ornaling costs th duties	Total familed cost excevat	Marada Goy	Emmeted in
	(07)		joy	(00)	(640)	(DLI)	(0.13)	(013)	(014)	(DATE)	(Ole:	(017)	(960)
1							1						,
	B. Laurenteid										y Yotal manusi	Thursday	ittemiges artistal
	Tenterten		ng Tenderer Injurad dapan	Unit of engage	e Dvirsees Supplier	Furga Carancy Vilanas par Caranaydal	Tyrolor (to)a 47 Busineys	Colociarana na Local stilue el Importo	Printer areas	All teachy fracting farting mats.	Total leaded	Tearler Qty	Total Importo
+	(020)	0	121)	(022	(DXS)	(034)	(025)	(DNE)	(027)	(020)			
F					-	1121		pers;	[DET]	(uze)	(0.25)	(DREE	jost
F					200hc								
F													
-						-	AUGUSTANISM A. A.						
	Annual County Co									(cds)Tel	ng pulmbersell Asia	by maderer	
C	. Imported b	y a bru part	y and supplied	to the Ten	ferer	Feder		Catrolation of	movered comme	de la	FIRE		many.
	Generatives of traj		Unit of measurps	Local capplier	Quessas Supplier	dustancy retice to per Connected Extendes	Tourier Bets of Euchstage	tourivalimed Imports			Trick located dost cost VAT	Curentity Imperzed	Potel Reporter
	(OI)		(Ost	्रीमाञ्च	(036)	(017)	(13.86)	(0.89)	(040)	(04)	(042)	(Dea)	1044
						-							
											Portugue and the same and the s	1988 - 1984 - 1	
					-Fisher					(DAR) Train	Description of the last	las Ballutania	
	Other Service				Calculations of foreign	o currency				(D4)) Tytu	Inquested suites	ley Sed party	
D.	Other foreig	n currency			Colsulation of foreign					(DAE) THE	Inquested subst	lay Stel party	Edward I
0.	. Other foreig		tocal supplier making the	Oversite leasefulner	Totaliza ocernicy value	Tonier kate				(Del) Tele	I brown to d sudeo	lry Sel party	
0.			tocal suggiller	Orecases beneficiery (Des)	(manusid					(DAE) Total	I Imported value	by Sed party	September 1
0.	Type of pay		total supplier stabling the payment	beneficiery	Foreign expensivy values publi	Tander Rate of Bohanga	,			(DAI) Tulu	Inquested value	lay Bed planty	
0.	Type of pay		total supplier stabling the payment	beneficiery	Foreign expensivy values publi	Tander Rate of Bohanga						3-44	September 1
	Type of pay	and the	total supplier stabling the payment	beneficiery	Foreign expensivy values publi	Tander Rate of Bohanga			Aga extently payer	Norsta dinda pad (iy Sundayer and/i	er Bref passey	

	Annex E		SATS 1286.2011
Local Co	ontent Declaration - Supporting	Schedule to Annex C	
Tender No. Tender description: Designated products: Tender Authority: Tendering Entity name:		Note: VAT to be excluded to	om all calculations
Local Products (Goods, Services and Works)	Description of items purchased	Local suppliers	Value
	(E6)	(E7)	(E8)
		THE CONTRACTOR OF THE CONTRACT	

	(29) Tetal local produc	ts (Goods, Services and Worked)	
[510] Wanpawareer's [7]	rgeses, a serviciones. Cost)		
(ELL) Factory overheads (Ren	al, depreciation & amortisation, utility costs,	consumable: etc.)	
(E11) Administration overlassis a	and manifety [Marketing, insurance, finan	ding, Interest etc.)	
		(E13) Total local contant	In Andes C - C24
Signature of tendoter from Annex B			
Debe			

CONTRACT FORM - PURCHASE OF GOODS/WORKS

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

1.	I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to (name of
	institution) in accordance with the requirements and specifications stipulated in bid number
	at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the purchaser during the validity period indicated
	and calculated from the closing time of bid.

- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid:
 - Tax clearance certificate:
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2011;
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- 4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
- 5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)	/#####################################	
CAPACITY		WITNESSES
SIGNATURE		1
NAME OF FIRM		2
DATE		

SBD 7.1

CONTRACT FORM - PURCHASE OF GOODS/WORKS

PART 2 (TO BE FILLED IN BY THE PURCHASER)

1.	reference nut	mberdate	in my capac	ity asfor the supply of go	ods/works indicated hereur	accept your bid unde ider and/or further specified in
2.	An official on	der indicating delivery in	structions is forthc	oming.		
3.	l undertake t days after re	o make payment for the ceipt of an invoice accor	goods/works delive mpanied by the del	ered in accordance with livery note.	n the terms and conditions o	f the contract, within 30 (thirty)
	ITEM NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND	DELIVERY PERIOD	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (if applicable)
4.	I confirm that	am duly authorised to	sign this contract.			
SIGNED	AT		nc	************		
NAME (PI	RINT) .	***************************************				
SIGNATU	IRE .	34168448817844774478 9 157774 09 77	*******			
OFFICIAL	. STAMP			WITNE	SSES	
				1.	mmm	
				2.	11849881884886581818001848)+	
				DATE	************************	

CONTRACT FORM - RENDERING OF SERVICES

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SERVICE PROVIDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SERVICE PROVIDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE SERVICE PROVIDER)

1.	ŀ	hereby	undertake	to	render	services	described	in	the	attached	bidding	documents	to	(name	of	fhe
	ins	titution)	**************			in accord	dance with the	a recu	lireme	ints and task	directions	I mmnonole a		. m. d. 2	t. ala	
	₽Ų	i wumber.	************	8	it the buc	e/s quotea.	My offer/s re closing date	main	DINGIN	ig upon m e a	and open for	or acceptance	by th	e Purcha	ser du	ring

- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (IV)Bidding documents, viz
 - Invitation to bid;
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Filled in task directive/proposal;
 - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2011;
 - Declaration of interest:
 - Declaration of bidder's past SCM practices:
 - Certificate of Independent Bid Determination;
 - Special Conditions of Contract
 - (v) (vi) General Conditions of Contract; and
 - Other (specify)
- I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the services 3. specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement 4. as the principal liable for the due fulfillment of this contract.
- I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid. 5.
- 6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)	*************************	
CAPACITY	***************************************	WITNESSES
SIGNATURE	*11***	1
NAME OF FIRM	***************************************	2
DATE	#1eee121224000630414000140000141234	2

CONTRACT FORM - RENDERING OF SERVICES

PART 2 (TO BE FILLED IN BY THE PURCHASER)

1,	Iin reference numberdated annexure(s).	my capacity asfor the rend	ering of services ind	icated hereunder and	accept your bid un difor further specified in
2.	An official order indicating service delivery i	nstructions is forthcoming.			
3.	I undertake to make payment for the service after receipt of an invoice.	es rendered in accordance	with the terms and c	onditions of the conti	act, within 30 (thirty) da
	DESCRIPTION OF SERVICE	PRICE (ALL APPLICABLE TAXES INCLUDED)	COMPLETION DATE	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (If applicable)
4.	I confirm that I am duly authorised to sign t	his contract.			
SIGNED	ATON				
IAME (P	RINT)	••••			
SIGNATU	JRE	***********			
DFFICIAL	STAMP			SES	
			DATE:	01-11119-11-11-1 (#10-1411-1-1-7)	

CONTRACT FORM - SALE OF GOODS/WORKS

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE SELLER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE SELLER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

	I hereby undertake to purchase all or any of the goods and/or works described in the attached bidding documents from (name of institution)
--	--

- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (vii) Bidding documents, viz
 - Invitation to bid:
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Special Conditions of Contract;
 - (viii) General Conditions of Contract; and
 - (ix) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) cover all my obligations and I accept that any mistakes regarding price(s) and calculations will be at my own risk.
- 4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
- 5. I undertake to make payment for the goods/works as specified in the bidding documents.
- 6. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 7. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)	***************************************		
CAPACITY		WITNES	SES
SIGNATURE	***************************************	1	*14.481 13454-2 ************************
		3.	***************************************
NAME OF FIRM	***************************************	DATE:	fan oom 452 pap ero voerfi Enjore 65
DATE			



CONTRACT FORM - SALE OF GOODS/WORKS

PART 2 (TO BE FILLED IN BY THE SELLER)

	ITEM	DESCRIPTION	PRICE (ALL APPLICABLE		
H	NO.	DESCRIPTION	TAXES INCLUDED)		
ı					
		rly authorised to sign this co			
		ON			
IE (PRINT		ON			
NED AT ME (PRINT NATURE)				
/IE (PRINT)		WITNESSES	S	
ME (PRINT)		WITNESSES		
IE (PRINT)		WITNESSES 3		
IE (PRINT)		WITNESSES 3		