

### KWAZULU-NATAL DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

**QUOTATION No: R/S/2324/119** 

### **DESCRIPTION OF SERVICE:**

# REFURBISHMENT OF NDUMO PACK HOUSE AND REDESIGNING OF THE STRUCTURE

ITANIE OI	DIDDLIN.			

### **Mandatory Requirements**

NAME OF BIDDER:

- An EME and QSE (as per the provisions of section 4(1)(b) of the PPPFA Regularions,2022
- 2. Minimum of CIDB Grading 2EP/2GB
- 3. Certified Copy of Identity Document (for the purposes of claiming specific goals)

### **COMPULSORY BRIEFING SESSION**

Venue	Ndumo B PACK HOUSE JOZINI
Date	25 May 2023
Time	13:00PM

### Return of Bid:

Bids must be deposited in the bid box situated at Department of Agriculture and Rural Development, Supply Chain Management, 01 Cedara Road, Cedara, 3200 or send by post to The Director: Supply Chain Management, Private Bag X9059, Pietermaritzburg, 3200.

Tel: (033) 355 8110 Ext 8188 before 11:00 am on the closing date: 02 June 2023 Issued by:

The Department of Agriculture and Rural Development

1 Cedara Road

Cedara

3200



### **INVITATION OF QUOTATION FROM R1 - R1 MILLION**

THIS FORM SHOULD BE COMPLETED IN DETAIL AND SHOULD BE ACCOMPANY <u>A VALID BBBEE</u> <u>CERTIFICATE/SWORN AFFIDAVIT /CSD REPORT/PROOF OF RESIDENCE</u>

QUOTATION NUMBER: R/N/2324/119	VALIDITY PERIOD OF QUOTATION Days
	(To be completed by the Supplier)
CLOSING DATE: 02 JUNE 2023	CLOSING TIME:11H00
DESCRIPTION(SPECIFICATION/S) OF ITEMS/	COMPANY NAME:
SERVICE REQUIRED:	
REFURBISHMENT OF NDUMO PACK HOUSE	TEL NO:
AND REDESIGNING OF THE STRUCTURE	FAX NO:
	CONTACT PERSON:
	CSD REG NUMBER
	MAAA
DOES OFFER COMPLY WITH	YES/NO
SPECIFICATION?	(DELETE WHICH EVER IS NOT APPLICABLE)
DOES ARTICLE COMPLY WITH SABS SPECIFICATION?	YES/NO
HAS IT BEEN INSPECTED BY SABS?	YES/NO
	(DELETE WHICH EVER IS NOT APPLICABLE)
DELIVERY PERIOD AFTER INITIAL ORDER?	
IS THE PRICE FIRM	
WHERE ARE THE STOCK HELD?	
(PHYSICAL ADDRESS , PLEASE)	
QUOTATION PRICE INCLUDING VAT	TOTAL: R
(VAT TO BE ADDED BY REGISTERED VAT VENDORS ONLY)	TOTAL N
COMPANY OFFICIAL STAMP (COMPULSORY)	SIGNATURE OF BIDDER
	SIGNATORE OF BIDDER
	DATE

### **QUOTATION TO BE RETURNED TO:**

Tender box at SCM Cedara Head office

1 Cedara road Pietermaritzburg

Department of Agriculture and rural development

NB: DOCUMENT MUST BE COMPLETED IN FULL, THIS QUOTATION COVER PAGE MUST BE COMPLETED AND RETURNED WITH ALL YOUR SUPPORTING DOCUMENTS.

YOU ARE HEREBY INVIT	EN TO BIN EOD	DECILIDEMENTS OF TH	E INAME OF DE	DARTMENIT/	DIRLIC EN	TITV	
BID NUMBER: R/N/23		CLOSING DATE:	02 June		CLOSING		00
DESCRIPTION							
BID RESPONSE DOCUM	ENTS MAY BE DI	EPOSITED IN THE BID B	OX SITUATED	AT (STREET A	DDRESS	187 E. 197 TO	
		E AND RURAL DEVELO				OX	
BIDDING PROCEDURE E			TECHNICAL E		J. MANUEL		
		DE DIRECTED TO	CONTACT PE				
CONTACT PERSON	Lungani Zondi	1.0400			SIHLE GU		
TELEPHONE NUMBER	033 355 8110 Ex	(t 8188	TELEPHONE I		082 892 0	731	
FACSIMILE NUMBER	N/A		FACSIMILE N				
E-MAIL ADDRESS		kzndard.gov.za	E-MAIL ADDR	ESS			
SUPPLIER INFORMATIO	N						
NAME OF BIDDER							
POSTAL ADDRESS STREET ADDRESS							
TELEPHONE NUMBER	CODE		NUMBE	R			
CELLPHONE NUMBER	-		,		0		
FACSIMILE NUMBER	CODE		NUMBE	R			
E-MAIL ADDRESS	1		16-				
VAT REGISTRATION NUMBER			·				
SUPPLIER	TAX			CENTRAL			
COMPLIANCE STATUS	COMPLIANCE SYSTEM PIN:		OR	SUPPLIER DATABASE			
				No:	MAAA		
B-BBEE STATUS		PLICABLE BOX]	B-BBEE STAT	US LEVEL SW	ORN	[TICK APPLICAB	
LEVEL VERIFICATION CERTIFICATE	☐ Yes	☐ No	AFFIDAVIT			☐ Yes [	No
CERTIFICATE							
[A B-BBEE STATUS LEVEL		ERTIFICATE/ SWORN AFF	DAVIT (FOR EME	ES & QSEs) MU	ST BE SUBI	MITTED IN ORDER TO G	QUALIFY FOR
PREFERENCE POINTS FOR ARE YOU THE	T D-BBCE					The second second	
ACCREDITED			ARE YOU A FO	ODEION DAGE			
REPRESENTATIVE IN	_	_	SUPPLIER FO			□Yes	□No
SOUTH AFRICA FOR	□Yes	□No	/SERVICES /M		_	UE VEG ANGUES T	
THE GOODS /SERVICES/WORKS	[IF YES ENCLOS	SE DDOOE1				[IF YES, ANSWER T QUESTIONNAIRE B	
OFFERED?	III TES ENOLOS	DE FROOF]				QUESTIONNAINE BI	LLOW
QUESTIONNAIRE TO BIL	DING FOREIGN	SUPPLIERS			Fa, il		
IS THE ENTITY A RESIDEN	T OF THE REPUBLI	C OF SOUTH AFRICA (RSA	\)?			YES NO	
DOES THE ENTITY HAVE A			•			YES NO	
DOES THE ENTITY HAVE A			)			YES NO	
DOES THE ENTITY HAVE A						YES NO	
IS THE ENTITY LIABLE IN T	HE RSA FOR ANY F	FORM OF TAXATION?				YES INO	
IF THE ANSWER IS "NO SYSTEM PIN CODE FRO	" TO ALL OF THI	E ABOVE, THEN IT IS N	OT A REQUIRE	MENT TO RE	GISTER FO	R A TAX COMPLIAN	CE STATUS
			(3.0.0)				

PART B
TERMS AND CONDITIONS FOR BIDDING

1.	BID SUBMISSION:	

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED—(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND. IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

### 2. TAX COMPLIANCE REQUIREMENTS

CIONATURE OF DIRECT.

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER.
CAPACITY UNDER WHICH THIS BID IS SIGNED:
(Proof of authority must be submitted e.g. company resolution)
DATE:

# **BIDDER'S DISCLOSURE**

### 1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and

# **FOR ENQUIRY ONLY**

END-USER NAME : Sihle Gumede TELEPHONE NUMBER : 082 892 0731

E-MAIL ADDRESS : sihle.gumede@kzndard.gov.za

PROPOSED DELIVERY DATE : 10 June 2023

DELIVERY ADDRESS : Ndumo B Pack-House, Jozini, uMkhanyakude District

LOCAL MUNICIPALITY : Jozini Local Municipality
DISTRICT : UMkhanyakude District

LINE NO.	DESCRIPTION OR SPECIFICATION OF ITEM	REQUIRED QUANTITY	UNIT PRICE E VAT	XCL.	TOTAL PRICE	
	(Please be very specific and clear)		R	С	R	С
1.	Refurbishment of Ndumo Park- house and redesigning of the structure:	1				
	Detailed specification is attached					
	* LA	BOUR (IF API	PLICABLE)			
	*DE	LIVERY (IF AP	PLICABLE)			
			T	OTAL		
	*ONLY APPLICABLE TO VAT RE	GISTERED SU	JPPLIERS 15%	VAT		
			TOTAL F	PRICE		
C	IDB Grading (IF APPLICABLE): 2EP	/2GB				

# NOTES FOR THE TENDERER/BIDDER:

- (a)Required grading Installation Electrician (IE), provide proof all electrical installation works.
- (b) The amount included in the total price must make provision for duration of stay on site, security, tools, insurance etc. as stated in SABS1200A.
- (c) A minimum CIBD grading of 2EP/2GB is required. Provide proof.

COMPANY NAME	Ŧ
CSD NUMBER	:
ADDRESS	
CONTACT PERSON	<u> </u>

# KZN AGRICULTURE & RURAL DEVELOPMENT

ENGINEERING SERVICES CEDARA OFFICES

NDUMO (B) PACKHOUSE: PRELIMINARY AND GENERAL

ITEM	PAYMENT	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SABS1200A	PRELIMINARY AND GENERAL <sup>1</sup>				
A1		FIXED CHARGES AND VALUE RELATED ITEMS				
A.1.1	8.3.1	Constructual requirement s	sum	1		
A.1.2	8.3.2	Establishment of facilities on the site				
	8.3.2.2	Facilities for the contractor				
.1.2.1		a) Offices and Storage shed	sum	1		
41.2.2		b) Ablution and latrine facilities	sum	1		
1.1.2.3		c) Tools and equipment	sum	1		
41.2.4 4.1.2.5		d) Plant e) Dealing with water	sum	1		
A1.3	8.3.4	Removal of site establishment	sum	1		
A2	8.4	TIME RELATED ITEMS <sup>2</sup>				
A2.1	8.4.1	Contractual requirements	sum	1		
			3417	-		
A2.2	8.4.2.2	Facilities for contractor				
42.2.1		a) Facilities and storage shed	months	3		
A2.2.2		b) Ablution and latrine facilities	months	3		
A2.2.3 A2.2.4		c) Tools and equipment d) Water supplies, electric power and communications	months months	3		
A2.4	8.4.3	Supervision for duration of construction	sum	1		
A2.5	8.4.4	Company and head office overhead costs for the duration of the contract	sum	1		
АЗ		SUMS STATED PROVISIONALLY BY THE ENGINEER				
A3.1		For work done by the contractor				
A3.1.1		Allow for provisional sums for repair to damaged services which needs to be relocated or	Prov.sum	1		R10,000.0
A3.1.2		moved Overheads, charges and profit on item A.3.1.1.:	%	10		R1,000.0
A3.2		b) For work to be done by Nominated Sub-Contractor				
		Procuring of a Bee removal Specialist. Specialists must be registered with KZN Agriculture	Prov. Sum	1		R10,000.0
A3.2.1		and provide proof of registration.	1107. 30111	-		K10,000.C
43.2.2		Overheads, charges and profit on item A.3.1.1. :	%	10%		R1,000.0
		Installation of epoxy 500 mortar /Polyetherene/chemical anchors for PACKHOUSE by				R100,000.0
43.2.3 43.2.4		specialist subcontractor to comply with HACCP Mark up for the item D3.2.3 above	Prov Sum 10%	1	R100,000 R10,000	R10,000.0
3.2.5		Provision for Community Liason Officer (CLO)	Prov. Sum	1	,	R25,000.0
A4		DAYWORK				,
		Semi -skilled labour	day	1		Rates on
44.1.1						
44.1.2		Skilled labour	day	1		Rates on
44.1.3		Foreman	day	1		Rates on
44.1.4		0.5 Cubic metre excavator with operator	hour	1		Rates on
A5		DEALING WITH OCCUPATIONAL HEALTH AND SAFETY				
A5.1		All fixed costs and obligations to comply with OHS Act of 1983 and related safety on construction works	sum	1		
A5.2		Time related obligations to comply with OHS Act of 1983 and related safety on construction works $^{\rm 2}$	months	3		
		SUB-TOTAL CARRIED TO SUMMARY				

<sup>&</sup>lt;sup>1</sup> Only those items for which expenditure actually has been incurred, will be paid for

<sup>&</sup>lt;sup>2</sup> Payment of time related items will be linked to progress rather than actual months, and will be determined pro rata the completion rate

<sup>&</sup>lt;sup>3</sup> This would only apply for Contingency work. For all scoped work, all labour and operating costs, except for supervision, are deemed to be included in the rates.

<sup>&</sup>lt;sup>4</sup> All electrical works to be undertaken by an electrician registered with Department of Labour and Employment. Attach proof.

KZN AGRICULTURE & RURAL DEVELOPMENT ENGINEERING SERVICES CEDARA OFFICES DINDUMO (B) PACKHOUSE: SITE CLEARANCE

ITEM	PAYMENT	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
B1	SABS1200C					
B1.1	8.2.3	Remove and grub all trees regardless of girth	No.	2		
B1.2	8.2.5	Take down exisiting fences. Amount to include cost of coiling wire, sorting and taking all materials at sites indicated and instructed by the engineer	Sum	1		
B1.3		Grass cut and trimming around the facility as per the Engineers instruction	Sum	1		
B1.4	8.2.8	Demolishing of an exisiting concrete slab of 3m <sup>3</sup> and disposing of rubble as per engineer's instruction.Rate to include all charges including cost to hire a plants and disposing of the rubble to the municipal dumping site. Contractor to be paid pro-rata to actual demolished volume of concrete.	Sum	1		
B1.5		Application of systemic herbicide to an area of 357m <sup>2</sup> . Herbicide to be pre-approved by the engineer.	Sum	1		
		SUB-TOTAL CARRIED TO SUMMARY				

# KZN AGRICULTURE & RURAL DEVELOPMENT ENGINEERING SERVICES CEDARA OFFICES

TEM	PAYMENT	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
C1		REPAIRING THE BOARDROOM		П		
1.1		Compaction of area 320m <sup>2</sup> to min of 93%MoD Aashto dry density. Rate to include all charges such as labour.hiring of machinery and provide proof of laboratory test result	Sum	1		
1.2		Supply, deliver and install DPC plastic sheet, 250 microns, 3x30 m Long. DPC to overlapping length of 100 mm	No.	8		
:1.3		Supply, deliver, cut to fit, tie and install ref mesh 193. Mesh to have overlap length of 100mm. Mesh to be placed on spacers at approximately onethird of the depth of the thickness of the slab, Only procure upon engineer's instruction.	m²	317		
1.4		Supply ,deliver and placement of 25MPa concrete	m <sup>3</sup>	3		
1.5		Supply and erect wooden shutter boards to support concrete slab dimensions of 20x16x0.3m in panels of 4 x 4m Height. Total length of shutterboard: 5 x 20m + 5x16m = 180m. Only procure upon engineer's instruction	m	180		
C1.6		To supply and replace the broken 4mm shutter proof(toughed) glass of the aluminium sliding door size 1.2 x2.2m hlgh.	No.	1		
1.7		Supply, deliver, cut to size, install and to secure standard fiber ceiling board (nutec or similar) on the outside of the boardroom steelframe.	No.	2		
21.8		Replace the fluorescent lights osram L58W/640 cool white tubes	No.	12		
C1.9		Provide a service on a heavy duty commercial steel garage doors operated with a closed gear mechanism. Rate to all costs including but not limited to, labour for dismantling, mounting and a purchase of any parts or lubrication required for full functioning of the garage door	no	1		
		SUB-TOTAL CARRIED TO SUMMARY				

# KZN AGRICULTURE & RURAL DEVELOPMENT ENGINEERING SERVICES CEDARA OFFICES

Supply, delivery and install plastic condition pipes, fittings, are winting and the flourescent fixtures. Rate to include costs of related fittings and labour.  Supply delivery and install plastic condition pipes, fittings, are winting and the flourescent fixtures. Rate to include costs of related fittings and labour.  Certificate of Compiliance, including testing and test report for item D3.1.3, as per the June 2020 regulations.  Dismancting and removal of the existing cold room from inside the packhouse structure to the eigenset milling house. Plus reinstallation by an electrician registered with Department of Labour and must have experience air conditioning and cold rooms.  Supply, delivery and install as an alexa sturnium chromodels bos profile gutters, Fittings and decemps pipes. Total fixed length, flat to include costs of labour.  Supply, deliver and install law lot (2) plastic canhs 4570-5250L with tags. The tracks to be mounted on a 2.5 2.5 cm concrete all placed on a Coomming the cement block walland secured on all sides with a 10 gauge plain wire. Wall to be built on \$000,000mm strip foundation of 154MR. Rate to include beloar and coats of materials.  Repair the 2ajamming steel sliding door for the entrace to a proper non-jamming sliding.  To supply and sepalce heavy duty gate brackets and paint the gate to match the existing colour.  To supply and replace heavy duty gate brackets and paint the gate to match the existing colour.  To supply and install 2 mto 1 heavy duty gate brackets and paint the gate to match the existing colour.  To supply and emplace heavy duty gate brackets and paint the gate to match the existing colour.  To supply and install the heavy duty gate brackets and paint the gate to match the existing colour.  To supply and install the heavy duty gate brackets and paint the gate to match the existing colour.  To supply and install the heavy duty supplied to the concrete and support the existing fence and paint to part the supplied of the and the 27 plainer of 100.3 100.9 them thick a	TEM	PAYMENT	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
Repair the existing floor area of 288m² of all cracks in the packhouse. Grouting for cracks > Sum etc.  Supply and delivery of double fluorescent light tubes (180V) with vapor proof covers.  No. 30  L1.2 Supply and delivery and initial plastic conduction plays. Ethiogs, everying and the fluorescent flutures. Nate to include costs of rebited fittings and labour.  Certificate of Compliance, including testing and test report for lenn D3.1.3, as per the June 2020 regulations.  Dismantline and removal of the existing cold room from inside the packhouse structure to the alignent milling house. Plus eristallation by an electrician registered with Department of Labour and must have experience ale conditioning and cold rooms.  Supply, delivery and install searnless adminisor devoneded box profile gutters, Fittings and deforms pipes. Total floor length is 48m long. Rate to include costs of labour.  Supply, delivery and install searnless adminisor devoneded box profile gutters, Fittings and deforms pipes. Total floor length is 48m long. Rate to include costs of labour.  Supply, delivery and install searnless adminisor devoneded box profile gutters, Fittings and deforms pipes. Total floor length is 48m long. Rate to include costs of labour.  Supply, delivery and install searnless adminisor devoneded box profile gutters, Fittings and deforms pipes. Total floor length is 48m long. Rate to include located on a 600m high cement block walland secured on all sides with a 10 gauge plain wire. Wall to be built on 500x20mm strip foundation of 115M/sn. Rate to include laced on a 600m high cement block walland secured on all sides with a 15 gauge plain wire. Wall to be built on 500x20mm strip foundation of 15M/sn. Rate to include laced on a 600m high cement block walland secured on all sides with a 15 gauge plain wire. Wall to be built on 500x20mm strip foundation of 15M/sn. Rate to include laced on a 600m high cement block walland secured on a 15m long plain strip str	)3		PACKHOUSE & MILLHOUSE				
Sumply and delivery of double fluorescent light tubes (18W) with vapor proof covers.  1.2 Supply adelivery of double fluorescent light tubes (18W) with vapor proof covers.  1.3 Supply delivery and install plastic conduit pipes, fittings, ve-wiring and the fluorescent fluorescent covers of reflated fittings and below:  1.4 Cortificate of Compliance, including testing and test report for liem D3.1.3, as per the June 2020 regulations.  1.5 Dismantling and removal of the equisting cold room from include the packhouse structure to the adjacent milling house. Plist ministallation by an electrician registered with Department of Labour and must have experience air conditioning and cold rooms.  1.6 Supply delivery and install seamless aluminum chromodels be profile gatters, Fittings and debrums pipes. Total Roof length is 48m long, Plaste to include costs of labour.  1.5 Supply, delivery and install length l	3.1		PACKHOUSE				
Supply, delivery and install plastic conduit pipes, fittings, re-wiring and the flourescent fixtures. State to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for Item D3.13, as per she June 2020 regulations.  Dismanding and removal of the existing cold room from incide the packhouse structure to the edjacent milling house. Plus reinstallation by an electrican registered with Department of Labour and must have experience air conditioning and cold rooms.  Supply, delivery and install sea miles aluminum chromodels box profile gutters, Fittings and delowers pipes. Total flood reingth is 48th long, Fatre to include costs of labour.  Supply, deliver and install two (2) plastic units, 4570-5501 with taps. The tents to be mounted on a 2.5 2.5 cm concrete allabect on a 600mm high coment blook. Welland secured on all sides with a 10 gauge plain wire. Wall to be built on 5000-200mm strip foundation of 15 MPs. Rate to include abour and costs of materials.  Begair the Agamming steel sliding door for the entrace to a proper non-jamming sliding. Sum 1  To supply and seal the openning space (gaps on the design corrupated iron and the wallbuth floam sponge to prevent dust, moke ingression into the structures.  To supply and replace heavy duty gate brackets and paint the gate to match the existing color.  To supply and install 2 into 1, heavy duty galvanized sliding gate size: 6m x 2.2m high with shark xipples on top and the pedestrian gate in the middle (1.2 x 2.1 m It) with the heavy duty channel with the profiles and rail to have a connected sind of 1.0 x X in language on the side of the and the 27 julistics of 100.7 100 x 190m thick square tubes  To supply and install 2 into 1, heavy duty steel poke on the corners of the existing mesh wire duty channels with the roles and the heavy duty steel poke on the corners of the existing mesh wire fences supported by means of steel strut poles on the corners of the existing mesh wire fences upon the side of the part of the s	3.1.1			Sum	1		
1.1.1 (Statures, Rate to include costs of related fittings and liabour.  2.1.1 (Certificate of Compliance, including testing and test report for Item D3.1.3, as per the June 2020 regulations.  3.1.2 (Dismartifing and removal of the existing cold room from inside the packhouse structure to the disposar and must have experience alt conditioning and cold rooms.  3.1.8 (Supply, deliver and must lave experience alt conditioning and cold rooms.  3.1.8 (Supply, deliver) and install seamless aluminum chromodek box profile gutters, Fittings and downs pipes. Total flood length is 48th long, Rate to include costs of labour.  3.1.9 (Supply, deliver) and install seamless aluminum chromodek box profile gutters, Fittings and downs pipes. Total flood length is 48th long, Rate to include costs of labour.  3.1.10 (Supply, deliver and install law CI) plastic units 4570-5250. with taps. The tanks to be meanted on all 3.2 2.2 can concrete all placed on a 600mm light coment box willow a meanted on all 3.2 2.2 can concrete all placed on a 600mm light coment box will be compared to all 3.2 2.2 can concrete all placed on a 600mm light coment box will be considered on all 3.5 can be seen as a second of 15 MPs. Rate to include labour and costs of materials.  3.1.10 (Repair the 2) again ming steel slicing door for the entrace to a proper non-lamming sliding. Sum 1  3.1.11 (To supply and seal the openning space (gaps on the design corrupated iron and the wallburth forms sponge to prevent dust, moke ingression into the structures.  3.1.12 (To supply and replace heavy duty gate brackets and paint the gate to match the existing.  3.1.13 (Supply and install 2 into 1 heavy duty gate brackets and paint the gate to match the existing.  3.1.14 (Supply and install 2 into 1 heavy duty gate place into the gate to match the existing with shart supply and install 2 into 1 into 2 i	3.1.2		Supply and delivery of double fluorescent light tubes (18W) with vapor proof covers.	No.	30		
Dismantling and removal of the existing cold room from inside the packhouse structure to the silpacent milling house. Plus reinstallation by an electrician registered with Department of 1 about and must have experience at conditioning and cold rooms.  Susphy, delivery and install two (2) plastic tanks 4570-5501 with taps. The tanks to be mounted on a 2.5 4.25 mo corrects also placed on a Good man.  Susphy, deliver and install two (2) plastic tanks 4570-5501 with taps. The tanks to be mounted on a 2.5 4.25 mo corrects also placed on a Good method and secured on all sides with a 10 gauge plain wire. Wall to be built no 500-200mm strip foundation of 15MPa. Rate to include labour and costs of materials  L1.10 Repair the 2/ajamming steel sliding door for the entrace to a proper non-jamming sliding. Sum 1  L1.11 To supply and seal the openning space (gaps on the design corrugated iron and the wall)with fearm sponge to prevent dust, smake ingression into the structures. Sum 1  L1.12 To supply and replace heavy duty gate brackets and paint the gate to match the esisting colour.  L1.13 To supply and install 2 into 1 heavy duty galvanized sliding gate size: firm x 2.2m high with shark spikes on too and the padestrian gate in the middle (1.2 x 2.1m H) with the heavy duty channel with itig rollers and ratio thas ea concrete stry of 1 m x 6m long on either aide of the and the 2 pillars of 100 x 100 x 100 x 10m hick square tubes  L1.14 To supply and install the heavy duty steel pole on the corners of the existing mesh wire fence supported by means of steel strut poles on the concrete and support the existing fence.  L1.15 For supply 30 m x 2.5mm flat suffix cable, dig 500mm dig, and lay the cable and cover the trench, connect on both side and commission the gate circuit connected in to the nearest clase by building.  L1.16 To provide service to all fire hose reals, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc.  MILLING HOUSE  Repair the exis	3.1.3		11.0	Sum	1		
the adjacent milling house. Plus reinstallation by an electrician registered with Department of Labour and must have experience air conditioning and cold rooms  Supply, delivery and install seamless aluminum chromodels box profile gutters, Fittings and downs piese. Total Roof length is 48m long. Rate to include costs of labour.  Supply, deliver and install two (2) plastic tunks 4570-5250L with taps. The tanks to be mounted on a 2.5 x.2 m concrete alsab placed on a 600mm high rement block walland secured on all disks with a 10 garge plain wire. Wall to be built on 500/200mm strip foundation of 15MPa. Rate to include labour and costs of materials  1.1.10 Repair the 2xjamming steet oil mounted a box of the entrace to a proper non-jamming sliding  1.1.11 To supply and seal the openning space (gaps on the design corrupated into and the wallbywith forms sponge to prevent dust, smoke ingression into the structures  1.1.12 To supply and replace heavy duty gate brackets and paint the gate to match the existing colour.  1.1.13 To supply and install 2 into 1 heavy duty galvanized sliding gate size: 6m x 2.7m high with shark spikes on to an drhe pedestrian gate in the middle (1.2 x 2.1m Hy) with the heavy duty channel with big rollers and rall to have a concrete strip of Inn X 6m long on either side of the and the 2/ pillars of 100 x 100 x 19mm thick square tubes  1.1.14 To supply and install the heavy duty automated 10 to ornare roll gate motor with the additional remote control programmed to operate the same motor  1.1.15 To supply 30 m X 2.5mm flat suffic cable, dig 500mm dip, and by the cable and cover the trench, connect on both side and cormination the gate circuit connected in to the nearest close by building and switches. Rate to include costs of related fittings and labour.  1.1.16 To provide service to all fire hose reals, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc  1.1.16 To provide service to all fire hose reals, on completio	3.1.4			Sum	1		
Adowns pipes. Total Roof length is 48m long. Rate to include costs of labour.  Supply, deliver and install two (2) plastic tanks 4570-5250 with taps. The tanks to be mounted on a 2.5 x6.5m concrete slab placed on a 600mm high cement block walland secured on all sides with a 10 gauge plain wire. Wall to be built on 500x200mm strip foundation of 15MPa. Rate to include labour and costs of materials  1.1.10  Repair the 2xjamming steel slicing door for the entrace to a proper non-jamming sliding  Sum 1  1.1.11  To supply and seal the openning space (gaps on the design corrugated iron and the wall) with foam sponge to prevent dust, smoke ingression into the structures  Sum 1  1.1.12  To supply and replace heavy duty gate brackets and paint the gate to match the existing colour.  To supply and install 2 into 1 heavy duty galvanized sliding gate size: 6m x 2.7m high with shark spiles on top and the pedestrian gate in the middle (1,2 X 2.1m H) with the heavy duty channel with high colors and rail to have a concrete strip of 1m X 6m long on either side of the and the 2 pillars of 100 x 100 x 19mm thick square tubes  1.1.14  To supply and install the heavy duty sutomated D 10 commercial gate motor with the additional remote control programmed to operate the same motor  1.1.15  To supply and install the heavy duty steel pole on the corners of the existing mesh wire fence supported by means of steel strut poles on the corners of the existing mesh wire fence supported by means of steel strut poles on the corners of the existing mesh wire fence supported by means of steel strut poles on the corners of the existing mesh wire fence supported by means of steel strut poles on the corners of the existing fence.  1.1.16  To provide service to all fire hose reak, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc  MILUNG HOUSE  Repair the existing floor area of 288m <sup>2</sup> of all cracks in the packhouse. Grouting for cracks > Sum 1  Sum 1  1.17  Certificate	3.1.7		the adjacent milling house . Plus reinstallation by an electrician registered with Department	Sum	1		
mounted on a 2.5 x2.5m concrete slab placed on a 600mm high cement of such additional reduction of alkides with a 1 gauge plain wire. Wall to be built on 500x200mm strip foundation of 15MPa. Rate to include labour and costs of materials  2.1.10  Repair the 2xjamming steel sliding door for the entrace to a proper non-jamming sliding  2.1.11  To supply and seal the openning space (gaps on the design corrugated iron and the welliynth feam sponge to prevent dust, smoke ingression into the structures  2.1.12  To supply and replace heavy duty gate brackets and paint the gate to match the existing colour.  To supply and install 2 into 1 heavy duty galvanized sliding gate size: 6m x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.1m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.2m high with shark spikes on top and the pedestrian gate in the shark spikes on the pedestrian gate in the shark spikes on top and the pedestrian gate in the shark spikes on top and the pedestrian gate in the shark spikes on the pedestrian gate in the shark spikes on the shark spikes on the spikes spi	3.1.8			Sum	1		
To supply and seal the openning space (gaps on the design corrugated iron and the wallywith foam sponge to prevent dust, smoke ingression into the structures  1.1.12  To supply and replace heavy duty gate brackets and paint the gate to match the existing colour.  To supply and install 2 into 1 heavy duty galvanized sliding gate size: 6m x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.1m H) with the heavy duty channel with big rollers and rail to have a concrete strip of 1m X 6m long on either side of the and the 2/pillars of 100 X 100 X 19mm thick square tubes  1.1.14  To supply and install the heavy duty automated 0 10 commercial gate motor with the additional remote control programmed to operate the same motor  To supply and install the heavy duty steel pole on the concrete and support the existing mesh wire fence supported by means of steel strut poles on the concrete and support the existing fence.  To supply 50 m x 2.5mm flat suffix cable, dig 500mm dip, and lay the cable and cover the trench, connect on both side and commission the gate circuit connected in to the nearest close by building  To provide service to all fire hose reals, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc  MILLING HOUSE  Repair the existing floor area of 288m² of all cracks in the packhouse Grouting for cracks > 5mm, etc.  Supply, delivery and install plastic conduit pipes, fittings, wiring, the flourescent fixtures and wall plug and switches. Rate to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for item 03.2.2, as per the June 2020 regulations.  Re-installation and test for functionality a split air-con cold room inside the milling structure.  Sum 1	3.1.9		mounted on a 2.5 x2.5m concrete slab placed on a 600mm high cement block walland secured on all sides with a 10 gauge plain wire. Wall to be built on 500x200mm strip	Sum	1		
wallywith foam sponge to prevent dust, smoke ingression into the structures  7.1.1.12	3.1.10		Repair the 2xjamming steel sliding door for the entrace to a proper non-jamming sliding	Sum	1		
colour.  To supply and install 2 into 1 heavy duty galvanized sliding gate size: 6m x 2.2m high with shark spikes on top and the pedestrian gate in the middle (1.2 x 2.1m H) with the heavy duty channel with big rollers and rall to have a concrete strip of 1m X 6m long on either side of the and the 2f pillars of 100 X 19mm thick square tubes  To supply and install the heavy duty automated D 10 commercial gate motor with the additional remote control programmed to operate the same motor  To supply and install the heavy duty steel pole on the corners of the existing mesh wire fence supported by means of steel strut poles on the concrete and support the existing fence.  To supply 50 m X 2.5mm flat suffix cable, dig 500mm dip, and lay the cable and cover the trench, connect on both side and commission the gate circuit connected in to the nearest close by building  To provide service to all fire hose reals, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc  MILLING HOUSE  Repair the existing floor area of 288m² of all cracks in the packhouse.Grouting for cracks > Sum 1  Sum 1  Sum 1  Sum 1  Sum 1  Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  Re-installation and test for functionality a split air-con cold room inside the milling structure  Sum 1	3.1.11			Sum	1		
shark spikes on top and the pedestrian gate in the middle (1.2 x 2.1m H) with the heavy duty channel with big rollers and rail to have a concrete strip of 1m X 6m long on either side of the and the 2/ pillars of 100 X 100 X 19mm thick square tubes  1.1.14 To supply and Install the heavy duty automated D 10 commercial gate motor with the additional remote control programmed to operate the same motor  To supply and install the heavy duty steel pole on the corners of the existing mesh wire fence supported by means of steel strut poles on the concrete and support the existing fence.  To supply 50 m X 2.5mm flat suffix cable, dig 500mm dip, and lay the cable and cover the trench, connect on both side and commission the gate circuit connected in to the nearest close by building  1.1.17 To provide service to all fire hose reals, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc  1.1.18 Repair the existing floor area of 288m² of all cracks in the packhouse. Grouting for cracks > 5mm, etc.  1.1.2 Supply, delivery and install plastic conduit pipes, fittings, wiring, the flourescent fixtures and wall plug and switches. Rate to include costs of related fittings and labour.  1.1.3 Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  1.1.3 Re-Installation and test for functionality a split air-con cold room inside the milling structure. Sum 1	3.1.12			Sum	1		
additional remote control programmed to operate the same motor  To supply and install the heavy duty steel pole on the corners of the existing mesh wire fence supported by means of steel strut poles on the concrete and support the existing fence.  To supply 50 m X 2.5mm flat suffix cable, dig 500mm dip, and lay the cable and cover the trench, connect on both side and commission the gate circuit connected in to the nearest close by building  To provide service to all fire hose reals, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc  MILLING HOUSE  Repair the existing floor area of 288m² of all cracks in the packhouse. Grouting for cracks > Sum 1  Sum 1  Supply, delivery and install plastic conduit pipes, fittings, wiring, the flourescent fixtures and wall plug and switches. Rate to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  Re-Installation and test for functionality a split air-con cold room inside the milling structure. Sum 1	3.1.13		shark spikes on top and the pedestrian gate in the middle $(1.2 \times 2.1 \text{m H})$ with the heavy duty channel with big rollers and rail to have a concrete strip of $1 \text{m X}$ 6m long on either side	Sum	1		
fence supported by means of steel strut poles on the concrete and support the existing fence.  To supply 50 m X 2.5mm flat suffix cable, dig 500mm dip, and lay the cable and cover the trench, connect on both side and commission the gate circuit connected in to the nearest close by building  To provide service to all fire hose reals, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc  MILLING HOUSE  Repair the existing floor area of 288m² of all cracks in the packhouse.Grouting for cracks > Sum 1  Smm, etc.  Supply,delivery and install plastic conduit pipes,fittings,wiring, the flourescent fixtures and wall plug and switches. Rate to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  Re-installation and test for functionality a split air-con cold room inside the milling structure. Sum 1	3.1.14			Sum	1		
trench, connect on both side and commission the gate circuit connected in to the nearest close by building  To provide service to all fire hose reals, on completion the technician to insert the sticker with the details for the service date, next due service date, company name etc  MILLING HOUSE  Repair the existing floor area of 288m² of all cracks in the packhouse.Grouting for cracks > Sum 1  Smm, etc.  Supply, delivery and install plastic conduit pipes, fittings, wiring, the flourescent fixtures and wall plug and switches. Rate to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  Re-Installation and test for functionality a split air-con cold room inside the milling structure. Sum 1	3.1.15		fence supported by means of steel strut poles on the concrete and support the existing	Sum	1		
with the details for the service date, next due service date, company name etc  MILLING HOUSE  Repair the existing floor area of 288m² of all cracks in the packhouse.Grouting for cracks > Sum 1  Smm, etc.  Supply,delivery and install plastic conduit pipes,fittings, wiring, the flourescent fixtures and wall plug and switches. Rate to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  Re-Installation and test for functionality a split air-con cold room inside the milling structure. Sum 1	3.1.16		trench, connect on both side and commission the gate circuit connected in to the nearest	Sum	1		
Repair the existing floor area of 288m² of all cracks in the packhouse.Grouting for cracks > Sum 1 Smm, etc.  Supply, delivery and install plastic conduit pipes, fittings, wiring, the flourescent fixtures and wall plug and switches. Rate to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  Re-Installation and test for functionality a split air-con cold room inside the milling structure Sum 1	3.1.17			Sum	1		
5mm, etc.  Supply,delivery and install plastic conduit pipes, fittings, wiring, the flourescent fixtures and wall plug and switches. Rate to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  Re-Installation and test for functionality a split air-con cold room inside the milling structure. Sum 1	03.2		MILLING HOUSE				
wall plug and switches. Rate to include costs of related fittings and labour.  Certificate of Compliance, including testing and test report for item D3.2.2, as per the June 2020 regulations.  1  Re-Installation and test for functionality a split air-con cold room inside the milling structure Sum 1	3.2.1			Sum	1		
2020 regulations.  2020 regulations.  3.1.7 Re-Installation and test for functionality a split air-con cold room inside the milling structure Sum 1	3.2.2			Sum	1		
	3.2.3			Sum	1		
	3.1.7			Sum	1		

### KZN AGRICULTURE & RURAL DEVELOPMENT ENGINEERING SERVICES CEDARA OFFICES NDUMO B PACKHOUSE: ADMIN OFFICE

ITEM	PAYMENT	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
E5		OFFICE				
		Erecting an administration office inside the packhouse structure through drywalling				
		Office dimensions:3.60 (L) x 3.60 (W) x 2.50m (H). Sheet thickness 9mm. Affix to timber with galvanised nails at 300mm centres. Back side of the office to be built on top of the existing 1.50m high exterior wall under the cladding. Studs (vertical supports) to be 76 x 50mm timber at 600mm centres. Office to have one standard door and two windows. Adjacent panels to have H-profile jointing strips. Sheets to be painted with 1 coat of plater primer and 2 coats of Acrylic paint. Coulour to be agreed upon with beneficiaries				
		DRY WALLING  >> Affixing the sheets to the timber framewqork is to be done after the completion of the ceiling				
		9mm medium densitys mooth fibre cement board (e.g. Nutec 18 sheets of 3.00 x 1.20m				
		Plaster primer paint (not required for outside facing panel of backwall) Acrylic wall paint (colour TBD). Two coats.				
		Heat & CCA Treated Timber 76 x 50mm (vertical and horizontal supports at 600mm), double studs/supports at the corners and arounds the windows and door). Cross bracing on top. See drawing. Including all required steel fasteners etc and installation.				
		DOOR- Include all required not listed fittings/fasteners and installation costs Interior Door Hollow Core Plain Commercial Veneer OR white oak print (e.g. Leroy Merlin)- w813xh2032mm. Door Frame Hardwood 44x86mm for 813mm door				
		4 Lever lockset with handle. Include installation Butt hinges 100 x 75 x 2.0(min) mm				
		WINDOW - Include all required not listed fittings/fasteners and installation costs				
		Aluminium window 1200 x 900mm with top hung section 600 x 600mm with friction stays. Include 4mm thick hardened glass: See figure 2.				
		CEILING  >> This is to be done directly after the erection of the framework for the drywalling, but before the installation of the Nutec drywall sheeting				
		>Nutec fibre cement ceiling boards (900mm x 6mm) to be fixed against 38 x 38mm brandering at 320mm centres with 32mm x 2.5mm serrated ceiling nails. >Brandering to be nailed onto dry walling frame top plates. > Use H-joining strips in between nutec sheets. Ceiling to be painted at dry walling sheets (1 coat of plaster primer, two of acrilic paint (white) >Ceiling to be finished off with plain Doric plasterboard cornices.				
		Nutec fibre cement ceiling boards 6mm thick. 4 sheets of 3.6m x 900mm. Include fasteners.				
		H-profile jointing				
		CCA treated brandering 38 x 38mm				
		Doric plasterboard cornices				
		Plaster primer (1 coat)				
		Acrylic paint (2 coats)				
		SUB-TOTAL CARRIED TO SUMMARY				

# KZN AGRICULTURE & RURAL DEVELOPMENT ENGINEERING SERVICES CEDARA OFFICES NDLIMO B PACKHOLISE: MISCELLANFOLIS

ITEM	PAYMENT	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
F1		MISCELLANEOUS				
F1.1		Repairing of the entrance gate, the wheel and track for the two sheds and heavy duty gate	sum	1		
F1.2		Repairing/replace where neccesary the fire hose pipe in the sheds	sum	1		
F1.3		Supply and install SABS Red Arrow of fire fighting location	no	4		
F1.4		Supply and deliver 2 ply toilet paper pack of 18s	no	6		
F1.5		Supply and install a 50 inch smart tv screen fitted with bluetoothand other google apps	no	1		
F1.6		Supply of grass broom with wooden handle	no	2		
F1.7		Supply of academy brushware broomstick for large yard with plastic handle	no	3		
F1.8		Supply of long handle plastic dustpan	no	3		
		SUB-TOTAL CARRIED TO SUMMARY				

# KZN AGRICULTURE & RURAL DEVELOPMENT ENGINEERING SERVICES CEDARA OFFICES

ГЕМ	PAYMENT	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1		PLUMBING				
		To hire a honey sucker, emptied and dislodge the existing 20 000 Liters of septic tank and take it to the nearest approved sewer dump, on completion to provide the certificate				
.1		from the municipality.	Sum	1		
.2		To excavate an area of $2m$ wide $x$ 1, $2m$ deep and $11m$ long on a boundary point $10m$ away of the building. The client to confirm excavation point/location.	m³	26.4		
.3		Supply, deliver and install concrete panels $(1mx1mx1m$ , shadai or similar) to construct a concrete septic tank of total capacity of $5m^3$ complete with all accessories.	Sum	1		
.4		Supply, deliver and install a prefabricated 3000L Large concrete infiltration tank (Shadai or similar) complete with all accessories . Panel dimensions 1m(length)x1.04m(Breath)x1.04m high	Sum	1		
.5		To dig the trench and expose the existing sewer line, split and separate waste water lines and the sewer to feed the separate septic tanks. One the waste pipe to supply the newly built septic tanks.	Sum	1		
		To supply and install 150 mm X 20 m long ( 4 Lengths) heavy duty SABS UG pipe class 12, to have a y junction fitted with 45° degrees to make rodding PVC eye X 2	Sum	1		
6		To supply and install 110 SABS 2 way SV pipe vent valve SABS approve class 12and comply	Julii			
1.7		with the NHBRC and the government specifications  To supply and install a Heavy duty double galvanized steel water stands braced with heavy	no	2		
1.8		duty strut supporters, heavy duty Cleat irons for the tank stand to supporting 5 000 L sizes: 3m wide X 3mx3m high.  All stand feet should be built on reinforcement raised above the ground, with the concrete plinths and bolted down by means of heavy duty threaded rod with the double lock nutts	Sum	1		
		on each and every bolts fitted on.  The stands should have a stair case for climbing with the cage around the stair case and a lock able gate underneath steps  The stand to have a Walk way place around the tanks on stand, and the steel stand and the stand and the stand are standard and stan				
L.9		balustrades.Provide Approved Engineering Certificate of Fabrication.  The completed storage water system must be connected into the existing water network. All plumbing system ,correctly used the SABS Approved material, composite pipe, using 32 mm class 16 mm and fittings.	Sum	1		
1.10		Supply and install two (2) 1,5 kW Booster Pump each with complete accessories such as non-return valves, barrel nipples, by-pass etc.	5um	1		
1.11		To supply and install a weather proof 16A socket outlet on the outside weather proof box and it must be wired to loop the from the nearest existing plug circuit and upgrade the	Sum	1		
		breaker to suitable correct size and comply with electrical code of practice.				

### KZN AGRICULTURE & RURAL DEVELOPMENT ENGINEERING SERVICES CEDARA OFFICES DINDUMO (B) PACKHOUSE: GUARD HUT

ITEM	PAYMENT	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
G1		GUARD- HUT/SECURITY HOUSE				
G1.1		Supply and deliver a prefrabricated 2.4mx2.4m guard hut (Tilley-sheds or similar) with 1.2x2.4m veranda extension. The house to be prefabricated from an pre-coated aluminumzinc sheet. The house to comply with the following specifications:  *Wall height 2m and roof height to be 2.3m  *Chalk colour wall with a blue roof  *Alububble 4mm roof insulation (on the inside)  *2 Opening glass windows-600mmx900mm  *One fixed toughed window in door- 400mmx600mm  *1Lockable door with cylindrical door handle  *Colorplus steel framed door with shutter board and a 3mm rubber studded flooring  *10 adjustable legs	sum	1		
G1.2		* House to be fitted with a 2.4m shelve running wall to wall. The shelve width of 200mm  Supply, deliver and install the specilised concrete footing (tilley shed or similar) for the guard house	no	10		
31.3		Excavate strip foundation of 3x4 m to a depth of 150mm and width of 150mm	Sum	1		
31.4		Supply, deliver and install concrete kerb of 1m long, depth of 300mm height and base 150mm	no	14		
G1.5		Supply and deliver 13 mm Duzi gravel stone	m <sup>3</sup>	9		
G1.6		Supply and deliver one (1) 40 kg mortar mix comprised of 40kg river sand and 5 kg cement	no	1		
		SUB-TOTAL CARRIED TO SUMMARY				J

SUMMARY	
PRELIMINARY AND GENERAL	
SITE CLEARANCE	
BOARDROOM	
PACKHOUSE& MILLING HOUSE	
ADMIN OFFICE	
MISCELLANEOUS	
PLUMBING	
GUARD HUT/HOUSE	
SUB-TOTAL (A)	
CONTINGENCIES @ 10% OF THE SUB-TOTAL (A)	
SUB -TOTAL (B)	
VAT @ 15%	
TOTAL PROJECT CAPITAL	

ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2.	Ric	dor'e	adac	laration
<b>Z</b> .	DIL	Juei 3	s uec	iarauvii

**Full Name** 

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

  YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Name of State institution

Identity Number

		•		
2.2		erson connected with the bidder, had loyed by the procuring institution? Y		
2.2.1	If so, furnish particulars:			
2.3	or any person havir other related enter	any of its directors / trustees / sharehing a controlling interest in the enterpoprise whether or not they are bidding	ise have any interest in any	
2.3.1		ulars:		
3 4	DECLARATION			
4	I, (name)	the	undersigned, in submitting the	

<sup>1</sup> the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

accompanying bid, do hereby make the following statements that I certify to be true and complete in every respect:

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.
I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA

SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN

MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bid
	SBD 6.1

# PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

<sup>2</sup> Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

### 1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

a) The applicable preference point system for this tender is the 80/20 preference point system.

b)80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.

- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
  - (a) Price; and
  - (b) Specific Goals.

# 1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

### 2. **DEFINITIONS**

(a) "tender" means a written offer in the form determined by an organ of state in response to an invitation

to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;

- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

### 3.1. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10  $Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$  or  $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$ 

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + rac{Pt-P\,max}{P\,max}
ight)$$
 or  $Ps = 90\left(1 + rac{Pt-P\,max}{P\,max}
ight)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
100% black ownership	10	
black people who are Youth	10	
black people who are Locality	10	
black people who are women	8	
black people with disabilities (Proof to be attached)	7	
black people living in rural or underdeveloped areas or townships	6	
black people who are military veterans (Proof to be attached)	6	
a cooperative owned by black people	5	

### **DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3.	Name of company/firm

# 4.4. Company registration number: .....

# 4.5. TYPE OF COMPANY/ FIRM

Partnership/Joint Venture / Consortium
One-person business/sole propriety
Close corporation
Public Company
Personal Liability Company
(Pty) Limited
Non-Profit Company
State Owned Company
[TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
  - i) The information furnished is true and correct;
  - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;

- iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
- iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
  - (a) disqualify the person from the tendering process;
  - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
  - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation:
  - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
  - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE: ADDRESS:	

I, the undersigned,

Full name & Surname	
Identity number	

Hereby declare under oath as follows:

- 1. The contents of this statement are to the best of my knowledge a true reflection of the facts.
- 2. I am a Member / Director / Owner of the following enterprise and am duly authorised to act on its behalf:

Enterprise Name:	
Trading Name (If Applicable):	
Registration Number:	
Enterprise Physical Address:	
Type of Entity (CC, (Pty) Ltd, Sole Prop etc.):	
Nature of Business:	
Definition of "Black People"	As per the Broad-Based Black Economic Empowerment Act 53 of 2003 as Amended by Act No 46 of 2013 "Black People" is a generic term which means Africans, Coloureds and Indians –
	(a) Who are citizens of the Republic of South Africa by birth or descent; or (b) Who became citizens of the Republic of South Africa by naturalization- i. Before 27 April 1994; or
	ii. On or after 27 April 1994 and who would have been entitled to acquire citizenship by naturalization prior to that date

Definition of "Black Designated Groups"	"Black Designated Groups means:
	<ul> <li>(a) unemployed black people not attending and not required by law to attend an educational institution and not awaiting admission to an educational institution;</li> </ul>
	(b) Black people who are youth as defined in the National Youth Commission Act of 1996;
	(c) Black people who are persons with disabilities as defined in the Code of Good Practice on employment of people with disabilities issued under the Employment Equity Act;
	(d) Black people living in rural and under developed areas;
	(e) Black military veterans who qualifies to be called a military veteran in terms of the Military Veterans Act 18 of 2011;"

•	The Enterprise is% Black Owned as per Amended Code Series 100 of the Amended Codes of Good Practice issued under section 9 (1) of B-BBEE Act No 53 of 2003 as			
•	Amended by Act No 46 of 2013, The Enterprise is			
•	Series 100 of the Amended Codes of Good Practice issued under section 9 (1) of B-BBEE Act No 53 of 2003 as Amended by Act No 46 of 2013,			
•	Black Designated Group Owned % Breakdown as per the definition stated above:			
•		%		
•	Black Disabled % =			
•	Black Unemployed % =			
•				
•	Black Military Veterans			
•	letest financial year on	Statements/Management Accounts and other information available on the		
	P10 000 000 00 /Ten M	of, the annual Total Revenue was between lillion Rands) and R50,000,000.00 (Fifty Million Rands),		
•	Please Confirm on the	pelow table the B-BBEE Level Contributor, by ticking the applicable box.		
•	riease Commini on the	below table the B-BBLL Level Contributor, by doking the applicable box.		
100% Blac	ck Owned	Level One (135% B-BBEE procurement recognition level)		
At least 51% Black Owned		Level Two (125% B-BBEE procurement recognition level)		
Less than 51% Black Owned		Level Four (100% B-BBEE procurement recognition level)		
	prescribed oath and con Enterprise which I repre	derstand the contents of this affidavit and I have no objection to take the nsider the oath binding on my conscience and on the Owners of the sent in this matter.  davit will be valid for a period of 12 months from the date signed by		
Depone	ent Signature:			
Date	1			
		Commissioner of Oaths Signature & stamp		

# SWORN AFFIDAVIT - B-BBEE QUALIFYING SMALL ENTERPRISE - GENERAL

I, the undersigned,

Full name & Surname	
Identity number	

Hereby declare under oath as follows:

- 1. The contents of this statement are to the best of my knowledge a true reflection of the facts.
- 2. I am a Member / Director / Owner of the following enterprise and am duly authorised to act on its behalf:

Enterprise Name:	
Trading Name (If Applicable):	
Registration Number:	
Enterprise Physical Address:	
Type of Entity (CC, (Pty) Ltd, Sole Prop etc.):	
Nature of Business:	
Definition of "Black People"	As per the Broad-Based Black Economic Empowerment Act 53 of 2003 as Amended by Act No 46 of 2013 "Black People" is a generic term which means Africans, Coloureds and Indians –  a) Who are citizens of the Republic of South Africa by birth or descent; or b) Who became citizens of the Republic of South Africa by naturalization-I. Before 27 April 1994; or II. On or after 27 April 1994 and who would have been entitled to acquire citizenship by naturalization prior to that date

Definition of "Black Designated Groups"	"Black Designated Groups means:
200.g.iaica Croaps	<ul> <li>a) unemployed black people not attending and not required by law to attend an educational institution and not awaiting admission to an educational institution;</li> </ul>
	b) Black people who are youth as defined in the National Youth Commission Act of 1996;
	<ul> <li>Black people who are persons with disabilities as defined in the Code of Good Practice on employment of people with disabilities issued under the Employment Equity Act;</li> </ul>
	<ul> <li>d) Black people living in rural and under developed areas;</li> <li>e) Black military veterans who qualifies to be called a military veteran in terms of the Military Veterans Act 18 of 2011;"</li> </ul>

3. I hereby declare under Oath that:

Amended Code	<ul> <li>The Enterprise is% Black Owned as per Amended Code Series 100 of the Amended Codes of Good Practice issued under section 9 (1) of B-BBEE Act No 53 of 2003 as Amended by Act No 46 of 2013,</li> </ul>			
The Enterprise the Amended C	The Enterprise is% Black Woman Owned as per Amended Code Series 100 of the Amended Codes of Good Practice issued under section 9 (1) of B-BBEE Act No 53 of 2003 as			
<ul> <li>The Enterprise</li> <li>Series 100 of th</li> <li>53 of 2003 as A</li> <li>Black Designate</li> </ul>	<ul> <li>Amended by Act No 46 of 2013,</li> <li>The Enterprise is% Black Designated Group Owned as per Amended Code Series 100 of the Amended Codes of Good Practice issued under section 9 (1) of B-BBEE Act No 53 of 2003 as Amended by Act No 46 of 2013,</li> <li>Black Designated Group Owned % Breakdown as per the definition stated above:</li> </ul>			
Black Disabled  Black Usassalas	%=%			
Black Unemploy     Black People liv	red % = ing in Rural areas % =	% %		
	eterans % =			
latest financial y R10,000,000.00	ear-end of (Ten Million Rands) ar	anagement Accounts and other information, the annual Total Revenue was and R50,000,000.00 (Fifty Million Rands), B-BBEE Level Contributor, by ticking the	s between	
100% Black Owned	Level One (13 level)	35% B-BBEE procurement recognition		
At least 51% Black Owned		Level Two (125% B-BBEE procurement recognition level)		
Less than 51% Black Owned	Level Four (1 level)	Level Four (100% B-BBEE procurement recognition level)		
	er the oath binding on r	this affidavit and I have no objection to ta my conscience and on the Owners of the		
5. The sworn affida	avit will be valid for a pe	eriod of 12 months from the date signed b	by commissioner.	
Deponent Signature:				
Date				
		Commissioner of Oaths Signature & s	tamp	