

KWAZULU-NATAL DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT

QUOTATION No: R/N/2324/12

DESCRIPTION OF SERVICE:

SITTING, DRILLING, TESTING AND EQUIPPING BOREHOLE WITH GENERATOR AT MAYE AREA, MHLABANENI, NONGOMA LOCAL MUNICIPALITY

NAME OF BIDDER:			

Mandatory Requirements

- An EME and QSE (as per the provisions of section 4(1)(b) of the PPPFA Regularions,2022
- 2. Minimum CIDB Grading of 1CE OR 1PE

COMPULSORY BRIEFING SESSION

Venue	Department of Agriculture and Rural Development,
	Nongoma Local Office, Lot 96, Nongoma Main Street,
	Nongoma
Date	03 April 2023
Time	10:00am

Return of Bid:

Bids must be deposited in the bid box situated at Department of Agriculture and Rural Development, Supply Chain Management, 01 Cedara Road, Cedara, 3200 or send by post to The Director: Supply Chain Management, Private Bag X9059, Pietermaritzburg, 3200.

Tel: (033) 343 8110 before 11:00 am on the closing date: 11 April 2023

Issued by:

The Department of Agriculture and Rural Development

1 Cedara Road

Cedara

3200



INVITATION OF QUOTATION FROM R1 - R1 MILLION

THIS FORM SHOULD BE COMPLETED IN DETAIL AND SHOULD BE ACCOMPANY A VALID BBBEE CERTIFICATE/SWORN AFFIDAVIT /CSD REPORT/PROOF OF RESIDENCE

QUOTATION NUMBER: R/N/2324/12	(To be completed by the Supplier)
CLOSING DATE: 11/04/2023	CLOSING TIME:11H00
	COMPANY NAME.
DESCRIPTION(SPECIFICATION/S) OF ITEMS/ SERVICE REQUIRED:	COMPANY NAME:
Siting, drilling, testing and equipping borehole with generator at	TEL NO:
Maye area (mhlabaneni), Nongoma local municipality	FAX NO:
	CONTACT PERSON:
	CSD REG NUMBER MAAA
	CSD REG NUMBER MAAA
DOES OFFER COMPLY WITH	YES/NO
SPECIFICATION?	(DELETE WHICH EVER IS NOT APPLICABLE)
DOES ARTICLE COMPLY WITH SABS SPECIFICATION?	YES/NO
HAS IT BEEN INSPECTED BY SABS?	YES/NO
	(DELETE WHICH EVER IS NOT APPLICABLE)
DELIVERY PERIOD AFTER INITIAL ORDER?	
IS THE PRICE FIRM	
WHERE ARE THE STOCK HELD?	
(PHYSICAL ADDRESS , PLEASE)	
QUOTATION PRICE INCLUDING VAT (VAT TO BE ADDED BY REGISTERED VAT VENDORS ONLY)	TOTAL: R
(VALIO DE ADDED DI REGISTERED VALIVERDORIS ONET)	
COMPANY OFFICIAL STAMP (COMPULSORY)	
	SIGNATURE OF BIDDER
	DATE
QUOTATION TO BE RETURNED TO:	
AHEAD OFFICE 1 CEDARA ROAD PIETERMARITZBURG	
TENDER BOX AT SCM CEDARA HEAD OFFICE DEPARTMENT C	OF AGRICULTURE AND RURAL DEVELOPMENT
FOR ATTENTION TO: Lungani Zondi TEL. NO: 033 343 8110	
1 = 110.000 010 0 = 0	
NB: DOCUMENT MUST BE COMPLETED IN FULL	
THIS QUOTATION COVER PAGE MUST BE COMPLETED AND RETURN	NED WITH ALL YOUR SUPPORTING DOCUMENTS.

PART A INVITATION TO BID

YOU ARE HERE	BY INVIT	ED TO BID FOR	REQUIREMENTS OF THE					
BID NUMBER:	R/N/232		CLOSING DATE:			4/2023		LOSING TIME: 11:00
DESCRIPTION	Siting, munici	· · · · · · · · · · · · · · · · · · ·						
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)								
HEAD OFFICE 1 CEDARA ROAD PIETERMARITZBURG								
TENDER BOX AT SCM CEDARA HEAD OFFICE DEPARTMENT OF AGRICULTURE AND RURAL DEVELOPMENT								
BIDDING PROCE	EDURE E	NQUIRIES MAY I	BE DIRECTED TO	TECHNICAL	L EI	NQUIRIES MAY E	E DIR	ECTED TO:
CONTACT PERS	ON	Mr.Lugani Zono	li	CONTACT F	PER	SON	Sa	ample van Greuning
TELEPHONE NU	MBER	033 343 8110		TELEPHON	ΕN	UMBER	08	82 085 2814
FACSIMILE NUM	BER	N/A		FACSIMILE	NU	MBER		
E-MAIL ADDRES	S	Lungani.zondi@	kzndard.gov.za	E-MAIL ADD	DRE	SS		
SUPPLIER INFO	RMATIO	N						
NAME OF BIDDE	R							
POSTAL ADDRE	SS							
STREET ADDRE								·
TELEPHONE NU		CODE			\U\	MBER		
FACSIMILE NUM		CODE		T.A.	JI IK	/BER		
E-MAIL ADDRES		CODE			VUIV	IBEK		
	VAT REGISTRATION							
NUMBER								
SUPPLIER		TAX				CENTRAL		
COMPLIANCE S'	TATUS	COMPLIANCE		OR		SUPPLIER		
		SYSTEM PIN:				DATABASE		
B-BBEE STATUS		TICK AD	PLICABLE BOX	D DDEE CT/	Λ TI	No: JS LEVEL SWOR	MAA	TICK APPLICABLE BOX
LEVEL VERIFICA		∏ Yes		AFFIDAVIT	AIC	15 LEVEL SWOR	N	Yes No
CERTIFICATE	TION			ALLIDAVII				L res Livo
OERTH TOTAL								
[A B-BBEE STATU PREFERENCE PO			ERTIFICATE/ SWORN AFFI	DAVIT (FOR E	ME	S & QSEs) MUST	BE SUB	MITTED IN ORDER TO QUALIFY FOR
ARE YOU THE								
ACCREDITED				ARE VOLLA	FC	REIGN BASED		_
REPRESENTATI						R THE GOODS		☐Yes ☐No
SOUTH AFRICA	FOR	Yes	∐No			ORKS OFFERED	?	SE VEC ANGWED THE
/SERVICES /WO	RKS	[IF YES ENCLO	SE PROOFI					[IF YES, ANSWER THE QUESTIONNAIRE BELOW]
OFFERED?	INIO	[ii TEO ENOEO	or i koorj					QUEOTIONIVAIRE BELOW]
QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS								
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?								
DOES THE ENTITY HAVE A BRANCH IN THE RSA?								
DOES THE ENTITY	Y HAVE A	PERMANENT EST.	ABLISHMENT IN THE RSA?	ı				YES NO
DOES THE ENTITY	Y HAVE A	NY SOURCE OF IN	COME IN THE RSA?					YES NO
IS THE FNTITY LIA	ABLE IN T	HE RSA FOR ANY	FORM OF TAXATION?					YES NO
IF THE ANSWER	R IS "NO	" TO ALL OF TH	IE ABOVE, THEN IT IS N	OT A REQUI	RE	MENT TO REGIS	TER F	OR A TAX COMPLIANCE STATUS
SYSTEM PIN CC	INE FKO	IN THE SOUTH A	FRICAN REVENUE SER	ILE (SAKS) A	HNL	IF NOT KEGIST	EK AS	PER 2.3 BELUW.

ANNEXURE A

FOR ENQUIRY ONLY

END-USER NAME

: T.A Mgabhi

TELEPHONE NUMBER

: 0358749001

E-MAIL ADDRESS

: Audrey.Mbatha@kzndard.gov.za

PROPOSED DELIVERY DATE :31 March 2023

DELIVERY ADDRESS

: Lot 96, Nongoma Main Road, Nongoma, 3950

LOCAL MUNICIPALITY

: Nongoma local Municipality

DISTRICT

: Zululand District

LINE NO.	DESCRIPTION OR SPECIFICATION OF ITEM	REQUIRED QUANTITY	UNIT PRICE VAT	NIT PRICE EXCL. VAT		TOTAL PRICE		
	(Please be very specific and clear)		R	С	R	С		
1.	Siting, Driling, Testing and Equipping of a Borehole with generator in Maye Area, Mhlabaneni in Nongoma Local Municipality, Ward 11	01						
	* L,	ABOUR (IF APE	PLICABLE)					
	*DE	LIVERY (IF AP	PLICABLE)					
	TONEY APPLICABLE TO WAT DE	CONTENED OF		TOTAL				
	*ONLY APPLICABLE TO VAT RI	EGISTERED SU	TOTAL	% VAT PRICE				
C	IDB Grading (IF APPLICABLE)				1 Ce 68	1 1 98		

COMPANY NAME	:
CSD NUMBER	:
ADDRESS	:
CONTACT PERSON	:
CONTACT NUMBER	:
*VAT Registration	No. (Supplier)

PRICES ARE VALID FOR

DAYS

Mark one Box (X) 60 90

120

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND. IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

SIGNATURE OF BIDDER!

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

Old Wild Co. Bibber.
CAPACITY UNDER WHICH THIS BID IS SIGNED:
(Proof of authority must be submitted e.g. company resolution)
DATE:

BIDDER'S DISCLOSURE

1. **PURPOSE OF THE FORM**

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2.	R	hi	de	r's	de	cla	rat	tic	۱n
Z .		u	uc	:1 3	uc	UIO	ша	шч	/III

- Is the bidder, or any of its directors / trustees / shareholders / members / partners or 2.1 any person having a controlling interest1 in the enterprise, YES/NO employed by the state?
- If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Fu	li Name		Identity Number	Name of State institution
	2.2	Do you, or any pers who is employed b	son connected with the bidder, have a yether procuring institution? YES/NO	a relationship with any person
	2.2.1	If so, furnish partic	culars:	
	2.3	or any person havi other related enter	any of its directors / trustees / share ng a controlling interest in the enter prise whether or not they are biddin S/NO	orise have any interest in any
	2.3.1	If so, furnish partic	ulars:	

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

3 DECLARATION

	I, (name) accompanying bid, do hereby i and complete in every respect		
3.1 3.2	I have read and I understand t I understand that the accompa not to be true and complete in	nying bid will be disqua every respect;	lified if this disclosure is found
3.3	The bidder has arrived at the consultation, communication, However, communication betw be construed as collusive bidd	agreement or arrang een partners in a joint v	ement with any competitor.
3.4	In addition, there have been arrangements with any comperices, including methods, far allocation, the intention or decinitention not to win the bid and services to which this bid invita	no consultations, cometitor regarding the quetors or formulas used sion to submit or not to decord conditions or delivery	ality, quantity, specifications, d to calculate prices, market submit the bid, bidding with the
3.4	The terms of the accompanyin bidder, directly or indirectly, to a bid opening or of the awarding	g bid have not been, ar any competitor, prior to	nd will not be, disclosed by the the date and time of the official
3.5	There have been no consultat made by the bidder with any procurement process prior to clarification on the bid submitted was not involved in the drafting	official of the procurin and during the biddired and where so required by	g institution in relation to this ng process except to provide the institution; and the bidder
3.6	I am aware that, in addition ar combat any restrictive practi suspicious will be reported to possible imposition of admir Competition Act No 89 of 1998 Authority (NPA) for criminal in business with the public sector the Prevention and Combating applicable legislation.	ces related to bids a the Competition Com histrative penalties in and or may be reported vestigation and or may refor a period not excee	and contracts, bids that are mission for investigation and terms of section 59 of the ed to the National Prosecuting be restricted from conducting ding ten (10) years in terms of
	I CERTIFY THAT THE INFORMATION FOR ACCEPT THAT THE STATE MAY REJE	JRNISHED IN PARAGRAPHS CT THE BID OR ACT AGAINS	1, 2 and 3 ABOVE IS CORRECT. T ME IN TERMS OF PARAGRAPH 6
	OF PFMA SCM INSTRUCTION 03 OF 20	21/22 ON PREVENTING AND	COMBATING ABUSE IN THE SUPPLY
	CHAIN MANAGEMENT SYSTEM SHOUL	LD THIS DECLARATION PROV	/E TO BE FALSE.
	Signature		Date

Position

Name of bid

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 80/20 preference point system.
- b) 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is

adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. DEFINITIONS

- means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80 \left(1 - \frac{Pt - Fmin}{Pmin}\right)$$
 or $Ps = 90 \left(1 - \frac{Pt - Pmin}{Pmin}\right)$

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + \frac{Pt - Pmax}{Pmax}\right)$$
 or
$$Ps = 90\left(1 + \frac{Pt - Pmax}{Pmax}\right)$$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
100% black ownership	10	
black people who are Youth	10	
black people who are Locality	10	
black people who are women	8	
black people with disabilities (Proof to be attached)	7	
black people living in rural or underdeveloped areas or townships	6	
black people who are military veterans (Proof to be attached)	6	
a cooperative owned by black people	5	

DECLARATION WITH REGARD TO COMPANY/FIRM

- 4.3. Name of company/firm.....
- 4.4. Company registration number:
- 4.5. TYPE OF COMPANY/ FIRM

Partnership/Joint Venture / Consortium
One-person business/sole propriety
Close corporation
Public Company
Personal Liability Company
(Pty) Limited
Non-Profit Company
State Owned Company
[TICK APPLICABLE BOX]



Procurements from R30 000 - R1M the Department will allocate the points as follows

Historically Disadvantaged Individuals	Black Owned	Points
An EME or QSE which is at 100% owned by b	plack people	10
a) black people who are youth		10
b) black people who are women		8
c) black people with disabilities (Proof to be attached)		7
d) black people living in rural or underdeveloped areas or townships		6
e) black people who are military veterans (Proof to be attached)		6
f) a cooperative owned by black people		5

Company ownership will be verified by a BBBEE certificate (accredited by SANAS) or affidavit or share register or CSD report.

Should the service provider qualify for more than one (1) specific goal points as per the above table, the Department will allocate the points to the goal with highest score.

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	<u>\$</u> .
DATE:	
ADDRESS:	

CONTRACT FORM - RENDERING OF SERVICES

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SERVICE PROVIDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SERVICE PROVIDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE SERVICE PROVIDER)

1.	1	hereby	undertake	to	render	services	described	in	the	attached	bidding	documents	to	(name	of	the
							dance with the									
	Bio	d Number.			at the pric	e/s quoted.	My offer/s re	emain	bindir	ng upon me a	and open fo	or acceptanc	e by th	e Purcha	ser du	ıring
	the	e validity p	eriod indicate	ed an	d calculate	ed from the	closing date	of the	e bid .							

- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (iv) Bidding documents, viz
 - Invitation to bid;
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Filled in task directive/proposal;
 - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2011;
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination;
 - Special Conditions of Contract;
 - (v) General Conditions of Contract; and
 - (vi) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the services specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- 4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
- 5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)	 WITNESSES
CAPACITY	
SIGNATURE	 1
NAME OF FIRM	 2
DATE	 4

CONTRACT FORM - RENDERING OF SERVICES

PART 2 (TO BE FILLED IN BY THE PURCHASER)

re	in mysference numberdatednnexure(s).	y capacity asfor the rende	ring of services indic	cated hereunder and/	accept your bid u or further specified in
A	n official order indicating service delivery instr	uctions is forthcoming.			
	undertake to make payment for the services refter receipt of an invoice.	endered in accordance	with the terms and co	onditions of the contra	act, within 30 (thirty) o
	DESCRIPTION OF SERVICE	PRICE (ALL APPLICABLE TAXES INCLUDED)	COMPLETION DATE	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (if applicable)
	I confirm that I am duly authorised to sign this	s contract.			
	ATON				
ME (P	PRINT)				
SNATU	JRE				
FICIAI	L STAMP		WITNE	SSES	
			1		
			2		,
			DATE:		



SITING, DRILLING, TESTING, EQUIPPING OF A BOREHOLE WITH GENERATOR IN MAYE AREA

March 2023

DISTRICT	Zululand
NAME OF BOREHOLE	Mhlabaneni Borehole
<u>CO – ORDINATES</u>	S 28°08′39′′
	E 31°44′40″

This document contains:

No.	Section	Pages
1	A - Project Particulars	2
2	B – General Conditions of Contract	3-6
3	C - Project Technical Specifications	7-10
4	Bill of Quantities	11
5	ANNEXURE A: Work Phase Schedule	
6	ANNEXURE B : Additional Information	

A - PROJECT PARTICULARS

1) PROJECT DESCRIPTION / BACKGROUND

The project covers the siting, drilling and equipping of ...1... Boreholes

2) LOCATION

#	NAME OF PROJECT	DISTRICT	PROJECT DISTANCE (Km's) FROM NEAREST TOWN	NAME OF NEAREST TOWN	PROJECT CO_ORDINATES (if available)
2	Mhlabaneni borehole	Zululand	40 Kms	Nongoma	28°08′39″ S & 31°44′40″ E

For exact location, see attached map(s) or directions to be provided at site briefing.



3) GENERAL SCOPE OF WORKS

The contract covers the supply of all professional services, drilling, testing and equipping of borehole. The following scope of works for the drilling and equipping of boreholes is applicable with the expected deliverables and must be in accordance with "MINIMUM STANDARDS AND GUIDELINES FOR GROUNDWATER RESOURCE DEVELOPMENT FOR THE COMMUNITY WATER SUPPLY AND SANITATION PROGRAMME, DWAF, 1997": Details of these works are specified in Section C: Project Technical Specifications.

- **Desktop Assessment:** The co-ordinates of the boreholes must be plotted on GIS map coverage and assessed for the probability of ground water. Geology, hydrogeology and existing borehole information needs to be presented.
- Geophysical Assessment: The physical site must be surveyed with a Magnetometer and other survey equipment to determine the apparent conductivity of the subsurface. The geophysical

data must provide a clear indication of groundwater potential. For production borehole siting, an alternate target must be provided.

- **Drilling:** The appropriate drilling must be done according to the ground conditions and to the appropriate depth based on the geophysical method employed and the geology intercepted during the drilling. The Drilling method must be suited to the geological environment i.e. Air Percussion, Mud Rotary Percussion, Symetrix, Odex
- Yield Testing and Determination of Sustainable Yield: Boreholes yielding > 0.3 L/s must be subjected to a SDT (4 steps of 1 hr duration and maximum of 4 hours recovery or 95% recovered) and a CDT (24 hr constant test and maximum of 24 hr recovery or 95% recovered). The determination of the sustainable yield must be calculated with scientific methods that are proven in industry.
- Sampling and water quality analysis: It will be acceptable to collect a water sample during the CDT discharge test when the borehole is adequately purged, with sample bottles supplied by an accredited laboratory. The water sample will be analysed for SANS 241 (2015) Drinking Water Standards (Abbreviated Analysis), which includes bacteriological analysis. This means that water samples will need to be received by the laboratory within 24 hrs of collection.
- **Equipping** The borehole is to be equipped with a quality SABS approved pumps carrying a minimum of a 12 month quality guarantee. The pump specifications will be guided by the sustainable yield, hydraulic head conditions and the water requirements at the site.
- Reporting All technical information and results obtained and derived during the course of the investigation needs to be compiled into a comprehensive scientific report.
- Strength of concrete 20MPa for the tank stand footings, concrete bases.
- Tank Stand Galvanised 3m tank stand to carry a 5000L JoJo Water Tank.
- Water supply Tap stand with stand encased in concrete and pvc piping, secured to concrete block 1.2m X 1m X 200mm with adequate gradient to allow for runoff away from the water collection point.
- Drinking Troughs Concrete stock water drinking troughs to be supplied including float valves and all the required fittings to be connected to the Jojo tanks.

B - GENERAL CONDITIONS OF CONTRACT

1) COMPETENCY

COMPETENCY OF THE CONSULTANT / ORGANIZATION

The Contractor is expected to acquire the services of geohydrological consultant / organization which must conform to the standards detailed in the "Minimum Standards and Guidelines for Groundwater Resource Development for the Community Water Supply and Sanitation Programme" by the Department of Water Affairs and Forestry, 1997. The consultant / organization must be registered and recognized for their proficiency in hydro-geological services. The following must be submitted with the tender submission:

- Valid proof of registration with the South African Council for Natural Scientific Professions (SACNASP) must be attached.
- Registered and paid up members of the Ground-water Association of Kwa-Zulu Natal must supply a copy of their membership details.
- If the contactor is not in position to submit the above compulsory registration documents with the tender, must submit confirmation letter from registered consultant / organization to be used on the project. The letter should be on the letter head of the consultant / organization. It will be expected that the contractor must submit compulsory registration documents before work can commence.

The consultant / organization competence and reliability will be evaluated according to the proof of previous works indicated in Annexure B.

COMPETENCY OF THE CONTRACTOR

2) CONTRACTOR TO PROVIDE EVERYTHING NECESSARY

The Contractor shall provide everything necessary for the proper execution of the Works according to the true intent and meaning of the Drawings and Specification taken together. The Contractor shall provide without extra charge all assistance and everything reasonably necessary for proving the quality of work done as may be required by the Engineer.

3) SUB-CONTRACTED WORK

The Appointed Contractor shall **not sub-contract the whole** of the contract. In case the Contractor decides to subcontract part of the work he shall obtain written consent of the Engineer. Any such consent shall not relieve the Contractor from any liability or obligation under the contract and he shall be fully liable for the acts, defaults and neglects of any sub-contractor, his agent or employees. The Contractor remains fully responsible and accountable for all aspects of the work (quality, timelines and budget).

It is recommended that the appointed contractor sub-contract part of the job to local sub-contractors. The following shall be considered for sub-contracting in all the boreholes.

- Supply of Jojo tanks
- Supply of 3m tank stands and installation of the tank stands according to the supplier's recommendation. Certificate of compliance or design of the tank stands would be required.
- Concrete works (concrete footing for the tank stands and tap base)
- Supply and install 32mm pipe lines

4) VARIATIONS / 'AS BUILT' DETAILS

No variations or alterations may be made without the prior approval of the Regional Engineer. As the work progresses, the Contractor shall keep full records of all amendments to and deviations from the specifications as issued to the Contractor at the start of the contract. These details will, where appropriate, be noted on the specification. All alterations will be deemed to have a zero additional cost implication. If any additional works are required that have an additional cost implication then these must first be authorized in writing by the Regional Engineer. Refer to Clause 41: Ancillary Materials, Services And Equipment.

5) VERIFICATION OF EXPERIENCE

The Bidder will be required to produce adequate and sufficient references to enable the Department to inspect previously completed projects and assess the capacity of the Bidder. The Bidder shall provide such information in **Annexure B** - **Additional Information**.

PRICING AND PAYMENT STRUCTURES

6) FIXED RATE CONTRACT

The contract shall **not** be subject to contract rate (unit price) adjustment. Bidders must therefore allow for increased cost for the contract duration, including possible delays in awarding the Bid in accordance with the validity period. The tendered rates will be applied for calculating the payment value by using the actual quantities as measured and certified by the engineer at completion of the work.

7) PRICING

The Bidders will be required to Bid for all services, products and commissioning as specified in this document and associated plans. Partial bids will not be accepted. If a Bidder does not Bid on all items, his/her Bid may be rejected.

All prices tendered are to be in South African currency. All prices must exclude Vat. Vat of 15% must be added in the pricing summary.

- All items as described in the project specification are to be priced in full.
- Prices to exclude VAT.
- The costs for travel, accommodation, all associated disbursements and labour must be included in the rates/amounts tendered for the all the works required.
- Transport/Delivery costs must be included in the pricing. It must not be a separate item.
- VAT must be filled in as the sub total followed by the complete price for the entire project.
- The tendered price must have your company stamp, date and be signed by an authorised person.

8) QUANTITIES OF WORK

The Contractor shall receive payment only for the works actually executed and approved by the Engineer. No claim for an extra or for any addition, or for any variation shall be entertained unless such extra, addition or variation was ordered in writing by the Head of Department.

9) PROGRESS PAYMENTS

.1 The contractor may submit claims for progress payments only on completion of the hereunder listed levels. Payment shall only be paid for claims, which are commensurate with the works actually executed and complete. NOTE: Payment will only be made against the construction progress as pertaining to built items. Movable items and materials on site are excluded from progress payments until they have been fully installed, fitted or built up.

- .2 If any item or part of an item in an invoice is disputed by the Engineer, the Engineer shall give notice of such with reasons.
- .3 The contractor shall be paid in monthly instalments <u>up to a maximum</u> of five (5). Refer to ANNEXURE B: Work Phase Schedule for Drilling and Equipping of a Borehole for the values of each phase. Please note these values are primarily estimates of what part the work phase constitutes of the entire project, and do NOT reflect the exact amounts paid per payment. <u>Usually payment certificates reflect work done in several work phases, which have not necessarily all been completed.</u> Verification of the % complete will be at the sole discretion of the Engineer.
- 4 ANNEXURE F presents a **pro forma payment certificate**. This will be used in conjunction with ANNEXURE B (Work phase schedule). The latter provides an approximate maximum to prevent over-payment of items that have been clearly over-priced.
- .5 Part payments will be made after the Department has approved the completion of each construction phase.

10) DEFECT LIABILITY PERIOD

The contractor shall unconditionally guarantee all materials, workmanship related to the works for a minimum period of twelve (12) months. The guarantee shall cover any defects due to inferior materials and/or workmanship of the Contractor, or any of his sub-contractors, fair wear and tear excepted. The Contractor shall repair, remedy or replace any such defects, part or complete works without delay and at his own cost.

If any defects are not remedied within the period specified by the Head of Department, then the Head of Department shall have such defect repaired, at the risk and cost to the appointed Contractor, by another Contractor whom the Head of Department deems to be proficient in the work without prejudice to any rights the Head of Department has against the defaulting contractor. The Head of Department will give written notice to the Contractor of such instances where he appoints another Contractor to remedy defects in the works.

11) SERVICE LEVEL AGREEMENT

The successful Bidder and the Department will sign a Service Level Agreement prior to commencement of works. A proposed schedule of work must be provided by the contractor for the approval of the Engineer within 2 (two) weeks of receiving notification of a successful bid.

12) COMMENCEMENT OF THE WORKS

The Department will organize a site hand-over to the contractor and consultant who will then be introduced to the project stakeholders and participants. The site shall only be accessible to consultant, contractor staff and Departmental representatives while work is in progress. If this contract entails the siting, drilling, testing and equipping of more than one borehole, work on more than one site should commence simultaneously. The site(s) will be handed back after practical completion. Site establishment must start within one week, and the actual works within one week after hand-over of the site, provided that an official order has been issued and that no exceptional circumstanced such as inclement weather or other outside the control of either party to the contract prevail. In the case the work has not commenced within three weeks of the hand-over and no extenuating circumstances for the delay can be provided, the Department reserves itself the right to cancel the contract and appoint one of the other contractors that have bided for the works.

13) COMPLETION OF THE WORKS

The project is to be completed within 3 months of award of Bid, provided that the order was received within two weeks after award of the Bid. In case of the drilling and equipping of more than one borehole, an extended period should be agreed upon, which will be part of the

Implementation plan/Work schedule as drawn up by the contractor before commencement of the works and included in the Service Level Agreements.

14) RATE OF PROGRESS

The Works shall be completed within the time period indicated on the official order form.

If the Works are delayed by cessation of work by any workmen, inclement weather, or by any omissions, additions, substitutions or variations of the Works, or of any items of work, labour or material, or other causes beyond the Contractor's control then the Contractor shall have the right within twenty-one days of any such cause of delay arising, to apply in writing to the Department to extend the date of completion, stating the cause of delay and period of extension applied for. The Department upon receipt of such written application may by order in writing extend such date of completion by a period to be determined, or may refuse to extend such date of completion, or may postpone giving a decision upon such application until completion of the Contract period set out in sub-clause (a) of this clause. The date of completion will be extended only to the extent approved by the Department.

Should the Contractor fail to apply in writing for an extension within the time set out above, or should the Department refuse to grant any extension in writing, then the Contract period provided by sub-clause (a) of this clause shall not be exceeded.

When the Works are completed the Department will give a completion certificate and the date of such certificate shall be the date of commencement of the guarantee period.

15) TIME TO BE OF THE ESSENCE

Time shall be considered as the essence of the Contract. If, therefore, the Contractor fails to commence work or the Works or to proceed with and complete the Works in compliance with the projected timeframes, then the Head of Department shall have the right in his/her absolute discretion to adopt and exercise all or any of the following courses wholly or partly, viz: -

- To direct the Contractor, in writing, on any day named therein to suspend and discontinue the execution of the Works, and to withdraw himself and his workmen from the said Site or Sites, and thereupon: -
- To make any Contract or Contracts by calling for Bids or otherwise with any other Contractor or Contractors for the completion of the Works, or any part thereof, at such times and upon such terms as to the Department shall deem best.
- To provide such number of men, or purchase such materials, or both provide the men and purchase the materials as to him shall seem fit and proceed with and complete the said Works. In relation to the foregoing provisions the Department shall charge any sums of money which may be paid by the Department for completing the said Contract against the Contractor and if such amount shall exceed this Contract, then the Department shall have the right to recover such excess or any balance thereof from the Contractor by legal proceedings.

16) WORK SCHEDULE & PROGRESS PAYMENTS

The contractor is to supply a Gantt chart with the proposed times of completion of each phase. The progress payments suggested in *ANNEXURE B* serve as a <u>guideline</u> for part payments. However, the contractor, in consultation with the Engineer, may deviate from this as long as the claim does not exceed the actual progress made.

17) CIDB Registration

It is a minimum requirement that all tenderers shall be registered with the Construction Industry Development Board in a designation of higher, or equal, to Class of Construction Work grading of **1CE or 1PE**.

All Tenderers must attach proof CIDB in order to be evaluated for this requirement

C) PROJECT TECHNICAL SPECIFICATIONS

1) SPECIFIC SCOPE OF WORKS

To Facilitate the Siting, Drilling, Testing and Equipping of boreholes as indicated in Section A: Project Particulars, clause 1.

- a. Geohydrological Desktop study, Geophysical survey (instruments) and selection of drilling target.
 - Geohydrological services are to conform to the standards detailed in the "Minimum Standards and Guidelines for Groundwater Development for the Community Water Supply and Sanitation Programme" by the Department of Water Affairs and Forestry 1997. The consultant / organization must be recognized for their proficiency in hydro-geological services.
 - Study and interpretation of published geological and hydro-geological maps, aerial photography and ortho-photos (if available)
 - Interrogation of available existing databases National Groundwater Archive (NGA) and the Groundwater Resource Information Project (GRIP) and WARMs
 - The siting of a potential groundwater borehole position must be preceded by the
 pre-feasibility desktop study to maximise the success rate within the most cost
 effective and productive manner. Drilling targets need to be identified based on
 scientific methods and offering the greatest potential success in terms of yield
 and access.
 - Geophysical borehole siting is to be conducted utilizing a minimum of two methods by an experienced hydro-geological consultant / team Geophysical techniques include but are not limited to:
 - Magnetic surveys
 - Frequency domain electromagnetic surveys
 - Gravimetric surveys
 - Electrical resistivity surveys
 - Seismic refraction surveys
 - More than one potential position is required per project, based on whether or not the geophysical results show good potential for ground-water. The minimum requirements are as follows:
 - Production application: a minimum of two (2) potential positions (pegs) required per project.

b. Drilling of boreholes.

 The drilling contractor will function under the direct and full-time on-site supervision of the hydro-geological consultant (unless otherwise specified). The hydro-geological consultant will be responsible for the borehole construction for all aspects of that construction, inclusive of technical and management aspects. The hydro-geological consultant will be required to verify and document the construction parameters of the borehole as well as to log the geological formation encountered in that borehole.

• Service provider will be paid per m of drilling as per quotation. If no water is found (dry hole). Then the contract will be cancelled and the contractor will be paid for sitting and drilling only.

Drilling method	Geological formation for drilling method used
Rotary air percussion	All consolidated rock formations (with limited overburden)
ODEX / Symetrix	In all formation
Rotary mud flush	In extensive unconsolidated soil formation

- c. Pump Test Water Sampling and laboratory water analysis.
 - The test pumping contractor will function under the direct supervision of the hydro-geological consultant (unless otherwise specified). The hydro-geological consultant will be responsible for the required instruction and on site supervision of the testing of the borehole and for all aspects of the testing of that borehole, inclusive of technical and management aspects. The hydro-geological consultant will be required to verify, document and interpret test results and make borehole utilisation and pumping recommendations. Payment shall be made according to the type of test performed and per borehole tested. Test pumping will typically be as follows:
 - Step test (4 x 1 hr duration and 4 hrs maximum recovery or 95% recovered,
 24 hour constant discharge test (CDT) and associated recovery (of maximum 24 hrs of 95% recovered)
 - Groundwater sampling during the CDT with laboratory supplied containers and submission within 24 hrs for a SANS 241: 2015 Drinking Water Standards Abbreviated Analysis.

d. Equipping of boreholes.

- The hydro-geological consultant will be required to verify, document and interpret test results and make pump and pumping recommendations. The pump specifications will be guided by the sustainable yield, hydraulic head conditions and the water requirements at the site.
- The borehole will be equipped with the recommended submersible pump powered by the recommended power supply i.e. Generator
- Proposed SVM Franklin Pump, Motor 1.1Kw and Control Box 1.1Kw (or equivalent to be discussed with Engineer before installation), supplied by 4mm X 4 core electric cable and secured with heavy duty nylon ski-rope.
- Generator 6.5 Kva with combination battery powered and pull start
- 3m Galvanised Tank Stand secured with 20MPa concrete footings (500 mm X 500 mm X 500 mm).
- 5000L Jojo tank braced with 4mm wire ties to tank stand.
- Precast concrete drinking troughs 600L capacity with lid and float valve.

- Tap and tap stand secured in concrete and pvc piping 800mm above the concrete slab.
- Concrete slab is to be 15Mpa (1.2m X 1m X 200mm). The slab is to be recessed 50mm below natural ground level and runoff must drain away from the water collection point.
- Supply (rising main) and delivery lines is to be 32mm HDPE class 10 (SABS approved), 100 m supply from borehole and a maximum of 200 m delivery to water points.
- Trenching for piped water supply to be 600mm deep by 300 mm wide.
- Fittings control valves must be installed on both independent supply lines from the Jojo tank to the tap.
- The borehole pump will be secured in a concrete ring. Galvanised lockable lid to be used to secure control box and pump (Alternative to be discussed with Engineer prior to any installations). The ring or lid to be fitted with ease of use lockable box which houses plug lead to prevent the continuous opening and closing of the lid.
- All operation and service manuals to be supplied on commissioning.
- e. Testing and commissioning of boreholes.
 - A complete operational test will be performed of the borehole pump and all
 associated pipes and fittings. The Geohydrologist will be required to be present
 on site to verify proper functioning of the borehole and to commission each
 project.

f. Technical Report.

• The PSP will compile a comprehensive technical report based on the findings and results of the investigation. This would include the outcomes of the desktop review, geophysical investigation, drilling and testing data, analysis and interpretation, equipping and reticulation design.

2) MATERIALS AND CONSTRUCTION

All materials must conform to SABS specifications for the products. This includes all items such as piping, HDPE fittings, tank stands, reservoir tank, all other fittings, borehole pump and control box, etc.

All construction works must conform to the applicable standard specifications and installation requirements as per NBR requirements and manufacturers recommendations. All concrete works to conform to Cement & Concrete Institute standards and recommendations.

STANDARD CONCRETE MIXES: (Class B concrete Slabs and footings)

Mixing, pouring and curing of concrete: SABS 1200 GA (5.4)

Materials: SABS 1200 AA (3): SABS 1200 GA (3)

Cement: Common cement 32,5N or R to SANS 50197-1

Testing: SABS 1200 AA (7); SABS 1200 GA (7)

Quality control through the slump test SABS 1200 GA (5.4.1.2) SABS method 862. The contractor

is to supply the slump testing equipment.

Tolerances to SABS 1200 GA (6.4)

Formwork: Refer to SABS 1200 GA (4.4; 5.2)

Reinforcing: SABS 1200 GA (5.1)

Refer to standard concrete mixes specification.

STANDARD CONCRETE MIXES:

Concrete for non-structural purposes shall be "Prescribed mix concrete" produced in accordance with the requirements indicated in table 5.1, and the Contractor is also referred to the foregoing preambles insofar as they apply:

Class of	Estimated	Maximum	Propo	ortion of Const	ituents
Concrete	Minimum Compressive Strength in MPA at 28 Days	Nominal Size of Coarse Aggregate in mm	Cement (Parts)	Fine Aggregate (Parts)	Coarse Aggregate (Parts)
Α	10	37,5	1 (=2 bags)	4	5
В	15	19,0	1 (=2 bags)	3	4
C	20	19,0	1 (=2 bags)	21/2	31/2
D	25	19,0	1 (=2 bags)	2	3
E	30	19,0	1 (=2 bags)	2	21/2

Cement and aggregates shall be mixed by volume and the contents of a 50kg sack of cement shall be taken to be 0,033m³. Water addition should be kept to a minimum. Only sufficient water should be used to produce a workable mix of 60-100mm slump. A recommended maximum water: cement ratio is 1 for a 10Mpa; 0.8 for a 15Mpa; 0.65 for a 20Mpa; 0.59 for a 25Mpa; 0.53 for a 30Mpa mix, however the lower the ratio the better the durability of the concrete. Approximately 210 litres per m³ of concrete is required for an average quality sand and optimum quantity 19mm stone.

BILL OF QUANTITIES

GEOHYDROLOGICAL SERVICES

Payment Reference	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1	PRE-FEASIBILITY DESKTOP STUDY	project	1		
2	GEOPHYSICAL BOREHOLE SITING To include travel, accommodation, travel time and all related disbursements. DRILLING SUPERVISION	project	1		
3	Full-time supervision for a field hydrogeologist. To include travel, accommodation, travel time and all related disbursements.	Day	2		
4	TESTING SUPERVISION Full-time supervision for a field hydrogeologist. To include travel, accommodation, travel time and all related disbursements.	Day	2		
5	EQUIPPING Site monitoring by hydrogeologist. To include travel, travel time and all related disbursements.	Day	1		
6	REPORTING				
	Inclusive of professional time and all associated disbursements. Technical report in a word format, to detail study approach, results, recommendation complete with all geophysical data, drill log, test data and applicable maps and photographs.	No.	1		
7	COMMISSIONING				
	Commissioning of project with Departmental Engineer, Extension Departmental Officer and community participants. To include travel, accommodation, travel time and all related disbursements. PROJECT MANAGEMENT	Project	1		
8	To include professional fees for overall management of the project and disbursements for communications, printing etc.	Project	1		
9	SUBMISSION OF INFORMATION TO EMPLOYER All borehole data needs to be sent to DWS in a specified format	Project	1		

SUB TOTAL	
ADD: 15% VAT	
TOTAL CARRIED FORWARD	

BILL OF QUANTITIES DRILLING OF BOREHOLE

ISH Initial establishment to site for drilling	No.			
	No.			
Cat was at aire		1		
Set-up at site				
 a) Percussion (Positioning of the drilling machine) 	No.	1		
DRILLING OF BOREHOLES				
For internal borehole diameter of 165mm				
Air Percussion Drilling				
a) Drilling Depth Range: 0 - 120m				
216 mm drilling diameter	m	30		
165 mm drilling diameter	m	90		
b) Mild Steel 3- 4mm wall thickness	m	30		
c) Development (Air Flush)	hr	1		
d) Silica grit 3-5 mm	m	rate only		
e) Sanitary Seal (3-5m)	project	1		
f) Concrete Collar	project	1		
g) Borehole protection (welding of casing)	project	1		
h) Borehole marking (as per DWS specification)	project	1		
To include travel, accommodation, travel time and all related disbursements.				
	For internal borehole diameter of 165mm Air Percussion Drilling a) Drilling Depth Range: 0 - 120m 216 mm drilling diameter 165 mm drilling diameter b) Mild Steel 3- 4mm wall thickness c) Development (Air Flush) d) Silica grit 3-5 mm e) Sanitary Seal (3-5m) f) Concrete Collar g) Borehole protection (welding of casing) h) Borehole marking (as per DWS specification) To include travel, accommodation, travel	For internal borehole diameter of 165mm Air Percussion Drilling a) Drilling Depth Range: 0 - 120m 216 mm drilling diameter m 165 mm drilling diameter m b) Mild Steel 3- 4mm wall thickness m c) Development (Air Flush) hr d) Silica grit 3-5 mm m e) Sanitary Seal (3-5m) project f) Concrete Collar project g) Borehole protection (welding of casing) project h) Borehole marking (as per DWS specification) project	For internal borehole diameter of 165mm Air Percussion Drilling a) Drilling Depth Range: 0 - 120m 216 mm drilling diameter m 30 165 mm drilling diameter m 90 b) Mild Steel 3- 4mm wall thickness m 30 c) Development (Air Flush) hr 1 d) Silica grit 3-5 mm m rate only e) Sanitary Seal (3-5m) project 1 f) Concrete Collar project 1 g) Borehole protection (welding of casing) project 1 h) Borehole marking (as per DWS specification) project 1 To include travel, accommodation, travel	For internal borehole diameter of 165mm Air Percussion Drilling a) Drilling Depth Range: 0 - 120m 216 mm drilling diameter m 30 165 mm drilling diameter m 90 b) Mild Steel 3- 4mm wall thickness m 30 c) Development (Air Flush) d) Silica grit 3-5 mm m rate only e) Sanitary Seal (3-5m) f) Concrete Collar g) Borehole protection (welding of casing) h) Borehole marking (as per DWS specification) To include travel, accommodation, travel

SUB TOTAL	
ADD: 15% VAT	
TOTAL CARRIED FORWARD	

BILL OF QUANTITIES TEST PUMPING

ITEM NO	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1	Establishment and Set-up Pump Testing	No.	1		
2	Pump Test				
	To include stepped discharge test (4hr discharge),24hr constant discharge, recovery monitoring (28hrs)	No.	1		
3	Borehole Disinfection - Granular chlorine (HTH or equivalent)	No.	1		
4	Borehole capping (re-welding of casing)	No.	1		
5	Data Recording - (hard copy field sheet and digital excel spreadsheet including log graphs)	No.	1		
6	Water level monitoring at observation borehole	No.	rate only		
7	Collection of water sample (cold storage and delivery to the laboratory)	No.	1		
8	SANS 241 (2015) Abbrev. at accredited laboratory	No.	Rate		
	To include travel, accommodation, travel time and all related disbursements.				
SUB TO	DTAL				
ADD: 1	5% VAT				
TOTAL	CARRIED FORWARD				

BILL OF QUANTITIES EQUIPPING TO ALLOW 6 HRS OF PUMPING TO FILL 2 X 5 m³ STORAGE TANKS

NO NO	DESCRIPTION	UNIT	QTY	RATE	ГИООМА
1	Establishment, Set-up and Equipping(labour)	No.	1		
2	Disinfection of borehole (only if pathogens indicated by total coliforms and e-Coli, are present)	No.	1		
3	Trenching (600mm X 300mm)	m	230		
4	SVM 3019 Pump & 1.1kw Franklin Motor	No.	1		
5	Franklin Box Std 1.1kw	sum	1		
6	Piping 32mm Class 10 HDPE (SABS approved)	М	300		
7	Fittings (Termination kit, safety rope, compression fittings, external fittings, tank fittings, tap stand and tap)	sum	1		
8	Cable 4mm (4 core)	m	100		
9	Petrol Generator (6.5kVa) Mounted on Wheelbarrow frame	No	1		
10	Galvanized tank Stand (3m High)	No.	2		
11	Jojo Tank 5000L	No.	2		
12	Precast concrete drinking troughs 600L Trough to include: legs, lid and float valves	No.	2		
13	Protective Pump House (Concrete ring with lockable lid)	No.	1		
14	Tap stand with Concrete block (1.5m X 1m X 200mm (20 MPa)	No.	1		
15	Commissioning of borehole On site for snags To include travel, accommodation, travel time and all related disbursements.	No.	1		
UB TC	DTAL				
DD: 1	5% VAT				
OTAI	_ CARRIED FORWARD				

SUMMARY

ITEM NO	DESCRIPTION	AMOUNT			
1	Sub-Total Geohydrological Services				
2	Sub-Total Drilling The borehole				
3	Sub-Total Test Pumping				
4	Sub-Total Equipping The borehole				
TOTAL					

ANNEXURE A: Work Phases Schedule for Drilling and Equipping of a Single Borehole

Please note these values are primarily estimates of what part of the work phase constitutes of the entire project, and do NOT reflect the exact amounts per part payment. Usually payment certificates reflect work done in several work phases, which do not necessarily mean that they have been completed.

Work phase No.	PHASE DESCRIPTION	App. % of work/ contract
1	Hydrogeological Services	20%
2	Drilling	20%
3	Pump Test and laboratory water sampling.	10%
4	Equipping of borehole	50%
	TOTAL	100%

Additional Information

ANNEXURE B:

1. PROFESSIONAL REGISTRATION

Please note that the awarded bidder will be required to supply proof of registration with the appropriate body.

Please note that Completion of the table below is mandatory and proof of registration must be attached !!!!

#	PROFFESSIONAL BODY REGISTRATION	REGISTRATION NUMBER
1		
2		
3		
4		

#	CONSULTATION / ORGANISATION	REGISTRATION NUMBER
1		
2		
3		
4		

2. EXPERIENCE

Please indicate your experience and expertise by completing the table.

#	NAME OF PROJECT + PERIOD	PROJECT DESCRIPTION	ROLE	PROJECT VALUE	NAME AND CONTACT NUMBER OF REFEREE
1				11	
2					
3					
4					
5					