

INVITATION OF QUOTATION FROM R1 - R1 MILLION

THIS FORM SHOULD BE COMPLETED IN DETAIL AND SHOULD BE ACCOMPANY A VALID BBBEE

CERTIFICATE/SWORN AFFIDAVIT /CSD REPORT

DOCUMENTS.

QUOTATION NUMBER: R/S/2324/918	VALIDITY PERIOD OF QUOTATION Days (To be completed by the Supplier)
CLOSING DATE: 03/08/2023	CLOSING TIME: 11H00
DESCRIPTION(SPECIFICATION/S) OF ITEMS/ SERVICE REQUIRED:	COMPANY NAME:
PURCHASE OF PROTECTIVE CLOTHING.	FAX NO:
(See attached spec)	CONTACT PERSON:
	CSD REG NUMBER MAAA
DOES OFFER COMPLY WITH SPECIFICATION?	YES/NO (DELETE WHICH EVER IS NOT APPLICABLE)
DOES ARTICLE COMPLY WITH SABS SPECIFICATION? HAS IT BEEN INSPECTED BY SABS?	YES/NO YES/NO (DELETE WHICH EVER IS NOT APPLICABLE)
DELIVERY PERIOD AFTER INITIAL ORDER?	
IS THE PRICE FIRM	
WHERE ARE THE STOCK HELD? (PHYSICAL ADDRESS , PLEASE)	
QUOTATION PRICE INCLUDING VAT (VAT TO BE ADDED BY REGISTERED VAT VENDORS ONLY)	TOTAL: R
COMPANY OFFICIAL STAMP (COMPULSORY)	SIGNATURE OF BIDDER
	DATE
Quotation to be returned to: Ntuthuko Hlengwa	1.
Department of Agriculture & Rural Development:	
Ntuthuko.Hlengwa@kzndard.gov.za	
Tel. No: 033 343 8367	
NB: DOCUMENT MUST BE COMPLETED IN FULL	
THIS OUOTATION COVER PAGE MUST BE COMPLETED	AND RETURNED WITH ALL YOUR SUPPORTING

FOR ENQUIRY ONLY

Erika Van Coller -079 941 1727 **END-USER NAME** Peter Oosthuizen -082 085 2813 **TELEPHONE NUMBER** 033 343 8292 / 076 941 7328 michelle.larsen@kzndard.gov.za (invoicing) E-MAIL ADDRESS 31 July 2023 PROPOSED DELIVERY DATE **Dundee Research Station DELIVERY ADDRESS** LOCAL MUNICIPALITY Endumei DISTRICT uMzinyathi

LINE NO.	DESCRIPTION OR SPECIFICATION OF ITEM	REQUIRED QUANTITY	UNIT PRICE EXCL. VAT		TOTAL PRICE	
(Please be very	(Please be very specific and clear)		R	С	R	С
	Overall Pants Olive Green					
	65/35 polyester cotton					
	Size 40 - 6					
1.	Size 38 - 8	22				
	Size 36 - 2					
	Size 34 - 4					
	Size 32 - 2					
Minimu Triple r Elastic	onform to standard (J 54) um 240g/m² needle stitching ised back					
Minimu Triple r Elastic Conce	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points					
Minimu Triple r Elastic Conce	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green					
Minimu Triple r Elastic Concea Bar tac	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton					
Minimu Triple r Elastic Conce	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2	22				
Minimu Triple r Elastic Conce Bar tac	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2 Medium - 10	22				
Minimu Triple r Elastic Concea Bar tac 2.	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2 Medium - 10 Large - 10	22				
Minimu Triple r Elastic Concea Bar tac 2.	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2 Medium - 10 Large - 10 Green	22				
Minimu Triple r Elastic Concea Bar tac 2.	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2 Medium - 10 Large - 10 Green	22				
Minimu Triple r Elastic Conce: Bar tac 2. Olive G 100% G Must co Minimu	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2 Medium - 10 Large - 10 Green cotton onform to standard (J 54) um 240g/m²	22				
Minimu Triple r Elastic Concea Bar tac 2. Olive G 100% o Must co Minimu Triple r	needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2 Medium - 10 Large - 10 Green cotton onform to standard (J 54) um 240g/m² needle stitching					
Minimum Triple r Elastic Conces Bar tac 2. Olive Garage Must communication Triple r Chest particles and the concess of the co	um 240g/m² needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2 Medium - 10 Large - 10 Green cotton onform to standard (J 54) um 240g/m² needle stitching pockets with press stud closure and p					
Minimum Triple r Elastic Concea Bar tad	needle stitching ised back aled YKK zip. (non corrosive) cks on stress points Overall Jackets Olive Green 65/35 polyester cotton Small - 2 Medium - 10 Large - 10 Green cotton onform to standard (J 54) um 240g/m² needle stitching	en pocket				

Roter to attached specifications 3. Size 11 - 1 5 5 5 5 5 5 5 5 5		Doct NO Ctool 3	Too Con Deals Burne		T .	_
3. Size 11 - 1 Size 8 - 1 Size 6 - 2 Size 6 - 2 Size 5 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11 - 1 Size 10 - 10 Size 9 - 1 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 9 - 1 Size 9 -						
Size 8 - 1 Size 6 - 2 Size 5 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braited not size 8 - 3 Size 9 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11 - 1 4. Size 10 - 10 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 5. Size 9 - 1 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting			ed specifications			
Size 6 - 2 Size 5 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11 - 1 4. Size 10 - 1 Size 9 - 1 Size 9 - 1 Size 6 - 3 Size 7 - 4 Size 6 - 1 Size 8 - 3 Size 7 - 4 Size 8 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting	3.		1			
Size 5 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11 - 1 Size 10 - 10 Size 8 - 3 3 Size 7 - 4 4 Size 6 - 10 Size 6 - 5 Size 4 - 1 10 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 2 Size 9 - 1 10 Size 8 - 4 3 Size 7 - 3			1	5		
Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11 - 1 4. Size 10 - 10 Size 8 - 3 Size 7 - 4 Size 6 - 10 Size 8 - 1 Size 6 - 10 Size 6 - 10 Size 6 - 10 Size 7 - 1 Size 8 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting			2			
Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11			1			
Imported 4mm insole board 2. Arm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11		,				
2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications				el shank.		
Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11						
Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications		-		1		
ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11						
A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11			c ankle padding to pro	vide good		
conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11		• •				
Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11			ood grip in slippery w	et soil		
Fitted tongue to prevent dust and foreign material entering the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11						
the boot. Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11			•			
Safety Boot Steel Toe Cap, Dark Brown Refer to attached specifications Size 11 - 1 4. Size 10 - Size 9 - 1 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting		•	dust and foreign mate	eriai entering		
Brown Refer to attached specifications Size 11 - 1 4. Size 10 - 10 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting	the boo					
Refer to attached specifications Size 11 - 1 4. Size 10 - 10 Size 9 - 1 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Black Kneel length Wide fitting		Safety Boot Ste	el Toe Cap, Dark			
Size 11 - 1 4. Size 10 - 1 Size 9 - 1 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting		Brown				
4. Size 10 - 1 Size 9 - 1 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting		Refer to attache	ed specifications			
Size 9 - 1 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting		Size 11 -	1			
Size 9 - 1 Size 8 - 3 Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting	4.	Size 10 -		10		
Size 7 - 4 Size 6 - Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2 Size 9 - 1 10 Size 8 - 4 Size 7 - 3 Size 7 - 3 Black Knee length Wide fitting		Size 9 -	1	10		
Size 6 Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2		Size 8 -	3			
Size 4 - 1 Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11 - 2		Size 7 -	4			
Dark Brown, Jim Green Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11		Size 6 -				
Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11		Size 4 -	1	,		
Single layer of 2.2mm full grain leather. Steel shank. Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11	Dark Bi	own, Jim Green				
Imported 4mm insole board 2.2mm braided nylon cord for double stitching Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11			ıll grain leather. Stee	el shank.		
Also available with steel toe cap Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black	•	•	_			
Laminated and synthetic ankle padding to provide good ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11	2.2mm	braided nylon co	ord for double stitching	J		
ankle support. A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11	Also av	ailable with steel	toe cap			
A sole suitable to give good grip in slippery wet soil conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11	Lamina	ted and synthetic	c ankle padding to pro	vide good		
conditions. Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11	ankle s	upport.				
Lace up shoes with the top 3 eyelets as hooks Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11		~ ~	ood grip in slippery w	et soil		
Fitted tongue to prevent dust and foreign material entering the boot. Gumboot NO Steel Toe Cap, Black Size 11						
## Black Size 11						
Gumboot NO Steel Toe Cap, Black Size 11			dust and foreign mate	erial entering		
5. Size 11 - 2 Size 9 - 1 Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting	the boo					
5. Size 9 - 1 10						
Size 8 - 4 Size 7 - 3 Black Knee length Wide fitting	5		<u>.</u>	40		
Size 7 - 3 Black Knee length Wide fitting	ο.		·	10		
Black Knee length Wide fitting			·			
Knee length Wide fitting		Size 7 -	3			
Wide fitting	Black					
· ·		•				
Ankle recesses with side support						
	Ankle r	ecesses with side	e support			

		,		
	Ladies Gumboot, Black			
6.	Size 7 - 1	5		
	Size 6 - 2			
	Size 5 - 2			
Black		_		
	ngth gumboot in a style suitable for lac	lies		
Good	prip on the sole	T		
	Summer Jacket Dry Mac Black			
	Refer to attached specifications			
7.	Size S - 1	15		
	Size M - 7 Size L - 4	10		
	Size XL - 2			
	Size XXL - 1			
Black [1		
Full zip	through jacket ribbed cuffs			
•	aw cord at hem helps keep the jacket	protection		
	t the cold	-		
_	ockets help to keep your hands warm			
A conc	ealed hood is a convenient way to kee	ep you dry		
	n be tucked away using the neck zip to	o make it a		
	table jacket for dry weather			
Broad	elasticized cuff			
	T Shirt Short Sleeve 100% Cotton			
	Round Neck light grey			
8.	Size S - 4	30		
O.	Size M - 12 Size L - 8			
	Size XL - 4			
	Size XXL - 2			
Mélang		1		_
	combed cotton			
	Jersey Knit			
	crew neck			
Weight	: at least 160 gm²			
	Ladies Short Sleeve Cotton Shirt			
_	65/35 Polly cotton – Color: Olive			
9.	Branded with Dept. Logo	6		
	Size M - 4	Ů		
	Size L - 2			
	Ladies Work Cargo Pants, straight			
10	leg, comfortable fit– Stone	6		
	Size 38 - 2	6		
	Size 36 - 4			
	Mens Short Sleeve Cotton Shirt			
4.4	65/35 Polly cotton – Color: Olive			
11 ₂₂	Branded with Dept. Logo Size M -	4		
	Size IVI - 2			
	Size XXL - 2			
	0125 ///L - Z		diameter design	

12. Mens Cargo Pants, Straight leg, comfortable fit - Stone Size 40 - 4	4		
SUPPLY, DELIVER, OFFLOAD AND S	ORT - TO THE	DUNDEE	
RESEARCH STAT			
 The supplier will be responsible for delivery 	sorting the cl	othing upon	
 End user must be able to exchange are incorrectly sized 	for equal valu	e items that	
Should an item of clothing need to	be exchanged	to either a	
bigger or smaller size FOR WHATE must be able to do so.	VER REASON	– the suppli	er
The invoice will only be accepted a until all these requirements have be		for payment	
	* LABOUR (IF	APPLICABL	E)
	DELIVERY (IF		
	DELITERY (II	TOTA	
*ONLY APPLICABLE TO VAT REGISTE	RED SUPPLIE		
		TOTAL PRIC	E
	CIDB Grading	(if applicabl	e)
PLEASE WRITE YOUR DETAILS CLEAR COMPANY NAME :	RLY		-11
CSD NUMBER :			
ADDRESS :			
CONTACT PERSON :			
CONTACT NUMBER :			
E-MAIL ADDRESS :			
*VAT Registration No. (Supplier) Mark one Box (X) PRICES ARE VALID FOR 30 60 90			
SIGNATURE		DATE	



PART A

SBD1

INVITATION TO BID

YOU ARE HEREBY INVI				OF DEPARTMENT.			TELL TO
	23/	CLOSING DATE: 03/0	8 /2023		Cl	LOSING TIME:	11H00
DESCRIPTION							
BID RESPONSE DOCUM	MENTS MAY BE D	EPOSITED IN THE BID	BOX SITUA	TED AT (STREET	ADDR	PESS)	
BIDDING PROCEDURE	ENQUIRIES MAY	BE DIRECTED TO	TECHNICA	L ENQUIRIES M/	AY BE	DIRECTED TO:	
CONTACT PERSON	NTUTHUKO HL		CONTACT			M. LARSEN	
TELEPHONE NUMBER	033 343 8367		TELEPHO	NE NUMBER		033 343 8292	
FACSIMILE NUMBER	N/A		FACSIMILE	NUMBER		N/A	
E-MAIL ADDRESS	Ntuthuko.Hlen	gwa@kzndard.gov.za	E-MAIL AD	DRESS			
SUPPLIER INFORMATION	ON						
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER	CODE			NUMBER			
CELLPHONE NUMBER							
FACSIMILE NUMBER	CODE			NUMBER			
E-MAIL ADDRESS							
VAT REGISTRATION							
NUMBER	TAN		-	OENTE AL			
SUPPLIER	TAX			CENTRAL			
COMPLIANCE STATUS	COMPLIANCE SYSTEM PIN:		OR	SUPPLIER DATABASE			
SIAIUS	SISIEM FIN.			No:	MAA	Δ	
ARE YOU THE				140.	100.01		
ACCREDITED							
REPRESENTATIVE IN				A FOREIGN BASE		□Yes	□No
SOUTH AFRICA FOR	□Yes	□No		FOR THE GOOD		_	_
THE GOODS			/SERVICES	S /WORKS OFFER	KEU!	[IF YES, ANSWI	ER THE
/SERVICES /WORKS	[IF YES ENCLO	SE PROOF]				QUESTIONNAIR	RE BELOW]
OFFERED?							
QUESTIONNAIRE TO BI	DDING FOREIGN	SUPPLIERS					
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)?						YES NO	
DOES THE ENTITY HAVE A BRANCH IN THE RSA?					YES 🗌 NO		
DOES THE ENTITY HAV	DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA? ☐ YES ☐ NO					YES NO	
DOES THE ENTITY HAV	E ANY SOURCE	OF INCOME IN THE RS	A?				YES NO
IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION? IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.							

PART B TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED—(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PA	RTICULARS MAY RENDER THE BID INVALID.
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	***************************************

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2	B	idd	er's	dec	laratio	n
-	_	шч		UUV		

- 2.1 Is the bidder, or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest1 in the enterprise, employed by the state?

 YES/NO
- 2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of State institution

2.2	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO
2.2.1	If so, furnish particulars:
2.3	Does the bidder or any of its directors / trustees / shareholders / members / partners or any person having a controlling interest in the enterprise have any interest in any other related enterprise whether or not they are bidding for this contract? YES/NO
2.3.1	If so, furnish particulars:

¹ the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

DECLARATION

I, the undersigned, (name)	
I have road and Lunderstand the contents of this disclosure:	

- 3.1 I have read and I understand the contents of this
- I understand that the accompanying bid will be disqualified if this disclosure is found not to be true 3.2 and complete in every respect;
- The bidder has arrived at the accompanying bid independently from, and without consultation, 3.3 communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium2 will not be construed as collusive bidding.
- In addition, there have been no consultations, communications, agreements or arrangements with 3.4 any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly 3.4 or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- There have been no consultations, communications, agreements or arrangements made by the bidder 3.5 with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- I am aware that, in addition and without prejudice to any other remedy provided to combat any 3.6 restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF

PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bid

² Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS. 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the **80/20** preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS		
PRICE	80		
SPECIFIC GOALS	20		
Total points for Price and SPECIFIC GOALS	100		

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes:
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

80/20

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

90/10

$$Ps = 80 \left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or $Ps = 90 \left(1 - \frac{Pt - Pmin}{Pmin}\right)$

or

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + \frac{Pt - Pmax}{Pmax}\right)$$
 or $Ps = 90\left(1 + \frac{Pt - Pmax}{Pmax}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Enterprises located in a specific District (Proof of residence to be attached)	10	
Black owned entities	10	
Black people who are youth	10	
Black people who are women	8	
Black people with disabilities (Proof to be attached)	7	
Black people living in rural or underdeveloped areas or townships	6	
Black people who are military veterans (Proof to be attached)	6	
A cooperative owned by black people	5	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm
4.4.	Company registration number:

4.5. TYPE OF COMPANY/ FIRM

Partnership/Joint Venture / Consortium
One-person business/sole propriety
Close corporation
Public Company
Personal Liability Company
(Pty) Limited
Non-Profit Company
State Owned Company

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	

CONTRACT FORM - PURCHASE OF GOODS/WORKS

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

1.	I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to (name o
	institution)in accordance with the requirements and specifications stipulated in bid number
	at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the purchaser during the validity period indicated
	and calculated from the closing time of bid.

- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid:
 - Tax clearance certificate;
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2011:
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- 4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
- 5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 6. I confirm that I am duly authorised to sign this contract.

NAME (PRINT)	***************************************	
CAPACITY		WITNESSES
SIGNATURE		1
NAME OF FIRM		2
DATE		Str San Ser

CONTRACT FORM - PURCHASE OF GOODS/WORKS

PART 2 (TO BE FILLED IN BY THE PURCHASER)

1.	I Ms PMM Nxumalo in my capacity as Deputy Director: Acquisition accept your bid under reference number R/S/2324/dated
	/2023 for the supply of goods/works indicated hereunder and/or further specified in the annexure(s).

- 2. An official order indicating delivery instructions is forthcoming.
- 3. I undertake to make payment for the goods/works delivered in accordance with the terms and conditions of the contract, within 30 (thirty) days after receipt of an invoice accompanied by the delivery note.

ITEM NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND	DELIVERY PERIOD	B-BBEE STATUS LEVEL OF CONTRIBUTION	MINIMUM THRESHOLD FOR LOCAL PRODUCTION AND CONTENT (if applicable)
		AS PER SPECIFICATION			

I confirm that I am duly authorised to sign this contract.				
SIGNED AT HILTON	ON/2023			
NAME (PRINT)	PMM NXUMALO			
SIGNATURE				
OFFICIAL STAMP		WITNES	SSES	
		1.		
		2.		
		DATE	/2023	



DIRECTORATE: SUPPLY CHAIN MANAGEMENT

Cedara Road, Pietermaritzburg, 3200 IN Department of Agriculture & Rural Development, Private Bag X9059, Pietermaritzburg, 3200 I: 033 355 9588 / 9369

Procurements from R1 up to R 30 000.00, the Department will allocate (80/20) points as follows:

80 points for price

10 points for black owned entities

10 points for entities located in a District where goods/services are required.

If the entity is 100% owned by black people, this must be supported by a BBBEE certificate or affidavit or share register or CSD report.

Historically Disadvantaged Individuals	Black Owned	Districts	Total Points
An EME or QSE which is at least 100% owner	d by black p	eople	
Enterprises located in a specific District for work to be	10	10	20
done or services to be rendered in that District (Proof of			
residence to be attached)			



Procurements from R30 000 - R1M the Department will allocate the points as follows

Historically Disadvantaged Individuals	Black Owned	Points
0An EME or QSE which is at least 100% owner	d by black people	
a) black people who are youth	10	10
b) black people who are women	10	8
c) black people with disabilities (Proof to be attached)	10	7
d) black people living in rural or underdeveloped areas or townships	10	6
e) black people who are military veterans (Proof to be attached)	10	6
f) a cooperative owned by black people	10	5

If the entity is 100% owned by black people, this must be supported by a BBBEE Certificate or Affidavit or Share Register or CSD report.

Should the service provider qualify for more than one (1) specific goal points as per the above table, the Department will allocate the points to the goal with highest score.